#### LA-UR-01-6868

Approved for public release; distribution is unlimited.

Title: Radiological and Nonradiological Effects

after the Cerro Grande Fire

Author(s): David Kraig

Randall Ryti (Neptune and Company)

Danny Katzman Thomas Buhl Bruce Gallaher Phillip Fresquez

Submitted to: for general citation purposes

## Los Alamos

#### NATIONAL LABORATORY

Los Alamos National Laboratory, an affirmative action/equal opportunity employer, is operated by the University of California for the U.S. Department of Energy under contract W-7405-ENG-36.By acceptance of this article, the publisher recognizes that the U.S.Government retains a nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or to allow others to do so, for U.S. Government purposes. Los Alamos National Laboratory requests that the publisher identify this article as work performed under the auspices of the U.S.Department of Energy. Los Alamos National Laboratory strongly supports academic freedom and a researcher's right to publish; as an institution, however, the Laboratory does not endorse the viewpoint of a publication or guarantee its technical correctness.

Form 836 (8/00)

# RADIOLOGICAL AND NONRADIOLOGICAL EFFECTS AFTER THE CERRO GRANDE FIRE

by

David Kraig, Randall Ryti, Danny Katzman, Thomas Buhl, Bruce Gallaher, and Phillip Fresquez

#### 1.0 Introduction


The Cerro Grande Fire was begun as a controlled burn in early May 2000. Because of unexpectedly high winds and other complicating factors, the fire got out of control and spread quickly, eventually burning almost 43,000 acres along the east-facing side of the Jemez Mountains (Figure 1). The fire burned approximately 7,000 acres on Los Alamos National Laboratory (LANL) property, destroying buildings and other properties, and potentially burning, vaporizing, or lofting and dispersing contaminated materials or sediments remaining from earlier operations.

During the Cerro Grande Fire, inhalation of airborne material dominated potential exposure pathways. An assessment was made of radiological doses that might have been received by members of the public, including those involved with the firefighting effort in and around Los Alamos, and those residing in the most affected of the nearby communities, Espanola (Kraig et al. 2001). That study indicated that the doses received were very small and were caused by increases in airborne natural radioactivity during the fire. Impacts from dispersal of contaminated material from LANL were either nonexistent or too small to be observed, especially relative to the significant increases in airborne natural radioactivity. Several assessments of potential nonradiological effects have also been undertaken (CDC 2000, ATSDR 2000).

Exposure pathways in addition to inhalation developed after the fire and had to be evaluated for their potential to human exposure. Because many acres of trees and ground cover burned during the Cerro Grande Fire, the possibility of enhanced flooding was created in the canyons draining the east-facing side of the Jemez Mountains. Several of these watersheds (Los Alamos/Pueblo, Mortandad, and to a lesser extent Pajarito and Water Canyons) have residual contamination from early LANL operations. If contaminated sediments in the canyons were mobilized during runoff and redeposited downstream in the lower parts of these canyons or transported into the Rio Grande, people could have been exposed to these contaminated sediments or to contaminated water in the Rio Grande.

The mobilization of LANL-related contamination is one source for exposure following the fire. However, during the past 50 years or so, radioactive fallout (from worldwide uses of radioactive materials) has accumulated in soils, vegetation, and duff, and represents a much larger source term available for mobilization by rainfall and runoff. Metals, plant nutrients, and other chemicals have also accumulated in trees and other plant material. Organic chemicals that are products of incomplete combustion are present in environmental media following fires.

We approached this assessment in two stages. First, we evaluate sampling and other data to determine if there has been a Cerro Grande effect. We ask the question, have the concentrations of selected potentially hazardous radiological and nonradiological analytes increased in sediments, Rio Grande waters, or in biota directly as a result of the Cerro Grande Fire?



If there is no increase, that is the end of our analysis because no effects assessment would be warranted. If we do see an increase in radiological or nonradiological analytes resulting from the fire, we evaluate potential effects. And, we attempt to discern whether part or all of the increase has been caused by the mobilization of LANL legacy wastes or is in some way traceable to past or present LANL operations. If we are able to identify a LANL increment in the broader Cerro Grande impacts, we will quantify and report that increment and its effect. We don't evaluate effects where there has been a decrease in chemical or radionuclide concentrations.

There is evidence that LANL has contributed somewhat to the existing levels of <sup>239</sup>Pu and other radionuclides in areas within a few miles of LANL (Fresquez et al. 1998). These LANL-caused additions to fallout radionuclide components cannot be distinguished from fallout when measured in sediments deposited downstream. Unless we can demonstrate that a chemical of potential concern is definitely not of LANL origin, its contribution will be included in the effects assessment. Thus, we include all analytes in our assessment that are seen at concentrations above those that existed before the Cerro Grande Fire unless they are shown to be of non-LANL origin.

We evaluated the possibility that humans were exposed during 2000 to increased environmental concentrations of radiological materials and chemicals as a result of the Cerro Grande Fire. Our analysis considers two principal exposure scenarios: (1) a resident who may have lived near contaminated sediments transported by post-Cerro Grande runoff, and (2) individuals who may have been exposed directly or indirectly by Rio Grande water contaminated by runoff events. The resident described in the preceding sentence is assumed to live in lower Los Alamos Canyon, as those residences are closest to potential Cerro Grande impacts and to movable sources of LANL contamination. Finally, although we consider potential effects to wildlife to be important, we did not evaluate such effects in this paper.

There are several other groups that have looked or are looking at Cerro Grande effects. Each group approaches the complicated task of evaluating potential fire effects differently. There are many ways to interpret sampling data and different ways to calculate effects. Thus, it is likely that even if everyone agreed on a data set to use as a basis for analysis, each group would reach different conclusions from those data. Perhaps most important, the guiding philosophy behind the assessments can be very different. Very conservative assessments can be done to describe bounding, worst-case impacts and these can overestimate potential effects. We have chosen to do as realistic an assessment as possible, but to incorporate conservatism such that we can conclude actual effects are very unlikely to be greater than those we describe. Because of the variability in methods, data assessment, and assessment philosophy, it is unlikely that the results of the different effects assessments will be the same or even directly comparable. As the various assessments are published, we anticipate future efforts will be important to compare and reconcile the conclusions.

#### 2.0 General Approach

Our objective was to estimate and assess potential radiological and nonradiological effects from the Cerro Grande Fire that might have been experienced by the receptors most affected during calendar year (CY) 2000, and attempt to determine what component may have been caused by current or past LANL operations. The scenarios we developed were intended to be as realistic as possible while incorporating enough conservatism so that we could conclude that larger exposures were very unlikely to have occurred. This means that, in general, the doses and effects presented below are overestimates of those that actually occurred. To reduce uncertainty,

wherever possible we based these calculations on actual measurements of the potentially affected media. We felt this preferable to a more theoretical approach based on modeling to assess amounts of soil, sediment, or debris transported and redeposited in various locations. Finally, as described above, we limited our evaluation to potential effects from the Cerro Grande Fire and its aftermath, and we tried to discern a LANL impact from the larger Cerro Grande impact.

We have separated radiological from nonradiological impact assessments in this report. We did this because the methods for assessing radiological impacts are fundamentally different from those used for nonradiological impacts. By treating and describing these assessments separately, we hope to reduce confusion as to our methodology. We hope that this organization will allow readers to more easily understand the impacts of interest to them without sifting through information they might consider extraneous. The first section below describes the data that were available or that were generated to allow us to complete these assessments. Then, in section 1 we present the radiological impacts assessment, which is followed by the nonradiological assessment in section 2. Finally, section 3 is dedicated to presenting our evaluation of potential future impacts.

#### 2.1 Description of Data for Effects Assessment

#### 2.1.1 Totavi Sampling

During latter 2000, rainstorms caused runoff throughout the Los Alamos Canyon watershed, which includes Acid, DP, Pueblo, Rendija, Guaje, and Los Alamos Canyons. In lower Los Alamos Canyon, an area with several residences known collectively as Totavi, late-season floods deposited layers of ash and sediment. An evaluation was conducted in March 2001 to assess the degree that these floods deposited sediment in the area behind the convenience store and residences in lower Los Alamos Canyon at Totavi. The study was conducted over a channel distance of approximately 300 m. We determined that sediments were deposited in the area during moderate floods that were generated by October rainfall. These recent flood deposits covered approximately 25% of the floodplain area along the 300-m reach. Thickness of the deposits varied, but was generally less than about 20 cm. More details on the Totavi sampling are presented in Appendix A.

We collected samples from the channel and floodplain in the reach near Totavi from layers representing a variety of sediment sizes within the deposits. All samples included one or more layers of ash-rich sediment typical of post-fire storm water deposits. Thus they were biased toward sampling ashy Cerro Grande deposits rather than sampling equally all sedimentary deposits. Samples from the Totavi area were analyzed for radionuclides (<sup>241</sup>Am, <sup>137</sup>Cs, isotopic plutonium, <sup>90</sup>Sr, isotopic uranium, and inorganic constituents (including total cyanide). Samples were also collected just upstream of the low-head weir structure in Los Alamos Canyon at the Laboratory boundary in September 2000. These samples were analyzed for the same radionuclides and inorganic constituents as at Totavi, and also for semivolatile organic constituents (including dioxins and furans). The chemicals and radionuclides selected for analysis included those that could conceivably have been released by LANL at some time and could pose environmental concerns if present at high enough levels.

Detailed results from the sampling are presented in Appendix A. The concentrations and analytes detected in these flood deposits are similar to those reported from ash and muck (muck is ash that has been picked up, transported, and redeposited in runoff) samples collected west of the Laboratory boundary (LANL 2000). To evaluate potential fire and LANL effects, we

compare Totavi results with sediment data collected in reach LA-4 East by LANL's Environmental Restoration (ER) Project (Reneau et al. 1998 a, b, and c) and with soil and sediment background data collected from many areas not affected by LANL operations. Reach LA-4E is located approximately 0.6 km upstream of the Totavi area. There are no tributary drainages or contaminated sites that affect Los Alamos Canyon between LA-4 East and Totavi; therefore, pre-fire contaminant concentrations from the two areas should be comparable. Therefore, we use the pre-fire sediment concentrations from LA-4 East as surrogates for pre-fire sediment concentrations at Totavi.

Appendix A presents statistical and visual (box plot) comparisons of sampling data. Statistical tests allowed us to conclude which analyte concentrations were elevated at Totavi relative to background or LA-4 East concentrations. If these tests indicate that the concentration of an analyte is higher at Totavi than the LA-4 East concentrations, then we conclude that concentration of that analyte has increased as a result of the fire. Specific radiological and nonradiological analyses are discussed in sections 1 and 2, respectively, below.

#### 2.1.2 Sampling of Rio Grande Waters

In the Rio Grande exposure scenario, radiological and nonradiological constituents are carried into the river by floods from Laboratory property and the Cerro Grande burn area. Highest concentrations of these constituents in the Rio Grande will likely occur during the brief several-hour period when the flood waters enter the river.

During the 2000 runoff season, the U.S. Geological Survey (USGS) collected several post-fire samples of the river for LANL and for the U.S. Army Corps of Engineers. Because of logistical constraints, however, not all runoff events could be sampled and usually only one location could be sampled per day. The specific analyses available to date are somewhat limited. There are no <sup>137</sup>Cs data during periods of runoff, and some metals concentrations in unfiltered samples are not yet available. The USGS data, although useful, are not sufficient to describe the peak concentrations for all the analytes of interest. We therefore calculated what the maximum concentrations might have been in the Rio Grande from storm water samples collected in tributary canyons. If possible, the USGS results are compared with the modeled concentrations.

To estimate concentrations of potential contaminants in the Rio Grande, we need to know the contaminant concentrations in runoff water entering the Rio Grande and the volume of this runoff relative to the Rio Grande flow. To describe the increases from runoff from the Pajarito Plateau, we assume the Rio Grande had zero concentration of these contaminants before mixing with the runoff. The dilution factor (Eq. 1) is calculated according to the flow in the Rio Grande relative to runoff volume from the Pajarito Plateau. When the dilution factor is a minimum, the potential contaminant concentrations in the Rio Grande are at their maxima.

To calculate the minimum dilution factor, we identified the date(s) with the smallest difference in flows between the Rio Grande and the LANL canyons (October 23 and 24). The dilution factor is calculated by assuming that all of the runoff from LANL canyons for that day is delivered to the Rio Grande in approximately a 2-hour period. The 2-hour runoff period corresponds to runoff from an intense, short-lived thunderstorm. During this pulse, we will see the peak concentrations in the Rio Grande from LANL inflows.

The dilution factor is calculated as follows:

$$DF = (V_{RG} + V_{IANL}) * (V_{IANL})^{-1}$$
, [1]

where DF = dilution factor from runoff mixing with Rio Grande flows,

 $V_{RG}$  = volume passing the Rio Grande Otowi gauge during a 2-hour period, and

 $V_{LANL}$  = volume of runoff from LANL canyons for a day.

Mean daily flows for the Rio Grande at Otowi gauge (L. Beal, USGS, personal communication, February 22, 2001) were used to evaluate when the dilution factor was at a minimum. During the runoff season June through October, the flow ranged from 320 to 1550 cfs. The Laboratory's Water Quality and Hydrology Group (D. Shaull, personal communication, February 26, 2001) developed mean daily flow records for the LANL canyons. The flows are summed from individual gauges in Pueblo, Los Alamos, Sandia, Mortandad, Cañada del Buey, Pajarito, Potrillo, Water, and Ancho Canyons. These gauging stations are near where the canyons discharge from LANL (Figure 2). Daily total flows across the Laboratory's downstream boundary are shown relative to Rio Grande flows in Figure 2. Peak runoff volumes from the LANL canyons on June 28th were 12 cfs. Figure 4 shows how the dilution factor varied throughout most of a calendar year 2000.




Figure 2. Location map of automated storm water quality sampling stations operated by the Los Alamos National Laboratory.




Figure 3. Comparison in streamflows between the Rio Grande at Otowi Bridge and the combined flows from LANL-gauged tributaries during year 2000.




Figure 4. Dilution factors resulting from LANL-canyon runoff mixing with Rio Grande flows over a 2-hour period during year 2000. Minimum dilution occurs on October 23.

For most of the summer months, flows in the Rio Grande were typically several hundred times greater than flows from the LANL canyons. The smallest difference in flows occurred on October 23 and 24, resulting in calculated dilution factors of 3.5 and 7, respectively. For simplicity, we chose a dilution factor of 4.

From Eq. 1, we see that the greater the runoff is relative to the Rio Grande flow, the smaller the dilution factor. Thus, there is less dilution of runoff water. To estimate maximum radionuclide concentrations in the Rio Grande, we calculated a minimum dilution factor of 4. We assume that the maximum concentrations measured in storm water throughout the entire runoff season always entered the Rio Grande during the time that the dilution factor was at its minimum. Mathematically, this is expressed as follows:

$$RG_{max} = RO_{max} * DF_{min}^{-1} , \qquad [2]$$

where  $RG_{max}$  = peak concentration in the Rio Grande from runoff sources,

 $RO_{max}$  = maximum concentration measured in runoff, and

 $DF_{min}$  = minimum dilution factor.

The peak concentration in the Rio Grande represents the maximum concentration change from baseline levels that could be attributable to the runoff.

This process of calculating maximum predicted concentrations in the Rio Grande and applying them in exposure scenarios is highly conservative for several key reasons.

- The minimum dilution factor is derived from flows in late October, a period of reduced irrigation. Selection of a dilution factor from earlier summer months, when irrigation and recreation were more likely, would yield factors at least 5 times larger, resulting in Rio Grande concentrations 1/5 of those we calculated.
- The scenario assumes that all flows in the LANL canyons arrive simultaneously at the Rio Grande, with no reduction in stream flow in transit from the LANL gauges to the river. This assumes that all runoff reached the Rio Grande. We know this did not occur.

The dilution factor chosen provides a margin of safety that accounts for runoff produced from large storms encompassing several large watercourses, including watercourses north of the Laboratory. These factors yield a maximum theoretical concentration in the Rio Grande.

#### 2.1.2.1 Use of Data from Guaje Canyon as Background Concentrations

We calculated the potential maximum concentration in the Rio Grande based on storm water runoff from LANL-affected canyons or from Guaje Canyon. We wanted to be able to compare canyons that are known to contain wastes from LANL operations with canyons that don't so that we could discern LANL effects from the broader Cerro Grande effects. Guaje Canyon, fairly distant from the Laboratory, was chosen to represent a canyon environment unaffected by LANL operations. The concentrations predicted for the Rio Grande from Guaje Canyon runoff would then be assumed to represent fire effects only, and not contain LANL additions. We were concerned, however, that long-term air emissions from LANL could have affected radionuclide concentrations in Guaje Canyon soils, thus making it unsuitable for use as background. To assess this possibility, data from pre-fire soils surveys were reviewed (Fresquez et al. 1998). Although soils data were not available for Guaje Canyon, soil samples collected around the perimeter of LANL, near LANL, and as far away as several miles, were used as indicators of whether soil contamination might exist farther afield. If select radionuclides and other analytes of interest were elevated above background at some distance from the LANL sources, we could not be sure how far away such effects might be seen. On the other hand, if sampling around LANL's

perimeter indicated nothing above background concentrations, then we could conclude that locations even more distant from LANL also would show no LANL impact.

The detailed soil sampling study indicated that most radionuclides, trace elements, metals, and organic chemicals were not higher around the perimeter of LANL than in areas that are distant from LANL and unaffected by its operations. Post-fire sampling of organic chemicals in soils around LANL indicated none were above detection limits, except 1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin, which is detectable everywhere in northern New Mexico and not related to LANL activities (Fresquez et al. 2000). Based on these data, we infer that concentrations of potential LANL contaminants were also not elevated in Guaje Canyon. The one radionuclide that showed elevated concentrations near LANL was <sup>239</sup>Pu. We believe that the slight elevation in <sup>239</sup>Pu at perimeter locations does not extend as far away as Guaje Canyon, but we cannot demonstrate that with existing data. The predicted maximums we calculated for <sup>239</sup>Pu for the Rio Grande show higher values for storm water runoff from the LANL-affected canyons than for runoff from Guaje Canyon, which is consistent with LANL <sup>239</sup>Pu in LANL canyons. All areas have some <sup>239</sup>Pu, primarily from worldwide fallout from atmospheric testing of nuclear weapons.

### 2.1.2.2 Comparison of Pre-fire wih Post-fire Runoff Concentrations

Beginning in 1995, storm water along the eastern segment of the Laboratory was sampled primarily with automated sampling stations collocated with gauging stations (Figure 2). We sampled some runoff events manually (grab samples) to supplement the results obtained using automated samplers. The automated sampling stations are near the edge of the Laboratory boundary. Pre-fire concentrations of radionuclides, metals, and organic chemicals are reported in the Laboratory's annual environmental surveillance reports (LANL 1996, 1997, 1998, 1999, and 2000).

Post-fire runoff samples were collected in Pueblo, Los Alamos, Cañada del Buey, Potrillo, and Water Canyons. Additional samples were collected manually from Rendija and Guaje Canyons, which are north of LANL. Post-fire runoff samples were collected June through October. Samples were analyzed for radionuclides (137 Cs by gamma spectroscopy; isotopic plutonium and uranium, and 241 Am by alpha spectroscopy; and 90 Sr by beta counting), inorganic chemicals (metals and cyanide), and organic chemicals (semivolatiles, volatile organic compounds (VOCs), high explosives, and dioxins/furans). Maximum detected concentrations for these LANL canyon stations are listed in tables in the appropriate sections of this report (radiological in section 1 and nonradiological in section 2). A similar list of maximum values for Guaje Canyon is shown. Guaje Canyon maximum values are used because baseline samples taken there will help determine if constituents were strictly fire-related or had a possible LANL contribution.

Average and peak concentrations in unfiltered runoff leaving LANL during the months of June and July in 2000 were significantly greater than pre-fire levels for nearly every analyte. The peak concentrations of these radionuclides increased by factors of approximately 2, while many of the metals increased by a factor of 5 or more. Several organic chemicals were detected in runoff for the first time in the post-fire samples.

Our comparison of upstream to downstream water quality in runoff indicates that Laboratory and fire-related impacts were seen in year 2000 storm events (Gallaher et al. in preparation, a). The presence of contributing sources from LANL was seen in the small magnitude runoff events of June 2 and 3 (Johansen et al. 2001). However, in larger runoff events that occurred later in

other watercourses, the major changes in water quality were due primarily to physical and chemical factors caused by the Cerro Grande Fire. The fire-related impacts were substantial, but consistent with those observed in studies of fires elsewhere. Forest fires cause increases in sediment loads, water yield, and concentrations of metals and naturally occurring and worldwide fallout radionuclides in ash (Bitner et al. 2001, Gallaher et al. in preparation, b).

Cerro Grande Fire impacts were evident in sediment from locations upstream of LANL influence and in canyons north of the Laboratory. For example, in Guaje Canyon, concentrations of <sup>137</sup>Cs in suspended sediment in a July 9 runoff sample were approximately 10 times greater than background levels (9.7 versus 1 pCi g<sup>-1</sup>). The largest suspended sediment concentration of 76,000 mg L<sup>-1</sup> that was measured on the Pajarito Plateau during 2000 was recorded for a sample collected in Guaje Canyon on August 8. We infer from this that fire effects dominated the changes in water quality (as opposed to LANL effects), and that Guaje Canyon was more affected by the fire than were LANL canyons. This conclusion appears to be consistent with maps of fire range and intensity, which show the greatest fire effects occurred outside of LANL-affected drainages.

Several of the organic compounds are end products of combustion. Samples of runoff contain an admixture of Laboratory-associated and of fire-associated constituents, in uncertain proportions for many analytes. To be comprehensive, therefore, we have included all of the analytes in the effects assessments, unless compelling evidence exists that specifically eliminates or identifies the Laboratory as being a likely significant source. The radionuclides <sup>234</sup>U, <sup>235</sup>U, and <sup>238</sup>U are not included in the dose calculations because the Laboratory-derived proportion does not appear to be significant in year 2000 runoff samples. This conclusion is supported by the following observations.

- Concentrations of uranium in runoff leaving the Laboratory are similar to those measured in runoff entering the Laboratory. Median concentrations of uranium in the suspended sediment carried by the runoff leaving the Laboratory are similar to those above the Laboratory (Figure 6). This indicates that there was no distinctive addition from Laboratory sources as runoff traversed the Laboratory.
- Runoff samples collected along the Laboratory's downstream boundary were
  predominantly of a natural uranium isotopic composition. Only 2 of 18 samples contained
  uranium of nonnatural composition (95% confidence interval). Enriched uranium was
  detected in runoff from Los Alamos Canyon during the June 2 and 3 storms, but these were
  relatively small magnitude runoff events and their impact in Rio Grande water is believed
  to have been negligible. Depleted uranium was not detected in the samples.
- Historically, LANL-derived uranium composed a small fraction of the total uranium found in LANL and Rio Grande stream sediments (Gallaher et al. 1997, 1999, and in preparation). This conclusion is based on mass spectrometry analyses of LANL stream sediments and of Cochiti Reservoir bottom sediments collected before the fire.

Some organic compounds detected in runoff are of Laboratory origin, whereas others appear to be fire associated. The semivolatile organic compounds (SVOCs) benzoic acid and pyridine are thought to be end products of combustion of forest fuels. Both compounds were detected throughout the runoff season in many fire-affected drainages upstream of LANL and in canyons north of the Laboratory. Several VOCs were detected at low concentrations and appear to have a manmade (non-fire) origin. We don't normally detect these organic compounds in runoff at these


locations. Measuring them after the fire does not allow us to conclude what their source is. These kinds of chemicals, such as toluene, are typically seen in urban settings and although a LANL source cannot be ruled out, it seems very unlikely given the absence of these chemicals in prefire sampling/analyses.


Laboratory effects were seen in high explosives (HE) compounds in runoff. Relatively small concentrations (low parts-per-billion) of HE compounds were detected in runoff in the Water Canyon drainage system. One of these compounds, HMX, was detected in Indio Canyon at Highway 4 on June 28. HMX and RDX were detected in a runoff sample collected in lower Water Canyon at Highway 4 in late October. We believe that earlier apparent detections of several other HE compounds (tetryl and several isomers of nitrobenzene and nitrotoluene) are false. The original analytical method used resulted in interference effects caused by the high ash content of the samples. Use of an alternative method (ultraviolet [UV] diode array), which is not susceptible to ash effects, revealed no HE detections. We conclude that the original results are suspect and they are not included in our health effects assessment.


#### 2.1.2.3 Comparison of Measured versus Predicted Concentrations

Pre-fire water quality in the Rio Grande was characterized at several locations by the Laboratory's Environmental Surveillance Program. The most complete records are for the Rio Grande at Otowi and Frijoles Canyon stations. Records from the Frijoles Canyon station are used to describe pre-fire levels downstream of LANL. Summaries of Rio Grande at Frijoles radiological water quality data from the years 1993 through 1999 and predicted maximum concentrations potentially caused by post-fire runoff are provided in sections 1 and 2 of this report.

Figure 5. Concentrations of uranium isotopes in suspended sediment carried by runoff in LANL canyons and in Guaje Canyon. These box plots are useful for evaluating differences among groups of data. We use the plots to summarize the distribution of concentrations in sediments in locations upstream (of LANL), LANL on-site, downstream, and at Guaje Canyon for reference. The horizontal line in the middle of the box represents the median concentration. The upper and lower ends of the box delimit the spread of the data by including the middle 50% of the values. Possible statistical outliers are shown with circles.







#### 2.1.3 Sampling of Biota to Evaluate Cerro Grande Fire Effects

We conducted sampling to evaluate whether the Cerro Grande Fire had affected radionuclide and nonradiological concentrations in the biota (fish) in reservoirs of the Rio Grande near LANL (Fresquez et al. 2001a). To look for fire effects, we compared concentrations in Cochiti Reservoir from before and after the fire. If we discerned fire effects, we would then attempt to determine if these effects were related to LANL impacts by comparing concentrations in Cochiti Reservoir, where LANL impacts might be seen, with concentrations from Abiquiu Reservoir. Abiquiu Reservoir is located on the Rio Chama, upstream from the confluence of the Rio Grande and intermittent streams that cross Laboratory lands and has not been affected by LANL operations. A comparison of radionuclide concentrations in fish collected from Cochiti Reservoir before and after the fire showed that radionuclide concentrations were not statistically higher after the fire than before.

Similarly, a comparison of bottom-feeding fish before and after the fire showed that most trace elements, including mercury, in fish collected from Cochiti Reservoir after the fire were similar to those in fish collected from Cochiti Reservoir before the fire. Only silver, barium, and cadmium concentrations in fish collected from Cochiti Reservoir in 2000 were significantly higher than in fish collected in 1999. These same elements, however, were higher in fish collected from Abiquiu Reservoir after the fire than before the fire. Because Abiquiu Reservoir does not collect water from canyons that were affected by the fire, we conclude that the apparent elevation in these concentrations was not related to the fire. The interpretation presented with the data is that these data may be biased high, and that they are not a reliable measure of these analytes.

Cyanide, a compound ion, was detected in elevated concentrations in storm water runoff as a result of the fire (Johansen 2001). However there was no statistically significant difference in cyanide concentrations in Abiquiu and Cochiti Reservoirs. This comparison indicates that the cyanide compounds in the runoff had no measurable effect on the water quality in Cochiti Reservoir. Additionally, there were no elevated cyanide concentrations in fish during CY 2000 (Fresquez et al. 2001a). Because of these sampling studies, we believe that fish collected and eaten from the Rio Grande or Cochiti Reservoir during 2000 would not have caused a fire-related health effect.

## 2.1.4 Sampling of Soils and Plants from an Irrigated Field Downstream of Cochiti Reservoir

After the Cerro Grande Fire, but before the irrigation season, we sampled soil from a cultivated field downstream of Cochiti to evaluate whether LANL effects could be seen in this medium (Fresquez et al. 2001b). Because there were concerns that LANL constituents could wash out of LANL-affected canyons, or that Cerro Grande ash may contain other constituents of potential concern, we resampled the same area after completion of the 2001 irrigation season to evaluate these potential effects. We analyzed for radionuclides and nonradioactive metals. We found no difference in the post-irrigation samples compared with the samples taken before the irrigation season started.

### 3.0 Radiologic Effects For Calendar Year 2000<sup>1</sup>

<sup>1</sup>Dave Kraig is the primary author for Section 3.0 and should be contacted directly with questions regarding this material. He is employed at Los Alamos National Laboratory and can be reached at 505-665-8884.

The potential for doses and potential health effects from radionuclides in post-fire sediments and water is evaluated in this section. The intent of this assessment is to consider the possible health effects of calendar year 2000 changes in radionuclide concentrations in sediment and water as a result of the Cerro Grande Fire.

#### 3.1 Exposure Assessment for Totavi

#### 3.1.1 Description of Scenario

Sediment and soils data from the Los Alamos area were used to provide information on pre-Cerro Grande Fire background values. Our approach was to compare the data from Totavi with those from LA-4 East and background soils and sediment data (Table 1). Appendix A presents results of statistical analyses of these data and also provides box plots to allow visual interpretation. The conclusion reached from statistical and visual methods described in Appendix A was the same. Cesium-137 was the only radionuclide seen in the Totavi area that was above background and pre-Cerro Grande concentrations. Therefore, <sup>137</sup>Cs is the only radionuclide considered in the radiological dose assessment (below) of potential Cerro Grande impacts at Totavi. We did not calculate a dose decrement for those radionuclides whose concentrations appear to have decreased since the Cerro Grande Fire.

The average <sup>137</sup>Cs concentrations near Totavi of 1.15 pCi g<sup>-1</sup> were approximately 0.7 pCi g<sup>-1</sup> above the pre-Cerro Grande concentrations measured at LA-4 East of 0.45 pCi g<sup>-1</sup>. Therefore, the dose calculations presented below are based on the net 0.7 pCi g<sup>-1</sup> of <sup>137</sup>Cs attributable to the Cerro Grande Fire. Because we are unable to determine how much of the 0.7 pCi g<sup>-1</sup> of incremental <sup>137</sup>Cs is from LANL sources, our dose calculations are based on the entire increment. We did not calculate a dose decrement for those radionuclides whose concentrations appear to have decreased in the Totavi area as a result of the fire.

Table 1. Comparison of radionuclide concentrations. We use LA-4 East as a surrogate to evaluate pre-Cerro Grande concentrations at Totavi. Cesium-137 was the only radionuclide that was higher at Totavi than at LA-4 East and background locations.

Sampling Location or Group	•	90Sr			<sup>137</sup> Cs			<sup>238</sup> Pu			<sup>239, 240</sup> Pu	l		<sup>241</sup> Am <sup>2</sup>	
	count1	mean	<u>2 s</u>	count1	<u>mean</u>	<u>2 s</u>	count1	<u>mean</u>	<u>2 s</u>	count1	<u>mean</u>	<u>2 s</u>	count1	<u>mean</u>	<u>2 s</u>
Sediment	24	0.23	0.35	24	0.21	0.31	24	0.0021	0.0016	24	0.025	0.040	24	0.026	0.025
Background															
Soil Background	42	0.36	0.30	56	0.42	0.41	56	0.0054	0.0060	56	0.015	0.013	27	0.0064	0.0031
LA-4 East	10	0.054	0.43	28	0.45	0.46	28	0.016	0.015	28	1.1	1.41	28	0.056	0.20
Totavi	8	0.31	0.26	8	1.15	0.72	8	0.008	0.013	8	0.51	0.56	8	-0.039	0.10

<sup>&</sup>lt;sup>1</sup>Number of samples included in mean. <sup>2</sup>By gamma spectroscopy for LA-4 East and Totavi samples.

Contaminated sediments derived from up-canyon may have been deposited with the ash on the low floodplain adjacent to the active channel behind (south) the Totavi residences. No recent deposits occurred outside the existing low floodplain, which is approximately 2 m below the level of the residences. There are no agricultural activities within the areas of recent deposition, so farming or production of fruits or vegetables for domestic use were not included in this exposure scenario. If contaminants from the sedimentary deposits became airborne and landed on the plants or in the garden beds of Totavi residents, a small amount of contamination could have been consumed. It is unlikely that a significant exposure could occur through this specific pathway, as described further below. We believe that the exposure scenario presented below (which does not include ingestion of locally grown fruits or vegetables) is realistic. Additionally, we believe it is conservative because the hypothetically exposed individuals who spent time in the streambed were in much more intimate contact with the contamination than those who remained in the residences.

Our scenario considers the hypothetical situation of children playing in the stream area among potentially contaminated sediments. The children are assumed to spend 4.4 hours each day (EPA 1997, Table 5-4) in an area 300-m long and 10-m wide encompassing 300 m along the stream, including the floodplains and banks 5 m on both sides. The scenario is presented according to the various exposure pathways.

#### 3.1.2 Inhalation Pathway

While playing, the children would breathe at a rate of  $1.9~\text{m}^3$  per hour. This rate is an average respiration level for children doing heavy activities (EPA 1997, Table 5-23). The dust in the air they breathe is assumed to come from the local ( $10~\text{m} \times 300~\text{m}$ ) area. This dust-laden air is assumed to not mix with air outside the  $3000\text{-m}^2$  area. We used dust-loading measurements from the Los Alamos area as a basis to estimate the amount of local sediments and soils that would become airborne and available for inhalation. These measurements indicated that the average number of particles in the respirable size range ( $<10~\mu\text{m}$ ) in ambient air was  $10~\mu\text{g}~\text{m}^{-3}$ , and that maximum values were approximately  $30~\mu\text{g}~\text{m}^{-3}$  (data published in annual environmental surveillance reports 1990–1999 and compiled by Steve Reneau, personal communication, 3-10-00). For our calculations, we assumed  $100~\mu\text{g}~\text{m}^{-3}$ , a very conservative value that we consider an upper limit. By multiplying the concentration of a contaminant in soil by the dust-loading value, we calculate the concentration in air of that contaminant. The amount of dust that was assumed to become airborne was calculated to be proportional to the exposed surface area of each exposed sedimentary horizon. Then, we summed the contributions to the ambient air for all horizons to calculate the total air concentration of each radionuclide.

Because <sup>137</sup>Cs was the only radionuclide that appears to have been elevated in this area from effects of the Cerro Grande Fire, it is the only radionuclide that we included in the inhalation dose calculation. After we calculate the air concentration for a radionuclide, we can calculate the inhalation dose associated with that radionuclide. The inhalation dose is calculated by multiplying the air concentration by the amount of air breathed, and then by a dose conversion factor (DOE 1988) that tells how much dose is received for each intake of radioactive material.

The equation is as follows:

$$D_{inh} = C_{air} * R * T * DCF , \qquad [3]$$

where  $D_{inh}$  = the inhalation dose from a radionuclide (mrem),

 $C_{air}$  = concentration in air of that radionuclide (pCi m<sup>-3</sup>),

R = breathing rate  $(m^3 h^{-1})$ ,

T = duration that the air concentration was respired (h), and DCF = dose conversion factor from DOE 1988 (mrem pCi<sup>-1</sup>).

Cesium-137 at the incremental soil concentration of 0.7 pCi g<sup>-1</sup> was the only contributor to the inhalation dose as described above.

#### 3.1.3 Soil Ingestion Pathway

A soil ingestion rate of 200 mg/day, which is considered a conservative mean estimate (EPA 1997), is assumed. This overestimates the soil potentially ingested in the Totavi area because it assumes that all of the soil the children would hypothetically ingest would come from the stream area behind the Totavi homes. In reality, they would be expected to have ingested soil in other locations, thus decreasing the relative contribution from Totavi and reducing the dose. We weighted the soils similarly as for the inhalation pathway; the amount of soil ingested from each sedimentary unit was proportional to the surface exposure of that unit. As described for inhalation, <sup>137</sup>Cs was the only radionuclide above background (and above pre-Cerro Grande) that contributed to the dose. The dose was calculated according to the equation:

$$D_{ing} = C_{soil} * I * DCF$$
 [4]

where  $D_{ing}$  = dose from ingestion of a radionuclide (mrem),

 $C_{\text{soil}}$  = concentration in soil of that radionuclide (pCi g<sup>-1</sup>),

I = amount ingested per month (g), and

DCF = dose conversion factor from DOE 1988 (mrem pCi<sup>-1</sup>).

#### 3.1.4 Direct Exposure Pathway

Some radioactive materials, such as <sup>137</sup>Cs, emit radiation that can cause exposures at some distance from the material. To calculate the exposure potential from these types of materials, a residual radioactive (RESRAD) (Yu et al. 1993) run was performed. The RESRAD (5.82) computer code we use was developed to allow assessment of radiological effects from various exposure pathways. For the run, only the direct-exposure pathway was used. The contamination was assumed to be 9-cm deep spread uniformly over the surface of a 3000 m² circular area. The deepest sample was 9-cm deep, so assuming the contaminated zone is this deep everywhere is a conservative assumption. The area was assumed to be circular, even though it is actually rectangular, because that maximizes the calculated direct exposure. Assuming the contamination was all on the surface (as opposed to buried) is also conservative. The radiation emitted by buried radionuclides (in this case <sup>137</sup>Cs) is partially shielded by overlying sediment. Thus, less of the radiation reaches the surface and results in exposure. A person is assumed to be in the area for 4.4 hours per day, unshielded from the radiation.

#### 3.1.5 Radiological Doses

The radiological doses calculated according to the method described above were as follows.

Dose per Month of Exposure

After September 2000

Exposure Pathway (mrem)

 $\begin{array}{ll} \text{Inhalation} & 0.00000008 \\ \text{Ingestion} & 0.00004 \\ \text{Direct Penetrating Radiation} & \underline{0.005} \\ \end{array}$ 

**Total 0.005** 

Because the increased local <sup>137</sup>Cs concentration that would cause these dose increments did not occur until October runoff events, a receptor would have been exposed to less than three months at this exposure rate during 2000. Three months of exposure would have given a total calendar year 2000 radiological dose from Cerro Grande effects at Totavi of 0.015 mrem. It is important to note that the majority of this dose was from direct exposure to <sup>137</sup>Cs in the soil/sediment, and that the inhalation dose experienced by children playing directly in the streambed was significantly less. Air concentrations from suspension of contaminated sediment were negligible, which means that indoor residents, who are farther from the source material than the children, inhaled very little <sup>137</sup>Cs, and that very small amounts of the radionuclide were deposited on garden produce in the area.

As surface deposits are eroded in this area, the dose should decrease in the future. As described above, these dose estimates represent total radiological effects from the Cerro Grande Fire and may include an increment from LANL-related contamination that deposited in this area.

#### 3.2 Exposure Assessment for Rio Grande Water Users

As sediments wash out of the canyons draining the Jemez Mountains, they may be transported with the water or sediment in the Rio Grande. People downstream can be exposed to radionuclides by swimming in the river, drinking from it, by ingesting fish that have assimilated radionuclides, or by using affected water to irrigate their crops or water livestock. Potential exposure scenarios are dependent on where along the Rio Grande the exposure assessment is considered. Upstream of Cochiti Reservoir, the exposure pathways we have identified include: drinking from and/or swimming in the Rio Grande during a runoff event, or someone consuming meat from cattle that have drunk from the Rio Grande during runoff. Below Cochiti Reservoir, the primary exposure scenario involves irrigation using Rio Grande water. Although, the same potential exposure scenarios described for above Cochiti also exist below the reservoir, the dose below the dam would be less than above because of increased dilution and mixing as the waters get farther from their source. In fact, as described above, sampling data indicate that there has been no discernable effect in radionuclide concentrations in fields irrigated by post-fire water from the Rio Grande (Fresquez et al. 2001b). However, we cannot disregard the possibility that the sampled field was irrigated only when runoff wasn't occurring. Conditions could occur where some effect would be possible. We wished to calculate maximum potential irrigation effects, which would happen if irrigation only occurred when storm water was in the Rio Grande.

Earlier, we described a method we used to calculate maximum radionuclide concentrations in the Rio Grande from runoff of canyons draining the Jemez Mountains and Pajarito Plateau. Some radionuclide concentration data are available from the USGS post-fire sampling of the Rio Grande for June 28, July 5, July 7, July 11, October 24, and October 26. The maximum concentrations from this sampling are listed in Table 2, as well as the results of the calculations we performed. Unfortunately, we have only one measured radionuclide maximum from the USGS data; <sup>90</sup>Sr at 12.6 pCi L<sup>-1</sup>. This value is of the same magnitude as that predicted during peak runoff (16 pCi L<sup>-1</sup>). This comparison indicates that the water concentrations used in the dose calculations appear to be consistent with the maximum measured value. We use the values shown under "post-fire predicted maximums" in our Rio Grande dose scenarios. Uranium is not considered in this dose assessment because, as discussed earlier, there appears to be negligible LANL or Cerro Grande contribution to the uranium in the Rio Grande.

Table 2. Comparison of predicted peak concentrations in unfiltered water samples from the Rio Grande from runoff pulse with pre- and post-fire measured concentrations. All values are in units of pCi  $L^{-1}$ .

Analyte		e LANL rements <sup>1</sup>	Post-fire Predi	icted Maximums	Post-fire USGS Measurements
	<b>Mean</b>	<b>Max</b>	<b>Guaje Canyon</b>	<b>LANL</b> Canyons	<b>Maximum</b>
<sup>241</sup> Am	0.014	0.05	1	1	$N/A^2$
<sup>137</sup> Cs	1	1.1	90	27	N/A
<sup>238</sup> Pu	0.00	0.02	0.31	1	N/A
<sup>239,240</sup> Pu	0.02	0.15	4	6	N/A
<sup>90</sup> Sr	1	9	20	16	12.6

<sup>&</sup>lt;sup>1</sup>From the Rio Grande at Frijoles sampling station.

#### 3.2.1 Irrigation Scenario

Downstream from Cochiti Reservoir, there is considerable use of irrigation water that could have been affected by runoff since the Cerro Grande Fire. Irrigation water drawn from the river during runoff events and spread on crop fields, fruit trees, or pasture may represent an exposure pathway to humans.

We use the predicted maximum concentrations from the table above and assume that concentrations measured in Rio Grande water above Cochiti remain the same as the water travels through the reservoir. This overestimates effects because mixing with waters in and downstream of the reservoir is likely to provide significant dilution to the concentrations measured or predicted above the reservoir.

The irrigation scenario is based on the following assumptions.

• All irrigation is by flooding (not overhead spraying).

<sup>&</sup>lt;sup>2</sup>No applicable samples are available.

- The irrigation event covers the irrigated area 1-ft deep in water.
- All the radionuclides in the water are deposited in the top 30 cm (1 ft) of soil, and there is no soil cover over the recent deposits.
- The roots of all plants growing in the deposits are in the top 30 cm of soil.
- None of the radionulcides wash off or are leached out of the top 30 cm of soil. Therefore, all radionuclides remain in the rooting zone and the zone available for air dispersion and soil ingestion.
- The farmer lives on-site and consumes meat (cattle and poultry), cow milk, fruits, and vegetables grown there; the cattle and poultry are fed with locally grown grains.
- The farmer consumes 100 mg of soil daily from her/his field.
- The cattle consume 0.5 kg of soil daily from the field.

We used default consumption values provided in RESRAD 5.82 (Yu et al. 1993). These and the rest of the exposure and modeling parameters are shown in the RESRAD output file included as Appendix B.

This scenario is conservative for a number of reasons including.

- It is assumed that all irrigation water used was at the highest predicted post-runoff concentrations. We know that the runoff periods when radionuclide concentrations were at a maximum represent a small fraction of the time the Rio Grande flowed and also a small fraction of the time that irrigation was occurring. The concentrations in the river will be lower during nonflood periods, and use of the river water during these times would reduce the doses calculated below.
- It is assumed that the concentrations in the mixture of these flood-impacted waters remain at the same, undiluted concentrations during their transport down the river to potential exposure locations. This is very conservative because we know some mixing will occur and reduce contaminant concentrations.

Based on the concentrations assuming the source of the flood runoff was LANL-affected canyons, the dose was calculated to be 0.09 mrem per irrigation event. The dose from non-LANL affected canyons was 0.2 mrem. The majority of the dose in both cases is from <sup>137</sup>Cs exposure. It may seem counterintuitive that the dose would be smaller from canyons that have LANL-contaminated sediments than from those that are free of such contamination. We believe that the fundamental cause(s) of the higher cesium and strontium in the non-LANL canyons are related to aspects of the fire such as burn duration, burn intensity and heat, amount of biomass burned, and the length of transport to the Rio Grande. Even though LANL may have added some small increment of plutonium, americium, cesium, or strontium to the flow of the Rio Grande, that increment was so much smaller than the incremental cesium from fire effects that the LANL effect is dwarfed by the fire effect. Perhaps more importantly, some non-LANL canyons were more affected by the fire than LANL canyons, so their contribution to the river is higher than that from LANL canyons. Finally, as we mentioned earlier, actual sampling of one field that was irrigated since the fire showed no discernable increases in the concentrations of radionuclides in soils in the field or on the plants grown in those soils.

#### 3.2.2 Evaluation of Drinking Water From, or Swimming or Fishing in, the Rio Grande

Assuming someone drank unfiltered water from the Rio Grande during the runoff with the highest radionuclide concentrations (values from Table 1 above), their dose would be 0.04 mrem per liter consumed from potential LANL-affected canyons, or 0.03 mrem from canyons not affected by LANL operations. The largest dose contributor in either case would be <sup>239</sup>Pu.

If someone swam in the Rio Grande during the time of highest radionuclide concentration, their dose (based on input from canyons potentially affected by LANL) would be approximately 0.00002 mrem per hour of swimming, or approximately 0.00006 mrem per hour based on flood water concentrations from non-Laboratory affected canyons. Essentially all of this dose would result from direct exposure to <sup>137</sup>Cs.

As described earlier, fish collected from Cochiti Reservoir did not show increases in radionuclide concentrations after the fire. Therefore, we believe that fish collected and eaten from the Rio Grande or Cochiti Reservoir during 2000 would not have caused a fire-related dose increment.

#### 3.2.3 Cattle Watering Scenario

Livestock watered in the Rio Grande after it was affected by storm water runoff. If these cattle drank contaminated water from the Rio Grande, the consumption of their meat by humans could result in a radiation dose. We can calculate this dose by evaluating the amount of radionuclides that the cattle consumed, how much of the radionuclides that were consumed ended up in the cattle tissues, and how much of these radionuclides would be passed to humans if they consumed meat from the cattle.

The maximum potential radiation dose from all radionuclides to humans from this pathway was estimated conservatively by the following equation:

$$D_{cati} = RG_{max} * Q * F_i * U_m * DCF_i$$
[5]

where  $D_{cati}$  = the calculated monthly radiation dose (mrem) from intake of radionuclide i,  $RG_{max}$  = the predicted highest concentration for radionuclide i in the Rio Grande (pCi L<sup>-1</sup>),

Q = the water intake rate of 50 L d<sup>-1</sup> by cattle (Kennedy 1992, p. 6.19),

F<sub>i</sub> = the intake-to-meat transfer factor (Kennedy 1992, p. 6.29) which is the ratio of the radionuclide concentration in meat (pCi kg<sup>-1</sup>) to the daily radionuclide intake (pCi d<sup>-1</sup>), for radionuclide i.

U<sub>m</sub> = meat consumption rate by humans of 4.9 kg month<sup>-1</sup> (taken from the 59 kg y<sup>-1</sup> value in Kennedy 1992, 6.38), and

DCF<sub>i</sub> = the dose conversion factor, including appropriate unit conversion factors, (DOE 1988) for radionuclide i (mrem pCi<sup>-1</sup>).

The total dose to a human from ingesting cattle that watered exclusively during runoff from LANL canyons is then found by summing the dose ( $D_{\text{cati}}$ ) from each of the radionuclides. This dose estimate is conservative because it

- uses the highest predicted concentration for each radionuclide in water, including the suspended sediment and the dissolved fraction,
- assumes that the radioactive material in the suspended sediment is as biologically available for uptake by the cattle as is the radioactive material dissolved in the water,

- assumes that the radionuclide concentration in the meat has reached equilibrium with the
  maximum daily intake, so it can be described by the transfer factor. This is unlikely to
  have taken place in the short time since the runoff occurred from potentially LANLaffected canyons,
- assumes that all the cattle's water comes from the Rio Grande and that the cattle drink
  only when the predicted concentrations are at their maximum. We know that the runoff
  periods when radionuclide concentrations were elevated represent a small fraction of the
  time the Rio Grande flowed, and also a small fraction of the time the cattle watered
  there.

Table 3. Potential monthly doses to a human from ingestion of meat from cattle that have watered in the Rio Grande, drinking diluted runoff from LANL canyons. For comparison, the predicted monthly dose form Guaje Canyon runoff, which does not flow through LANL property, is also presented.

Radionuclide	Concentration in Rio Grande Water (pCi L <sup>-1)</sup>		Transfer Factor (pCi kg <sup>-1</sup> per pCi d <sup>-1</sup> ) <sup>1</sup>	Effective Dose Equivalent (mrem)		
	<b>LANL</b>	<b>GUAJE</b>			LANL	<b>GUAJE</b>
<sup>90</sup> Sr	16	20	3.0E-04	0.00013	0.00015	0.00019
<sup>137</sup> Cs	27	90	2.0E-02	0.00005	0.0066	0.022
<sup>238</sup> Pu	1	0.31	5.0E-07	0.0038	$4.7 \times 10^{-7}$	$1.5 \text{ x} 10^{-7}$
<sup>239, 240</sup> Pu	6	4	5.0E-07	0.0043	$3.2 \times 10^{-6}$	$2.1 \times 10^{-6}$
<sup>241</sup> Am	1	1	3.5E-06	0.0045	$3.9 \times 10^{-6}$	$3.9 \times 10^{-6}$
				Total	0.007	0.02

<sup>&</sup>lt;sup>1</sup>Kennedy 1992, p. 6.29.

The dose calculations shown in Table 3 indicate that the dose from eating meat from cattle that have watered in the Rio Grande after flooding caused by runoff from LANL canyons is less than 0.01 mrem. Perspective on this conservatively calculated dose and the others above is provided below.

<sup>&</sup>lt;sup>2</sup>DOE 1988.

Table 4 shows the radiological doses calculated for all the scenarios we evaluated quantitatively. The doses from Guaje Canyon runoff are shown to indicate effects independent of LANL influences.

Table 4. Summary dose table for potential radiological exposures in 2000 in the aftermath of the Cerro Grande Fire. All doses are in units of mrem.

<b>Exposure Location or</b>	Dose at	Dose from Runoff	Dose from Runoff	
Scenario	Totavi	from LANL Canyons	from Guaje Canyon	Dose Explanation
Dose at Totavi	0.005	$N/A^1$	N/A	per month of exposure, no exposure before October per irriation event assumed
Rio Grande Irrigation	N/A	0.09	0.2	to cover field one foot deep in water per liter of unfiltered Rio
Rio Grande Drinking	N/A	0.04	0.03	Grande water ingested during runoff event per hour of swimming in
Rio Grande Swimming	N/A	0.00002	0.00006	Rio Grande during runoff event per month of ingestion of
Cattle Watering	N/A	0.007	0.02	affected cattle
TOTAL	$0.005^{2}$	0.14	0.25	Per exposure as described above

<sup>&</sup>lt;sup>1</sup> N/A not applicable

#### 3.3 Cerro Grande Radiological Dose Perspective

To put some perspective on these doses, a person traveling on a two-hour flight in a jet airliner would receive approximately 1 mrem, and people living in the Los Alamos area receive approximately 360 mrem from natural sources each year. No adverse health effects are expected from the short-term increase in natural or other radioactivity associated with the Cerro Grande Fire.

<sup>&</sup>lt;sup>2</sup> Assuming no other exposure routes other than Totavi residential

## 4.0 Nonradiological Effects For Calendar Year 2000 Runoff<sup>1</sup>

<sup>1</sup> Randall Ryti is the primary author for Section 4.0 and should be contacted directly with questions regarding this material. He is employed at Neptune and Company Inc., Los Alamos New Mexico, 505-662-0707.

The potential for adverse health effects from chemicals in post-fire sediments and water is evaluated in this section. Chemicals may have carcinogenic or noncarcinogenic effects.

Assessments of possible carcinogenic effects are based on long-term exposure (chronic). The possible health effects from noncarcinogens also are typically assessed based on long-term exposures. The intent of this assessment is to consider the possible adverse health effects of calendar year 2000 increases in the concentrations of potentially hazardous chemicals in sediment and water. Thus, the time period evaluated in this assessment (3 to 6 months post-fire in 2000) is much less than the time frame typically considered for chronic exposures (for example, chronic exposure to a resident is considered over a 30-year period). Considerations related to acute and chronic exposures will be addressed as related to sediment and water assessments.

#### 4.1 Exposure Assessment for Totavi

#### 4.1.1 General Scenario Description

As discussed in the radiological effects section, sediments derived from up-canyon have been deposited with the ash on the low floodplain adjacent to the active channel behind (south) the Totavi residences. No recent deposits occurred outside the existing low floodplain, which is approximately 2 m below the level of the residences. There are no agricultural activities within the areas of recent deposition, so farming or production of fruits or vegetables for domestic use were not included in this exposure scenario.

The constituents measured in post-fire sediment samples at Totavi are provided in Table 5. Detailed comparisons of post-fire sediment concentrations to pre-fire levels are provided in Appendix A. Metals were measured in samples collected at Totavi, and organic chemicals/cyanide were measured in sediments at the weir in Los Alamos Canyon. Pre-fire concentrations in Los Alamos Canyon (reach LA-4E, Reneau et al. 1998c) and general background levels (sediment background values or BVs, Ryti et al. 1998 a, b, and c) are also provided in Table 5. The pre-fire values for LA-4 East are believed to be representative of pre-fire conditions at Totavi. Comparing sediment concentrations at Totavi with those at LA-4 East indicates if increases have been seen at Totavi, those increases could be attributed to the fire effects. Concentrations of these constituents may be elevated in post-fire sediments at Totavi due to the Cerro Grande Fire, or increases could reflect mobilization of contaminants from Laboratory sources. Although it is most likely that only fire-effects are reflected in these concentrations, we will evaluate the maximum concentrations of all chemicals in Table 5 because we cannot rule out a Laboratory contribution for these analytes.

Table 5. Concentrations of nonradiological constituents in sediment. Shaded values in the post-fire sediment deposits column are those that are above pre-fire concentrations in reach LA-4E. Bolded values in last column are those that are greater than their pre-fire equivalent.

**Post-fire Concentrations** 

**Pre-fire Concentrations** 

Analyte	Sediment Background Value (mg kg <sup>-1</sup> )	Reach LA-4E maximum (mg kg <sup>-1</sup> )	Totavi maximum (mg kg <sup>-1</sup> )
Aluminum	15400	5480	8900
Arsenic	3.98	2.9	3.4
Barium	127	104	230
Calcium	4420	6980	14000
Chromium, total	10.5	5.3	9
Cobalt	4.73	4.4	6.3
Copper	11.2	10.8	16
Cyanide, total	0.82	n/a	2.5*
Iron	13800	7530	13000
Lead	19.7	13.2	31
Magnesium	2370	1940	3100
Manganese	543	364	1000
Nickel	9.38	7.1	11
Potassium	2690	1530	2000
Selenium	0.3	0.83	0.49
Vanadium	19.7	13.1	20
Zinc	60.2	31.6	87
Benzo(a)anthracene	n/a	n/a	0.25 *
Benzo(a)pyrene	n/a	n/a	0.26 *
Benzo(b)fluoranthene	n/a	n/a	0.33 *
Benzo(g,h,i)perylene	n/a	n/a	0.16 *
Chrysene	n/a	n/a	0.27
Fluoranthene	n/a	n/a	0.52
Methylphenol[4-]	n/a	n/a	2
Naphthalene	n/a	n/a	0.25
Phenanthrene	n/a	n/a	0.46
Pyrene	n/a	n/a	0.58
Summed 2,3,7,8-TCDD Equivalent	n/a	n/a	3.45E-06

n/a = not analyzed.

#### 4.1.2 Scenario for Exposure to Nonradionuclides at Totavi

Exposure pathways considered in the radiological effects assessment for Totavi included inhalation, ingestion of sediment, and direct exposure (external radiation). For nonradiological assessments, dermal absorption should also be considered because it is an important pathway for some lipophilic organic chemicals that were detected. However, direct exposure need not be considered for these nonradiological chemicals.

<sup>\*</sup>Sample collected from the weir in Los Alamos Canyon.

Because acute health effects for chemicals in soil are not considered routinely, we chose to evaluate concentrations of these chemicals in terms of their potential chronic health effects. This introduces considerable conservatism because it carries the implicit assumption that exposures have occurred over a long time period when, in fact, they haven't. A general, screening level assessment of chronic health risks associated with residential exposure pathways was completed to evaluate whether detailed site-specific assessments for year 2000 effects are warranted. Potential adverse health effects are considered separately for chemical carcinogens and noncarcinogens.

To evaluate the potential adverse health effects of these chemicals, their maximum concentrations were compared with residential soil screening levels derived by the New Mexico Environment Department (NMED 2000b). NMED guidance on human health screening assessments advocates using maximum values (NMED 2000a). Screening levels are based on chronic exposure scenarios that assume incidental soil ingestion, inhalation of particulates or vapors, and dermal contact. These pathways are possible in lower Los Alamos Canyon, but the intensity and frequency of exposure are likely overestimated compared with calendar year 2000 exposures. The frequency and magnitude of exposure to these pathways are based on daily contact for 6 years for noncarcinogens and 30 years for carcinogens. Carcinogen exposure integrates exposure to children (6 years) and adult (24 years). Thus, use of screening levels calculated for chronic exposure to evaluate possible adverse health effects from only a part of one year will greatly overestimate possible adverse health effects. In addition, selection of the maximum value will also overestimate chronic exposure, which is much more likely to be based on exposure to average concentrations.

Seven chemical carcinogens were identified at Totavi above pre-fire concentrations in post-fire calendar year 2000 sediment deposits (Table 6). To evaluate the carcinogenic risk potential of these chemicals, their concentrations were compared with soil screening levels derived by the New Mexico Environment Department (NMED 2000b). Soil screening levels for carcinogens are calculated based on a target risk level of one-in-a-one hundred thousand (stated numerically as 1 x 10<sup>-5</sup>). For one chemical, 2,3,7,8-TCDD equivalents, there is no NMED screening level and the value from EPA Region 6 was used (EPA 2000a). The EPA value was multiplied by 10 because EPA uses a target risk level of one-in-a-million (1 x 10<sup>-6</sup>). This adjustment to the 2,3,7,8-TCDD screening value put all carcinogens on the same target risk basis.

Twenty-two chemicals with noncarcinogenic effects were identified at Totavi above pre-fire concentrations in post-fire calendar year 2000 sediment deposits (Table 6). To evaluate the potential health effects of these chemicals, their concentrations were compared with soil screening levels derived by NMED 2000b). However, there is no NMED screening level for lead, and the value from EPA Region 6 was used (EPA 2000a).

In addition, there are four chemicals without residential soil screening levels that were identified above pre-fire concentrations in calendar year 2000 sediment deposits (Table 6).

**Table 6.** List of analytes evaluated in nonradiological health assessments of lower Los Alamos Canyon CY 2000 flood deposits.

Analyte	Basis of NMED Soil Screening Levels
Aluminum	Noncarcinogen
Arsenic	Carcinogen and noncarcinogen
Barium	Noncarcinogen
Calcium	No toxicity value
Chromium, total	Carcinogen
Cobalt	Noncarcinogen
Copper	Noncarcinogen
Cyanide, total	Noncarcinogen
Iron	Noncarcinogen
Lead	Noncarcinogen
Magnesium	No toxicity value
Manganese	Noncarcinogen
Nickel	Noncarcinogen
Potassium	No toxicity value
Selenium	Noncarcinogen
Vanadium	Noncarcinogen
Zinc	Noncarcinogen
Benzo(a)anthracene	Carcinogen and noncarcinogen
Benzo(a)pyrene	Carcinogen and noncarcinogen
Benzo(b)fluoranthene	Carcinogen and noncarcinogen
Benzo(g,h,i)perylene	No toxicity value
Chrysene	Carcinogen and noncarcinogen
Fluoranthene	Noncarcinogen
Methylphenol[4-]	Noncarcinogen
Naphthalene	Noncarcinogen
Phenanthrene	Noncarcinogen
Pyrene	Noncarcinogen
Summed 2,3,7,8-TCDD	Carcinogen
Equivalent	

#### 4.1.2.1 Results: Chemical Carcinogens

Results of a comparison of maximum post-fire values with soil screening levels for carcinogens are summarized in Table 7. None of the concentrations for individual chemical carcinogens at Totavi are greater than their respective soil screening levels.

After determining that no individual chemical at Totavi had a concentration above its corresponding screening level, we needed to evaluate whether the risk from all chemicals combined could present significant risk. Additive risk for these carcinogens was evaluated by summing the ratios of the maximum detected value to the soil screening concentration. Because the NMED soil screening level for carcinogens is calculated based on a target risk of one in one hundred thousand  $(1 \times 10^{-5})$ , a normalized sum of one equates to that target risk level under the assumption of chronic exposure. For Totavi area, the sum is 1.5, which equates to a chronic risk level of 15 cancers in one million  $(1.5 \times 10^{-5})$  for an exposure duration of 30 years. Thus, under the protective assumptions of residential exposure and use of maximum values (which carries the implicit assumption that sediment concentrations remain at their maximum levels), the

predicted chronic cancer risk for carcinogens from Totavi sediment is greater than the target risk of one in one hundred thousand  $(1 \times 10^{-5})$  used by NMED.

More than 1/2 of the potential chronic cancer risk is associated with arsenic, and it is worth considering this chemical in more detail. Arsenic is a naturally occurring trace mineral and was measured in pre-fire sediment samples from reach LA-4E and also measured in background sediments. Thus, one can assess the incremental change in chronic cancer risks from pre-fire sediment concentrations to post-fire levels. Considering only arsenic, the difference in predicted chronic cancer risks for the maximum concentrations from pre-fire to post-fire levels is approximately one additional cancer per million  $(1 \times 10^{-6})$ , based on  $[0.87-0.74]*1 \times 10^{-5}$ ). The normalized sum for the background values is approximately 1 and the normalized sum for reach LA-4E is approximately 0.8 (Table 7).

Overall chronic incremental cancer risks may be computed as the difference between the post-fire normalized sum and these pre-fire sums. Because the target risk level should be based on an incremental (or excess) risk, risks associated with ambient levels of chemicals in soil should be considered in evaluating cancer risks. The estimated incremental risks associated with post-fire concentrations are in the range of 5 to 7 in one million (5 x  $10^{-6}$  to 7 x  $10^{-6}$ ), which is less than the target risk level selected by NMED for calculating soil screening levels.

Increased concentrations of some carcinogens are likely from combustion of wood and other organic material burned during the Cerro Grande Fire. Such fire-related chemicals include arsenic, chromium, and TCDD. However, the majority of the change in estimated cancer risks are associated with benzo(a)pyrene and other carcinogenic polycyclic aromatic hydrocarbons (PAHs). PAHs may be pyrogenic in origin but these PAHs are more typically petrogenic in origin. These detected concentrations of PAHs are low compared with other parts of the watershed in closer proximity to urban runoff sources, e.g., upper DP Canyon (Katzman et al. 1999). Thus, one possible source for these carcinogenic PAHs is non-point source urban or industrial runoff from the Los Alamos townsite.

Increased cancer risks are possible for post-fire sediment deposits near Totavi. However, the levels of these risks are less than those considered unacceptable by NMED (1 x  $10^{-5}$  target risk) and EPA (risk range of 1 x  $10^{-4}$  to 1 x  $10^{-6}$ ). Because the screening level assessment of chemical carcinogens under protective exposure assumptions (use of maximum concentration and daily exposure) and chronic duration yielded risk estimates less than established criteria, further site-specific characterization of risks does not appear to be warranted.

**Table 7.** Comparison of maximum post-fire concentrations with soil screening levels for Carcinogens.

		Sediment	Reach	NMED Soils			
	Totavi	Background	LA-4E	Screening		Background	Reach
	Maximum	Value (BV)		Level (SSL)	Totavi ratio	Value ratio	LA-4E ratio
Analyte	(mg kg <sup>-1</sup> )	(mg kg <sup>-1</sup> )	(mg kg <sup>-1</sup> )	(mg kg <sup>-1</sup> )	(max SSL <sup>-1</sup> )	(BV SSL <sup>-1</sup> )	(LA-4E SSL <sup>-1</sup> )
Arsenic	3.4	3.98	2.9	3.9	0.872	1.021	0.744
Chromium, total	9	10.5	5.3	310	0.029	0.034	0.017
Benzo(a)anthracene	0.25 **	n/a	n/a	6.2	0.040	n/c	n/c
Benzo(a)pyrene	0.26**	n/a	n/a	0.62	0.419	n/c	n/c
Benzo(b)fluoranthene	0.33**	n/a	n/a	6.2	0.053	n/c	n/c
Chrysene	0.27**	n/a	n/a	610	0.000	n/c	n/c
Summed 2,3,7,8- TCDD Equivalent	3.5 x 10 <sup>-6</sup> **	n/a	n/a	3.9 x 10 <sup>-5</sup> *	0.089	n/c	n/c
-				Total	1.50	1.05	0.76

n/a = not analyzed.

#### 4.1.2.2 Results: Noncarcinogens

Results of comparison of maximum post-fire values with soil screening levels for noncarcinogens are summarized in Table 8. None of the concentrations for individual noncarcinogens are greater than their respective soil screening levels. Potential additive effects were evaluated by summing the ratios of the maximum detected value to the soil screening concentration. This normalized sum is equivalent to the hazard index under an assumption of simple additivity across different types of noncarcinogenic effects. If the normalized sum is less than 1.0, then no cumulative effects of noncarcinogens are indicated. A sum greater than 1.0 would trigger further evaluation to determine the organ systems affected by the individual chemicals. The sum of ratios for the Totavi data is 1.2, which is the same as the sum for the background values (BVs) and approximately twice the sum for reach LA-4E

The change in hazard index between Totavi and pre-fire levels (reach LA-4E) is primarily from changes in the concentrations of metals. Two metals, iron and manganese, contribute most of the change in the hazard index (0.32 of the 0.49 change in hazard index between Totavi and Reach LA-4E). There is evidence from post-fire sampling of the Cerro Grande Fire ash, as well from literature reports of other fires, that metals in general and these metals in particular are increased by combustion of wood and other organic material (LANL 2000; Bitner et al. 2001).

One metal, iron, contributes approximately 1/2 of the total normalized sum and it is worth considering this analyte in more detail (Table 8). The NMED soil screening value for iron is based on a provisional reference dose that is set at the upper end of the mean dietary iron intake (0.3 mg/kg/day from EPA 1996). The iron reference dose is set at the upper end of its beneficial range as a nutrient because there is some evidence that higher doses lead to gastrointestinal upset, but there are inadequate data to set a reliable effect threshold for other adverse health effects (EPA 1996). The iron maximum concentration yields a ratio of 0.57 (equal to a dose of 0.17 mg kg<sup>-1</sup> d<sup>-1</sup>) for sediments from Totavi. This value is well within the intake level of 0.15 to

n/c = not calculated, one or more values needed for calculation are not available.

<sup>\*</sup>Value for 2,3,7,8-TCDD is from EPA Region 6 and was multiplied by 10 to shift the risk level to  $1 \times 10^{-5}$ .

<sup>\*\*</sup> Concentration is taken from samples collected near the weir in Los Alamos Canyon.

0.27 mg kg<sup>-1</sup> d<sup>-1</sup> that is sufficient to protect against iron deficiency and insufficient to cause toxic effects (EPA 1996).

Because of the apparent lack of adverse effects associated with iron at the concentrations observed at Totavi, we calculate the normalized sum for all chemicals excluding iron. The sum of ratios, excluding iron, for the Totavi data is 0.6, which is the same as the sum for the background values and approximately twice the sum for reach LA-4E. These normalized totals are not suggestive of any chronic adverse health effects from noncarcinogens, either individually or in aggregate under an assumption of additivity of effects. Thus, given the absence of unacceptable chronic noncarcinogenic effects, no site-specific assessment is needed for exposure to calendar year 2000 flood deposits.

**Table 8.** Comparison of maximum post-fire concentrations with soil screening levels for noncarcinogens.

	Totavi	Sediment Background	Reach LA-4E	NMED Soils Screening			Reach
	maximum	Value	maximum	Level	Totavi	Background	LA-4E
Analyte	(mg kg <sup>-1</sup> )	(mg kg <sup>-1</sup> )	(mg kg <sup>-1</sup> )	$(mg kg^{-1})$	ratio	Value ratio	ratio
Aluminum	8900	15400	5480	74000	0.120	0.208	0.074
Arsenic	3.4	3.98	2.9	22	0.155	0.181	0.132
Barium	230	127	104	5200	0.044	0.024	0.020
Cobalt	6.3	4.73	4.4	4500	0.001	0.001	0.001
Copper	16	11.2	10.8	2800	0.006	0.004	0.004
Cyanide, total	2.5**	0.82	n/a	1200	0.002	0.001	n/a
Iron	13000	13800	7530	23000	0.565	0.600	0.327
Lead	31	19.7	13.2	400*	n/c	n/c	n/c
Manganese	1000	543	364	7800	0.128	0.070	0.047
Nickel	11	9.38	7.1	1500	0.007	0.006	0.005
Selenium	0.49	0.3	0.83	380	0.001	0.001	0.002
Vanadium	20	19.7	13.1	530	0.038	0.037	0.025
Zinc	87	60.2	31.6	23000	0.004	0.003	0.001
Benzo(a)anthracene	0.25**	n/a	n/a	1700	< 0.001	n/c	n/c
Benzo(a)pyrene	0.26**	n/a	n/a	1700	< 0.001	n/c	n/c
Benzo(b)fluor-	0.33**	n/a	n/a	1700	< 0.001	n/c	n/c
anthene							
Chrysene	0.27**	n/a	n/a	1700	< 0.001	n/c	n/c
Fluoranthene	0.52**	n/a	n/a	2300	< 0.001	n/c	n/c
4-Methylphenol	2**	n/a	n/a	310	0.006	n/c	n/c
Naphthalene	0.25**	n/a	n/a	53	0.005	n/c	n/c
Phenanthrene	0.46**	n/a	n/a	1800	< 0.001	n/c	n/c
Pyrene	0.58**	n/a	n/a	1800	< 0.001	n/c	n/c
				Total	1.16	1.18	0.67
			Total wit	hout Iron	0.60	0.58	0.34

<sup>\*</sup>Value for lead is from EPA Region 6.

#### 4.1.2.3 Results: Chemicals without Toxicity Information

Four chemicals, for which there is no toxicity information, were detected in post-fire calendar year 2000 sediment deposits (Table 9). Three of these chemicals, calcium, magnesium, and potassium, are essential macronutrients, and based upon EPA guidance (EPA 1989), do not require further consideration for possible adverse health effects if the concentrations measured are not substantially different from natural levels. The concentrations differ statistically from background or pre-fire levels, but the difference in maximum concentrations between pre-fire (LA4-E) and post-fire is less than a factor of 2. Another essential macronutrient, iron, was evaluated with the noncarcinogens because a provisional reference dose based on the upper bound of average dietary intake has been developed (EPA 1996).

The other chemical without toxicity information, benzo(g,h,i)perylene, is a PAH and is classified by EPA as a Class D carcinogen (inadequate evidence of carcinogenicity). Few

<sup>\*\*</sup>Concentration is taken from samples collected near the weir in Los Alamos Canyon.

n/a = not analyzed.

n/c = not calculated, one or more values needed for calculation are not available.

chemicals are classified as Class E, or demonstrated not carcinogenic, because of the difficulty in showing no carcinogenic or mutagenic effects in animal studies. Thus, it is appropriate to only consider possible noncarcinogenic effects of benzo(g,h,i)perylene. One may consider pyrene as a surrogate based on structural similarity to benzo(g,h,i)perylene, and because pyrene has the most protective reference dose among the noncarcinogenic PAHs. If one uses pyrene as a surrogate for benzo(g,h,i)perylene, the maximum post-fire concentration represents less than 0.1% of the pyrene screening level.

Thus, there are no apparent adverse chronic health effects at these concentrations for those chemicals that lack toxicity information and no further assessment of site-specific exposures to calendar year 2000 flood deposits is needed.

**Table 9.** Compilation of maximum post-fire concentrations for analytes without toxicity information.

	Totavi maximum	Sediment Background Value	Reach LA-4E
Analyte	(mg kg <sup>-1</sup> )	(mg kg <sup>-1</sup> )	maximum (mg kg <sup>-1</sup> )
Calcium	14000	4420	6980
Magnesium	3100	2370	1940
Potassium	2000	2690	1530
Benzo(g,h,i)perylene	0.16 **	n/a	n/a

<sup>\*\*</sup> concentration is taken from samples collected near the weir in Los Alamos Canyon n/a = not analyzed

#### **4.2** Exposure Assessment for Rio Grande Water Users

#### 4.2.1 General Scenario Description

As discussed in the Section 3.0, as sediments wash out of the canyons draining the Jemez Mountains, they may be transported with the water or sediment in the Rio Grande. People downstream may be exposed to chemicals by swimming in the river, drinking from it, by ingesting fish that have assimilated potentially hazardous chemicals, or by using affected water to irrigate their crops or water livestock. Upstream of Cochiti Reservoir, the exposure pathways we have identified include; drinking from and/or swimming in the Rio Grande during a runoff event, or someone consuming meat from cattle that have drunk from the Rio Grande during runoff. Below Cochiti Reservoir, the primary exposure scenario involves irrigation using Rio Grande water. Although, the same potential exposure scenarios described for above Cochiti also exist below the reservoir, any potential health effects from chemicals in water below the dam would be less than above because of increased dilution and mixing as the waters get farther from their source. As described earlier, sampling data indicate that fields irrigated with Rio Gande water since the Cerro Grande Fire show no discernable difference from before the fire (Fresquez et al. 2001). However, this lack of an effect could be explained if the irrigation did not occur when Cerro Grande-related flood runoff was in the Rio Grande system. Because, we cannot disregard the possibility that other fields, which were not sampled, may have had been effected by irrigation water, we calculated maximum potential irrigation effects that would happen if all the irrigation Rio Grande water during storm-water runoff.

Earlier, we described a method used to calculate maximum chemical concentrations in the Rio Grande from runoff of canyons draining the Jemez Mountains and Pajarito Plateau. The results of those calculations and the applicable comparisons are tabulated in Table 10. These are the results from unfiltered samples.

**Table 10.** Unfiltered water data. Concentrations of nonradiological constituents in unfiltered Rio Grande water. The bolding of values in the predicted post-fire concentration columns indicates the higher of the two values.

Analyte		ured pre-f (µg L <sup>-1</sup> )	ïre		d post-fire g L <sup>-1</sup> )	Measured Maximum in Rio Grande post-fire
	Mean	Max	Count	From flows in Guaje Canyon	From flows in LANL Canyons	(USGS) (µg L <sup>-1</sup> )
Aluminum	13100	76200	9	249000	104000	6930
Antimony	2	4	9	1	4	1
Arsenic	7	26	9	34	22	3
Barium	388	1770	9	5180	4340	146
Beryllium	3	10	9	17	9	
Boron	45	66	9	73	118	32
Cadmium	4	7	9	8	5	0.007
Chromium	10	32	9	128	62	3
Cobalt	12	42	9	119	38	0.22
Copper	23	84	9	151	92	4
Cyanide (amenable				0	12	
for chlorination)						
Cyanide, total	11	15	9	44	26	0.02
Iron	7430	40400	9	140000	71300	3790
Lead	18	60	9	295	253	3
Manganese	611	3260	9	25500	11300	122
Mercury	0.18	0.2	9		0.26	0.17
Molybdenum	13	30	9	1	6	2
Nickel	24	73	9	207	65	4
Selenium	3	7	9	2	11	9
Silver	8	10	9		43	
Strontium	454	1460	9	1200	1280	329
Tin	33	60	9	3	49	
Titanium				560	588	
Thallium	2	3	9			0.11
Uranium	3	7	9	23	37	2
Vanadium	33	130	9	134	113	8
Zinc	87	210	9	903	428	52
$NO_3+NO_2-N$	648	5100	9	233	250	95
1,4-				0.06	0.03	
Dichlorobenzene						
4-Methylphenol				1.1	2.75	
Benzoic acid				16.8	475	
Benzyl alcohol				1.33		

Analyte	Measured pre-fire (μg L <sup>-1</sup> )			d post-fire g L <sup>-1</sup> )	Measured Maximum in Rio Grande post-fire	
				From flows in	From flows in	(USGS)
	<b>Mean</b>	<u>Max</u>	Count	Guaje Canyon	LANL Canyons	(μg L <sup>-1</sup> )
Bis(2-				16.8	2.35	2
ethylhexyl)phthalate						
Ethylbenzene				0.02	0.03	
Methylene chloride					0.28	
Phenol				1.85	4.75	
Pyridine				4	9.25	
Toluene					0.24	
HMX (high					0.55	
explosive)						
RDX (high					0.19	
explosive)						

We use the values under "Post-Fire Predicted Maximums" in our Rio Grande dose scenarios below. These various scenarios and the major exposure parameters are described individually below. We also are including the results from filtered water samples to allow comparison with water quality standards derived for filtered water.

Table 11. Filtered water data. Predicted maximum concentrations of metals in filtered Rio Grande water. The bolded value in the predicted post-fire concentration columns is the higher of the two values.

	Measured pre-fire (μg L <sup>-1</sup> )		Predicted post-fire (µg L <sup>-1</sup> )		Measured Maximum in Rio Grande post-fire	
Analyte	Mean		<b>Count</b>	From flows in Guaje Canyon	From flows in LANL <u>Canyons</u>	(USGS) (μg L <sup>-1</sup> )
Aluminum	67	133.8	5	116	1210	43.6
Antimony	3	3	5	0.17	1.30	
Arsenic	5.2	20	6	1.6	2.2	2.8
Barium	46	90	5	27	138	85.9
Beryllium	3	3	5	0.01	0.06	
Boron	32	45	5	30	48	40.4
Cadmium					0.03	
Chromium	7	7	5		0.5	3.1
Cobalt	8	8	5	0.5	2.8	0.28
Copper	10	10	5	1.1	2.3	1.5
Iron	69	136	5	68	628	13
Lead	3	3	5	0.1	1.0	
Manganese	5.8	11.9	5	191	340	33.1
Mercury	0.2	0.2	2		0.003	
Molybdenum	30	30	5	1.3	4	4.4
Nickel	20	20	5	0.7	2.5	1.6
Selenium	3	3	2		1.0	
Silver	10	10	5		0.2	
Strontium	191	318	5	53	148	
Tin	30	30	5		0.6	
Titanium				0.9	14.1	
Thallium	3	3	5	0.007	1.0	
Uranium				0.6	0.9	7.3
Vanadium	9	13	5	0.5	1.9	
Zinc	50	50	5	0.8	41	

#### 4.2.2 Irrigation Scenarios

Downstream from Cochiti Reservoir, there is considerable use of irrigation water that could have been affected by runoff since the Cerro Grande Fire. Irrigation water drawn from the river during runoff events and spread on crop fields, fruit trees, or pasture represents a potential exposure pathway to humans.

We use the predicted maximum concentrations from the table above and assume that concentrations measured in Rio Grande water above Cochiti remain the same as the water travels through the reservoir. This is a highly conservative (overestimates potential effects) assumption because mixing with waters in and downstream of the reservoir is likely to provide significant dilution to the concentrations measured above the reservoir.

For the radionuclide effect assessment, the dose based on a flood irrigation event was calculated based on family farm scenario. Thus, exposure pathways were the same as those used at Totavi, but with the addition of vegetable, fruit, and meat (poultry and beef), and milk from cows that were pastured on fields irrigated with floodwaters. The assessment of dose from these

pathways was evaluated through use of the RESRAD model (Yu et al. 1993). Evaluation of potential health effects from non-radionuclides in pathways such as vegetable and meat ingestion, would require a forward calculation of risks and noncarcinogenic effects. Key inputs to this calculation are the uptake and transfer factors from water or soil to plants and animals. In lieu of a forward risk calculation, the possible adverse health effects are evaluated in a semiquantitative way.

The irrigation scenario is based on the same assumptions identified for the radiological assessment above with the following additions and clarifications.

- The resulting chemical concentrations in soil represent an increment to the background levels in soil.
- Background levels of chemicals in the agricultural fields are the same as the Laboratory sediment background values.
- The change in possible adverse health effects is related to the ratio of the irrigation increment to the background concentrations.

Based on these assumptions metal/organic concentrations were converted from water to soil via the following equation:

$$C_s = E * CF * C_w / D$$
, or  $C_s = 0.00062 * C_w$  [6]

 $C_s$  = concentration in soil (mg kg $^{-1}$ )

E = irrigation events = 1

CF = conversion factor =  $1 \times 10^{-3} \text{ mg } \mu\text{g}^{-1}$ 

 $C_w = \text{concentration in water } (\mu g L^{-1})$ 

D = soil density =  $1.6 \text{ kg L}^{-1}$ 

The estimated soil concentrations based on the irrigation mass transfer model are provided in Table 12. These estimated soil concentrations represent a possible maximum increment in concentrations in a field or pasture after an irrigation event. The estimated soil concentrations would add to existing or background concentrations in the soil. The sediment background values are also provided in Table 12 for comparison. For some chemicals, primarily organic chemicals, there is no background value and the calculated soil concentrations are compared with the contract-required quantification limit (CROL) (LANL 1995). The CROL values are set at concentrations that are routinely attainable for analytical laboratories using standard methods for the analysis of soil or sediment. The CRQLs are not risk-based concentrations, although they are much lower than risk-based screening concentrations in most cases. The CRQLs are selected for comparison with calculated concentrations of organic chemicals because they are akin to background for metals in that the CRQLs are the expected "baseline" concentration for organic chemicals. For all chemicals with background values, the estimated soil concentration is less than 3% of the sediment background value. For nearly all chemicals without background values, the estimated soil concentration is less than the CRQL and would not be detectable in soil. Estimated soil concentrations for nitrogen and phosphorous measures are comparable to the CRQL, but soil concentrations of less than one part per million of these essential plant nutrients are not associated with adverse human health effects. These same nutrients are often applied as

soil amendments at concentrations many times greater than the parts per million range. Thus, even with a protective assumption of 100% mass transfer from floodwater to soil, the estimated soil concentrations represent a small fraction of the concentration in soil at background levels, or a small fraction of measurable levels (for chemicals without background data). If some nonradiological effects are directly related to soil concentration, the small increase in concentration estimated from the irrigation model would cause a small increment to the potential adverse health effects from background levels. This semiquantitative risk evaluation suggests that incremental cancer risks from irrigating fields or pastures with post-fire floodwaters are small. In addition, a quantitative risk evaluation with irrigation would not lead to a different final risk estimate because risks are typically reported to one significant figure due to the inherent uncertainty in such estimates. Actual increments would be orders of magnitude less than the background risk in most cases.

Consider the results of the Totavi assessment for chemicals that could be expected to contribute the largest fraction to carcinogenic risk. For the Totavi assessment, arsenic, benzo(a)pyrene, and TCDD equivalents contributed nearly all of the estimated carcinogenic risk. Of these chemicals only arsenic was detected in floodwaters and the estimated arsenic concentration is 1% of the background value. Thus, carcinogenic risks from arsenic would be 1.01\* background risk and, rounded off to one significant figure this is simply the background risk.

Another consideration is the predicted difference in post-fire floodwater concentration versus historical values measured in the Rio Grande. Arsenic was measured in pre-fire base-flow unfiltered water samples in the Rio Grande (Rio Grande at Frijoles Canyon arsenic mean =  $7.2 \, \mu g \, L^{-1}$  and maximum =  $26 \, \mu g \, L^{-1}$ , 1993 to 1999 samples, Table 10. Unfiltered water data.). Thus, arsenic is predicted to be modestly elevated in post-fire floodwaters by a factor of approximately 1 to 5 over base-flow concentrations. Another relevant comparison is the concentration of arsenic from Guaje Canyon floods, which is thought to represent a reference (non-LANL impacted) canyon, to arsenic concentrations in canyons that drain LANL technical areas. The maximum value used in the assessment ( $34 \, \mu g \, L^{-1}$ ) is from Guaje Canyon (as are the maximum values for most chemicals), and the largest value in canyons that drain LANL technical areas is  $22 \, \mu g \, L^{-1}$  (from Water Canyon). Thus, using arsenic as an example of a carcinogen that may be responsible for some increased chronic cancer risk, the most reasonable source is from the Cerro Grande Fire. One possible source for elevated metals in post-fire floodwaters is ash. The fire may have changed flow regimes to increase concentrations of metals and other constituents in floods compared with base-flow concentrations.

Because the potential health effects assessment for the irrigation scenario is qualitative, our conclusions apply to short term exposures to these predicted elevated concentration in post-fire floodwaters. If elevated concentrations are found to persist over several years, then possible chronic health effects would also be addressed through this type of assessment. However, it may be advisable to reduce the uncertainty in the assessment and collect measurements of the soil in fields or pastures, plants, and livestock to evaluate potential adverse health effects and provide a comparison to the irrigation scenario mass-transfer model.

Table 12. Estimated soil concentrations for the Rio Grande irrigation scenario.

	Water Concentration	Estimated soil concentration	Sediment BV	CRQL	% of BV
Analyte	$(\mu g L^{-1})$	$(mg kg^{-1})$	$(\text{mg kg}^{-1})$	$(mg kg^{-1})$	(or CRQL)
Aluminum	249000	154	15400	n/u	1%
Antimony	4	0.002	0.83	n/u	<1%
Arsenic	34	0.021	3.98	n/u	1%
Barium	5180	3.21	127	n/u	3%
Beryllium	17	0.011	1.31	n/u	1%
Boron	118	0.073	4.1	n/u	2%
Cadmium	8	0.005	0.4	n/u	1%
Chromium, total	128	0.079	10.5	n/u	1%
Cobalt	119	0.074	4.73	n/u	2%
Copper	151	0.094	11.2	n/u	1%
Cyanide, amenable	12	0.007	n/a	0.05	15%
to chlorination		0.007	11 6	0.00	10 / 0
Cyanide, total	44	0.027	0.82	n/u	3%
Iron	140000	86.8	13800	n/u	1%
Lead	295	0.183	19.7	n/u	1%
Manganese	25500	15.8	543	n/u	3%
Mercury	0.26	< 0.001	0.1	n/u	<1%
Molybdenum	6	0.004	n/a	2.5	<1%
Nickel	207	0.128	9.38	n/u	1%
Selenium	11	0.007	0.3	n/u	2%
Silver	43	0.027	1	n/u	3%
Strontium	1280	0.8	52.1 *	n/u	2%
Tin	49	0.03	n/a	2.5	1%
Titanium	588	0.365	439	n/u	<1%
Uranium	37	0.023	1.62	n/u	1%
Vanadium	134	0.083	19.7	n/u	<1%
Zinc	903	0.56	60.2	n/u	1%
Ammonia reported	1230	0.76	n/a	2	38%
as nitrogen			-2.22	_	
Nitrate + nitrite	250	0.155	n/a	2	8%
reported as nitrogen					
Phosphate reported as phosphorous	3630	2.25	n/a	2	112%
Total nitrogen by	16000	9.92	n/a	10	99%
Kjeldahl Method of	10000	7.72	II/ a	10	<i>JJ</i> /0
Analysis					
1,4-Dichlorobenzene	0.06	< 0.001	n/a	0.33	<1%
4-Methylphenol	2.75	0.002	n/a	0.33	1%
Benzoic acid	325	0.202	n/a	3.3	6%
Benzyl alcohol	1.33	0.001	n/a	1.3	<1%
Bis(2-	16.8	0.01	n/a	0.33	3%
ethylhexyl)phthalate					
Ethylbenzene	0.03	< 0.001	n/a	0.00	<1%
Methylene chloride	0.28	< 0.001	n/a	0.00	3%
Phenol	4.75	0.003	n/a	0.33	1%
Pyridine	9.25	0.006	n/a	0.33	2%
Toluene	0.24	< 0.001	n/a	0.00	3%

Analyte	Water Concentration $(\mu g L^{-1})$	Estimated soil concentration (mg kg <sup>-1</sup> )	Sediment BV (mg kg <sup>-1</sup> )	CRQL (mg kg <sup>-1</sup> )	% of BV (or CRQL)
HMX (high explosive)	0.55	< 0.001	n/a	2	<1%
RDX (high explosive)	0.19	<0.001	n/a	1	<1%

n/a = not available.

#### 4.2.3 Drinking Water from, Swimming, or Fishing in, the Rio Grande

Predicted Rio Grande water concentrations were compared with acute health advisory levels (EPA 2000b) to evaluate possible adverse health effects of drinking floodwaters. The one-day acute health advisory levels developed for a 10-kg child were used in this comparison (EPA 2000b). These values are intended to be used in comparison with drinking water, which is typically low in suspended sediments and more similar to filtered river water than unfiltered river water. However, our acute exposure scenario assumes that someone may drink water directly from the river without passing it through a filter or collecting it in a container and waiting for the sediments to settle out of solution prior to drinking. Because of these factors, we compared both the filtered and unfiltered predicted Rio Grande concentrations with the one-day acute health advisory levels.

Results of the comparison of predicted unfiltered and filtered Rio Grande water concentrations with health advisory levels are provided in Table 13. None of the predicted filtered concentrations are greater than the one-day health advisory level. The predicted unfiltered concentration of one chemical, barium, are greater than the one-day health advisory level. However, the measured post-fire unfiltered USGS value for barium is less than the one-day health advisory level. Thus, there may be some concern for acute health effects based on a one-time consumption of unfiltered post-fire flood water, if one assumes maximum predicted concentrations for the exposure. It is worth noting that the maximum unfiltered predicted barium concentration in the Rio Grande used in the assessment (5180  $\mu g \, L^{-1}$ ) is based on runoff from Guaje Canyon (as are the maximum unfiltered values for most chemicals), and the largest predicted Rio Grande concentration from canyons that drain LANL technical areas is 4340  $\mu g \, L^{-1}$ . We conclude that any potential acute effects of drinking flood water, are a direct result of Cerro Grande Fire impacts, independent of LANL. One possible source for elevated metals in post-fire floodwaters is ash. The fire may have changed flow regimes to increase concentrations of metals and other constituents in floods relative to base flow concentrations.

n/u = not used, the CRQL is not used where a background value (BV) is available.

BV = background value.

CRQL = contract-required quantification limit.

<sup>\*</sup>Value is from TA-21 Baseline (Ryti 1997).

**Table 13.** Comparison of predicted Rio Grande concentrations with acute concentration thresholds. Bolded value indicates exceedance of screening level.

Analyte	$ \begin{array}{c} \textbf{Predicted Unfiltered} \\ \textbf{Rio Grande} \\ \textbf{Concentration} \\ \textbf{(}\mu\textbf{g }\textbf{L}^{-1}\textbf{)} \end{array} $	$\begin{array}{c} \textbf{Predicted Filtered Rio} \\ \textbf{Grande} \\ \textbf{Concentration} \\ \textbf{(}\mu\textbf{g L}^{-1}\textbf{)} \end{array}$	One-day Health Advisory level (µg L <sup>-1</sup> )
Antimony	4	1.3	10
Barium	5180	138	700
Beryllium	17	0.063	30000
Boron	118	47.5	4000
Cadmium	8	0.03	40
Chromium	128	0.48	1000
Cyanide, total	44	n/a	200
Mercury	0.26	0.0028	2
Molybdenum	6	4	80
Nickel	207	2.5	1000
Silver	43	0.24	200
Strontium	1280	148	25000
Zinc	903	41	6000
Nitrate + nitrite (expressed as nitrogen)	250	n/a	1000*
1,4-Dichlorobenzene	0.06	n/a	11000
Ethylbenzene	0.03	n/a	30000
Phenol	4.75	n/a	6000
Toluene	0.24	n/a	20000
HMX (high explosive)	0.55	n/a	5000
RDX (high explosive)	0.19	n/a	100

n/a = not analyzed, analyte is not measured in filtered water samples from runoff so is not available for the calculation of this value. \*Value is for nitrites.

Exposures to chemicals during swimming primarily occur through dermal contact and incidental ingestion of water. Acute exposures from a single swimming event will not be modeled to evaluate possible adverse health effects. Instead, the acute drinking water scenario evaluated previously will be used as an upper bound estimate for possible adverse health effects during swimming. Thus, using drinking water as a surrogate assessment ignores dermal exposure. However, the amount of water ingested during a lengthy swimming event is less than 10% of the daily drinking water intake, and using the higher drinking water intake should more than compensate for ignoring dermal exposure during swimming. The conclusion of the acute drinking water evaluation was that there are no potential acute effects of drinking flood water.

As described above, fish collected in Cochiti Reservoir before and after the fire showed no differences (other than as stated above). Therefore, we believe that fish collected and eaten from the Rio Grande or Cochiti Reservoir during 2000 would not have resulted in a fire-related adverse health effect.

## **4.2.4** Cattle Watering Scenario

Predicted Rio Grande water concentrations were compared with New Mexico Water Quality Control Commission (WQCC) standards (WQCC 2000) to evaluate possible adverse effects on

cattle. Livestock watering standards were used in this comparison (WQCC 2000), and livestock watering "means a surface water of the state used as a supply of water for consumption by livestock." (WQCC 2000). These standards, although applied to cattle watering, were developed to be protective of public health or welfare (Section 20.6.4.6.b of WQCC 2000). These values are mostly based on dissolved concentrations, except for one analyte, mercury, that is based on total concentrations. Filtered samples are used to be representative of dissolved concentrations, and the unfiltered concentrations are used to represent total chemical concentration. None of the predicted concentrations of these chemicals is greater than the livestock watering standard. Thus, we concluded that there are no concerns for public health from the consumption of beef from cattle that have consumed Rio Grande water.

Table 14. Comparison of predicted Rio Grande concentrations to livestock standards.

Analyte	Predicted Filtered Rio Grande Concentration $(\mu g L^{-1})$	WQCC Livestock Watering Standard for Dissolved Metals $(\mu g \ L^{-1})$
Aluminum	1200	5000
Arsenic	2.23	200
Boron	47.5	5000
Cadmium	0.03	50
Chromium	0.48	1000
Cobalt	2.83	1000
Copper	2.28	500
Lead	1.01	100
Mercury	0.26 *	10 *
Selenium	0.95	50
Vanadium	1.92	100
Zinc	41	25000

<sup>\*</sup>standard is for total mercury, so unfiltered mercury result is provided

# 5.0 Potential Future Effects From Flooding<sup>1</sup>

<sup>1</sup> Danny Katzman is the primary author of this section and should be contacted directly for questions concerning this material. He is employed at Los Alamos National Laboratory and can be reached at 505-667-0599.

As a result of the Cerro Grande Fire, the likelihood of large flash floods in the more severely burned watersheds is significantly increased (BAER 2000, Veenhuis 1999). Sections 1 and 2 of this report discuss the radiological and nonradiological effects during calendar year 2000 from potential exposure related to flooding exacerbated by the Cerro Grande Fire. This section presents a discussion of the potential future effects related to possible flooding in calendar year 2001 and in the ensuing years. This assessment of potential future adverse health effects associated with flooding considers: (1) the observed increase in the frequency and magnitude of large floods generated from the burn area and the likely duration of the conditions that lead to the generation of large floods, (2) the amount of ash generated by the fire, the constituents contained within ash, and the fate of the ash, and (3) sediments deposits that contain contamination from legacy LANL releases. The assessment focuses on sediment rather than surface water because concentrations of chemicals in sediment deposits represent the greater potential for chronic effects. The assessment of calendar year 2000 concentrations of chemicals in sediment and water showed that greater possible health effects are noted from sediment pathways compared with water pathways. It should be noted that predictions of future effects have uncertainty associated with the difficulty of predicting the nature of high-intensity rainfall events and the downstream geomorphic response from runoff (i.e., magnitude and location of erosion or deposition).


The assessment is based on three lines of evidence. One line of evidence comes from a review of scientific literature reports of the magnitude and duration of changes in hydrologic conditions and chemical concentrations in various media. A second line of evidence is the concentration, inventory (amount), and origin of various chemicals in ash and sediment, and amount of ash and sediment that has moved downstream from the burned areas. Third, is the change in concentrations of chemicals noted in sediment during the first year after the Cerro Grande Fire. These lines of evidence will be used to base a qualitative assessment of possible future adverse health effects especially as related to Laboratory-derived contaminants in the Los Alamos Canyon watershed.

### 5.1 Wildfire Effects Literature Review

Studies have been conducted on the initial hydrologic response and subsequent recovery following two historical wildfires near Los Alamos (Veenhuis 1999). The La Mesa Fire occurred in 1977 and burned in the Frijoles watershed, and the 1996 Dome Fire burned in the Capulin watershed. Veenhuis documents that hydrologic changes triggered by loss of vegetative cover and associated forest litter (duff) (and presumably development of hydrophobic soil conditions) resulted in large increases in the frequency and magnitude of floods in the burned watersheds. Peak discharge during the first 1–2 years following each of these fires was 2 orders of magnitude greater than the peak discharge measured prior to the fires. Runoff in subsequent years decreased as vegetation recovered in the burned area. Peak discharge was 10–15 times the pre-fire maximum in the second year, and down to only 3–5 times the pre-fire maximum by the third

year. Of course, the nature and location of high-intensity monsoonal precipitation events in a given year is a key factor for evaluating runoff in canyons.

Bitner and others (2001) compiled information on changes in chemical concentrations in various media. Many studies were reviewed, but few provided quantitative information on the magnitude and the duration of the changes in water, soil, sediments, or ash. The studies that provided some quantitative information are summarized in Figure 6. We have plotted a curve on Figure 6 that connects the pre-fire starting ratio of 1 (representing no change) with the geometric mean of 19 post-fire to pre-fire ratios from the first post-fire year and the geometric mean of four studies from year two post-fire. Although highly limited, this information still indicates a fairly rapid return to pre-fire concentrations, at least for the constituents monitored in these studies. Although this line of evidence is insufficient for providing strong predictive information on the duration of chemical changes post-fire, it does provide some information on the magnitude of change seen directly after a fire. This information suggests that change in concentration up to 1 order of magnitude is possible after a fire.



**Figure 6**. Compilation of changes seen post-fire in various media for metals and radionuclides (studies on nutrients like carbon and nitrogen were excluded from this compilation).

## 5.2 Legacy and Fire-Related Radionuclides

A key consideration in assessing future flood effects and related potential adverse health effects is the nature, concentrations, and mobility of legacy contaminants in LANL canyons, and chemicals detected in ash and flood deposits. The increased potential for more frequent and larger floods results in a greater potential for ash and legacy contaminants to be eroded and transported during floods and deposited offsite on floodplains or in the Rio Grande. The key question is whether these conditions also relate to potential increase in risk relative to pre-fire conditions. This analysis will focus on the Los Alamos Canyon watershed since of the fire-

affected watersheds, the Los Alamos Canyon watershed (which includes Los Alamos, Pueblo, Rendija, and Guaje Canyons) has the highest amount of historical Laboratory contamination susceptible to erosion and offsite transport from large floods. It also has the largest depositional area (i.e., floodplain) between the Laboratory boundary and the Rio Grande where sediments could be deposited during floods. Mortandad Canyon also has significant contamination; although burned, that watershed is not significantly more susceptible to erosion and transport of contaminants offsite because the canyon heads on the Pajarito Plateau as opposed to high on the mountain front, and the watershed experienced less severe burning than the Los Alamos Canyon watershed. Historic large floods in Mortandad Canyon typically attenuated in the area around the existing sediment traps. The historical Laboratory contamination within the Los Alamos watershed is essentially limited to Los Alamos and Pueblo Canyons, but potential transport of ash to downstream areas and the Rio Grande is important in all of the subbasins in the Los Alamos Canyon watershed. Investigations of the geomorphology and the associated concentration and distribution of Laboratory-derived chemicals are largely completed in these canyons. Several reports (Reneau et. al. 1998a, Reneau et. al. 1998b, Reneau et. al. 1998c, Katzman et. al. 1999) have documented the nature and extent of contamination related primarily to early Manhattan Project- and Cold War-era operations in the watershed.

To address the issue of potential future effects resulting from flooding, two key sources of data are used. The first source of data is the geomorphic model for variations in contamination presented in the canyon reach reports, which were used to support the assessment of potential future impacts from flooding (Reneau et. al. 1998a, Reneau et. al. 1998b, Reneau et. al. 1998c, Katzman et. al. 1999). The geomorphic model is based on analytical data from samples and sediment age determined from examination of sequential aerial photographs, radioisotope ratios, and tree-ring analysis. The model is developed from data on sediment deposits representing erosion and transport during the 50 years that Laboratory operations have impacted the Los Alamos Canyon watershed. Discharges of contaminants into Los Alamos and Pueblo Canyons initially resulted in widely dispersed concentrations of contaminants within the canyons. The existing data show that average contaminant concentrations in sediment generally decrease with increasing distance of transport from the original source area, and also have decreased over time due to the cessation of releases into the canyons and mixing of contaminated sediments with noncontaminated sediments during floods. Figure 7 illustrates the result of the sediment transport processes. Average <sup>137</sup>Cs concentrations for coarse- and fine-grained particle-size classes in the Los Alamos Canyon watershed are plotted as a function of distance from the Rio Grande. The average <sup>137</sup>Cs concentrations along the length of the canyon represent the average concentration of sediments of various ages within each discrete sampling area. The decreasing trend in average concentration down-canyon reflects mixing of sediments that contain higher concentrations of <sup>137</sup>Cs in up-canyon areas with sediments containing little or no <sup>137</sup>Cs, resulting in lower concentrations when deposited downstream. This geomorphic model reflects transport associated with floods of varying magnitude, including large floods known to have occurred in Pueblo Canyon in the early 1950s. Additional large floods, including those generated off the Cerro Grande burn area, could accelerate the processes of erosion and deposition of sediments, but are not likely to fundamentally change the processes leading to reduced average concentrations of contaminants associated with flood transport. Instead, because of increased erosion in the burn area, the supply of sediment from the burn area on the mountain front is anticipated to further dilute the concentration of LANL-related contaminants in flood deposits. The result should be

the transport and deposition of sediment with lower average concentrations of LANL-derived contaminants than before the fire.




Figure 7. Plot of <sup>137</sup>Cs concentrations by particle size from DP Canyon [the PRS 21-011(k) outfall] to the Rio Grande. Background is the average of coarse- and fine-grained sediments.

The second key source of information for evaluating potential future effects from flooding is the analytical data that characterize the constituents found in the ash produced by the fire. Samples of ash and ash-rich sediment were collected from locations representative of background conditions upstream of known Laboratory releases and predominantly upwind from airborne releases from stacks at Laboratory facilities. These locations were chosen to characterize the nature and concentration of chemicals associated with the Cerro Grande Fire. It was expected that detectable radionuclide concentrations associated with global fallout from aboveground nuclear testing conducted primarily in the 1950s and 1960s would be present, and likely concentrated, in the ash.

The ash data are used to estimate the inventory (or total amount) of <sup>137</sup>Cs and <sup>90</sup>Sr contained in ash in the burned areas of the upper watersheds for comparison with the inventory of the same radionuclides in sediment on LANL. Only the inventory of <sup>137</sup>Cs and <sup>90</sup>Sr are estimated here because they are present in ash deposits and in contaminated sediments related to historical releases from the Laboratory, and because they are the radionuclides that represent the highest potential for adverse health effects related to post-Cerro Grande flooding (Table 15). In addition, <sup>137</sup>Cs and <sup>90</sup>Sr are the radionuclides detected greater than pre-fire concentrations in lower Los Alamos Canyon sediments. Inventory estimates are available for these radionuclides in the Los

Alamos Canyon watershed based on pre-fire sediment sampling. Inventory of the radionuclides associated with the Cerro Grande Fire is estimated by multiplying the area of the watershed that received high- and moderate-severity burn, the estimated average thickness of ash, the average concentration of each radionuclide, and the average bulk density of ash, where

- total area of moderate- and high-severity burn in the Los Alamos Canyon watershed is 37.1 km<sup>2</sup> acres,
- estimated average thickness of ash is 2 cm,.
- average calculated concentration of <sup>137</sup>Cs in ash is 4.5 pCi/g (Table 16 and Smith 2000),
- average calculated concentration of <sup>90</sup>Sr in ash is 2.6 pCi/g (Table 16 and Smith 2000), and
- average measured bulk density of the ash is 0.65 g/cm<sup>3</sup>.

Table 15. Radionuclide inventories.

	Estimated Inventory in Los Alamos Basin					
_		(mCi)				
Analyte	Ash-Derived	Legacy Contamination in Canyon Floor				
Cesium-137	2180	350				
Strontium-90	1260	100*				

<sup>\*</sup> estimated from ratio of average concentrations of  $^{90}$ Sr to  $^{137}$ Cs in reaches LA-2E and LA-3 (Reneau et al. 1998c) (the ratios for coarse and fine sediments ranged between 3% and 30%, and 30% was selected as an upper bound for the  $^{90}$ Sr inventory estimate)

Table 16. Baseline ash samples.

G 1 TD	Cesium-137	Strontium-90
Sample ID	( <b>pCi g</b> <sup>-1</sup> )	(pCi g <sup>-1</sup> )
CABG-00-0066	4.97	3.01
CABG-00-0067	4.78	3.48
CABG-00-0068	3.61	2.06
CABG-00-0070	4.68	1.93

One important effect of the fire was the combustion of ground cover in the upper watersheds and generation of ash with high susceptibility to erosion due to runoff. This means that the inventory of fallout radionuclides is highly available for transport in floods onto and across LANL to offsite locations. One implication is that the inventory of certain radionuclides could increase on Laboratory property due to onsite deposition of ash-rich sediment. The evaluation of radionuclides in ash is important because the most significant risk-related effect associated with the calendar year 2000 floods is related to the transport of ash containing <sup>137</sup>Cs (see section 1 of this report). Although many other constituents are present in the ash, the <sup>137</sup>Cs appears to be the most persistent, meaning that the concentrations do not change much with increasing distance of transport. Future changes in concentrations of <sup>137</sup>Cs over time in flood deposits are therefore partially a function of the amount of ash remaining in the burn area and the susceptibility of this ash to transport. Consequently, understanding the flushing of ash from the burn area is key to evaluating future impacts from flooding. It was observed during field reconnaissance in spring 2001 that roughly two-thirds of the ash was transported by runoff from the upper watersheds in


the first year after the fire. A relatively small amount of the transported ash was deposited on floodplains along the length of the canyons within the Los Alamos Canyon watershed, suggesting that most of the ash and associated constituents were transported directly to the Rio Grande during calendar year 2000. Therefore, concentrations of ash-derived constituents in floods and flood deposits are expected to decrease during subsequent years.

#### **5.3** Post-fire Monitoring


Samples of ash-rich sediments deposited by floods during calendar year 2000 were collected from floodplain areas along the canyons (including at the Los Alamos Canyon delta to the Rio Grande) to evaluate spatial trends in chemical concentrations and to evaluate the potential contribution of Laboratory contaminants (Katzman et al. 2001). Because sediment deposits represent the greater potential for chronic risk compared with surface water, we present information on spatial and temporal trends in concentrations of chemicals in sediment. We also focus on two radionuclides that are known to be elevated in Cerro Grande ash, and which are also present in contaminated sediments on LANL. We show spatial trends based on the distance of a sampling location from the Rio Grande and overlay with post-fire fine-grained sediment sample results and the pre-fire average concentrations in Los Alamos and Pueblo Canyons from previous investigations (Reneau et al. 1998a, b, c).

A plot of post-fire <sup>137</sup>Cs concentrations shows little spatial variation in concentration (Figure 8). Current evaluations of the spatial trends could be reflecting some effect related to temporal trends in concentrations due to solubility. The data shown in Figure 8 represent texturally similar sediment deposits all containing high concentrations of ash. The data show that concentrations of <sup>137</sup>Cs in the ash-laden deposits are similar along the length of the canyons, indicating little or no mixing of sediment downstream of the burn area. Cesium-137 concentrations in sediment containing ash from the burn area might be expected to increase down-canyon if higher concentrations of Laboratory-derived <sup>137</sup>Cs from canyon sediments was being incorporated during floods along with no mixing of noncontaminated sediments The data also indicate that the <sup>137</sup>Cs in ash is relatively insoluble. Thus, the large inventory of <sup>137</sup>Cs in ash is the most likely source for the <sup>137</sup>Cs found in down-canyon areas. This analysis also leads to the conclusion that <sup>137</sup>Cs concentrations in flood deposits will decrease as the amount of ash contained within flood sediments decreases.

Plots of post-fire <sup>90</sup>Sr concentrations show a slight decrease with distance of transport (Figure 9). This analysis is also potentially confounded by possible changes in <sup>90</sup>Sr concentrations over time related to solubility. The data shown in Figure 9 represent texturally similar sediment deposits all containing high concentrations of ash. The data show that concentrations of <sup>90</sup>Sr generally decrease with distance of transport. As with <sup>137</sup>Cs, the spatial trend for <sup>90</sup>Sr indicates little or no contribution from Laboratory sources of contamination.



**Figure 8**. Cesium-137 spatial plot for Los Alamos and Pueblo Canyons sediment concentrations. Pre-fire data from Reneau et al. (1998 a, b, and c). LAC = Los Alamos Canyon, PC = Pueblo Canyon.



**Figure 9**. Strontium-90 spatial plot for Los Alamos and Pueblo Canyon sediment concentrations. Pre-fire data from Reneau et al. (1998 a, b, and c). LAC = Los Alamos Canyon, PC = Pueblo Canyon.

Reconnaissance of the upper burned portions of the Los Alamos Canyon watershed indicates that up to two-thirds of the ash generated by the fire was eroded and transported out of the upper watershed during summer and early fall of calendar year 2000. Some deposition of ash-rich sediments occurred along floodplains (e.g., near Totavi, see discussion in section 1), but most of the ash was flushed through the canyons during floods and into the Rio Grande. This suggests that possibly up to 1400 mCi of <sup>137</sup>Cs and 850 mCi of <sup>90</sup>Sr were transported to the Rio Grande in calendar year 2000, an amount far greater than the legacy Laboratory contamination in sediments in the Los Alamos Canyon watershed (Reneau et al. 1998c). This reduction in the amount of <sup>137</sup>Cs- and <sup>90</sup>Sr-laden ash from the upper watershed will therefore likely result in decreasing concentrations of these and other constituents associated with ash in ensuing years. Because the source for elevated levels of these radionuclides is the ash, the rapid loss of this material is consistent with the information obtained from the literature on the magnitude and duration of fire effects.

### 5.4 Integration of Lines of Evidence

Limited information on the effects of fire from the literature show that increases in concentrations of various chemicals (e.g., <sup>137</sup>Cs and <sup>90</sup>Sr as well as related inorganic constituents and organic compounds) are relatively short in duration and the maximum value may be expected in the first few years post-fire. For two representative chemicals in both ash and contaminated sediments on LANL, there is about an order of magnitude more inventory in ash compared with sediment deposits on LANL. In addition, all of the ash is susceptible for transport. Thus, considering susceptibility for transport and the amount (inventory) available for transport, the ash from the fire represents the dominant source for downstream effects. And, given that most of the ash was mobilized during the first year, the effect is expected to be minimal during subsequent years. Lastly, existing data for sediments deposited from calendar year 2000 floods seem to be consistent with data on concentrations of these chemicals in the ash and also show little or no Laboratory contribution. Large floods that may occur in the future could contain large amounts of sediment derived from erosion in the upper watersheds. These eroded sediments are not likely to contain significant ash content, and thus are expected to have lower concentrations of fallout radionuclides than were detected in calendar year 2000. Other factors, such as the manner in which the upper Los Alamos Canyon reservoir reduces the peak of flood discharge in that canyon and the natural flood attenuation that is likely to occur in the lower Pueblo Canyon wetlands area, should minimize erosion and transport of contaminated sediments in those canyons. In conclusion, it seems unlikely that continued monitoring will detect higher concentrations of these chemicals or any chemicals associated with historical Laboratory releases that are greater than what was measured in calendar year 2000.

The only considerations of possible adverse health effects from future concentrations of chemicals in flood deposits compared with calendar year 2000 concentrations are the continued exposure time and possibility of additional exposure pathways in the future. However, in considering the lack of any notable Laboratory contribution to possible calendar year 2000 health effects, we view the consideration of additional exposure pathways as too speculative to be warranted in this report. However, the exposure time for radiological effects should be considered for a full calendar year in 2001 and beyond. Thus, our best estimate for lower Los Alamos Canyon sediment-related dose is 0.06 mrem per year of exposure at the concentrations measured in 2001. Nonradiological assessments would not be affected as they already considered

possible adverse health effects from chronic residential exposure (30 years). Although this assessment indicates that the potential for significant future adverse health effects related to flooding is negligible, monitoring should be continued. If monitoring data show significant increases (even short-term) in the concentrations of radionuclides or chemicals in various media, then additional risk assessments may be warranted.

#### **6.0** Overall Conclusions

Observations and sampling have shown that the aftereffects of the Cerro Grande Fire resulted in increased concentrations of radiological and nonradiological chemicals in runoff and in sediments deposited during calendar year 2000. Our analyses indicate that the predominance of these effects was caused by the increased mobilization of locally deposited worldwide fallout, or of naturally occurring substances that were concentrated by the fire. Where increases were seen, we were not able to identify LANL as the source for these increases. However, for many of them we were not able to preclude the possibility that legacy LANL wastes in canyons and the area surrounding LANL contributed to the increases. We therefore calculated effects independent of their source if we could not determine the source.

None of the radiological or nonradiological effects we calculated for residents of Totavi or for direct or indirect users of Rio Grande water are believed to cause health effects in the exposed individuals for exposures received during 2000. If individuals were exposed for long periods of time at some of the potential maximum concentrations we calculated, some health effects could be possible. Evaluation of these hypothetical long-term exposures may be warranted, depending on future assessments.

#### 7.0 References

ATSDR 2000: Agency for Toxic Substances and Disease Registry (ATSDR), Energy Section, Federal Facilities Assessment Branch, Division of Health Assessment and Consultation, Health Consultation, Public Comment Release for "Potential Public Health Impacts from the Cerro Grande Fire Airborne Emissions," EPA Facility ID: NM0890010515, (June 28, 2001).

BAER, "Cerro Grande Fire BAER Report 2000," Interagency Burned Area Emergency Rehabilitation Team, June 2000.

Beal, L. 2001, personal communication with Bruce Gallaher, February 22, 2001.

Bitner, K., B. Gallaher, and K. Mullen, 2001, Review of Wildfire Effects on Chemical Water Quality, Los Alamos National Laboratory report LA-13826-MS, May 2001.

CDC 2000: Centers for Disease Control CDC), National Center for Environmental Health, "Revised trip report, Epi-Aid 2000-40: Assessment of Health Effects Associated with the Cerro Grande Forest Fire, Los Alamos, New Mexico," Compiled by Mitchell Wolfe, EIS Officer with the Air Pollution and Respiratory Health Branch (June 21, 2001).

DOE 1988: U.S. Department of Energy, "Internal Dose Conversion Factors for Calculation of Dose to the Public," U. S. Department of Energy report DOE/EH-0071 (July 1988).

Environmental Protection Agency (EPA). 1989. Risk Assessment Guidance for Superfund: Human Health Evaluation Manual, Part A. EPA Office of Solid Waste and Emergency Response Directive 9285.7-01a. Washington, DC. July 1989.

Environmental Protection Agency (EPA). 1996. Risk Assessment Issue Paper for Derivation of a Provisional RfD for Iron (CASRN 7439-89-6). EPA Office of Research and Development, National Center for Environmental Assessment. Washington, DC. July 1996.

EPA 1997: Environmental Protection Agency, "Exposure Factors Handbook," EPA/600/C-99/001 (August 1997).

Environmental Protection Agency (EPA). 2000a. EPA Region 6 Human Health Medium-Specific Screening Levels. U.S. Environmental Protection Agency Region 6. Dallas, Texas. September 2000. (<a href="http://www.epa.gov/earth1r6/6pd/rcra\_c/pd-n/screen.htm">http://www.epa.gov/earth1r6/6pd/rcra\_c/pd-n/screen.htm</a>)

Environmental Protection Agency (EPA). 2000b. EPA Region 9 Preliminary Remediation Goals. U.S. Environmental Protection Agency Region 9. San Francisco, California. November 2000. (http://www.epa.gov/region09/waste/sfund/prg/index.htm)

ESP 1992: Environmental Surveillance Program, "Environmental Surveillance at Los Alamos during 1990," Los Alamos National Laboratory report LA-12271-MS (1992).

ESP 1993: Environmental Surveillance Program, "Environmental Surveillance at Los Alamos during 1991," Los Alamos National Laboratory report LA-12572-ENV (1993).

ESP 1994: Environmental Surveillance Program, "Environmental Surveillance at Los Alamos during 1992," Los Alamos National Laboratory report LA-12764-ENV (1994).

ESP 1995: Environmental Surveillance Program, "Environmental Surveillance at Los Alamos during 1993," Los Alamos National Laboratory report LA-12973-ENV (1995).

ESP 1996a: Environmental Surveillance Program, "Environmental Surveillance at Los Alamos during 1994," Los Alamos National Laboratory report LA-13047-ENV (1996).

ESP 1996b: Environmental Surveillance Program, "Environmental Surveillance at Los Alamos during 1995," Los Alamos National Laboratory report LA-13210-ENV (1996).

ESP 1997: Environmental Surveillance Program, "Environmental Surveillance at Los Alamos during 1996," Los Alamos National Laboratory report LA-13343-ENV (1997).

ESP 1998: Environmental Surveillance Program, "Environmental Surveillance at Los Alamos during 1997," Los Alamos National Laboratory report LA-13487-ENV (1999).

ESP 1999: Environmental Surveillance Program, "Environmental Surveillance at Los Alamos during 1998," Los Alamos National Laboratory report LA-13633-ENV (1999).

ESP 2000: Environmental Surveillance Program, "Environmental Surveillance at Los Alamos during 1999," Los Alamos National Laboratory report LA-13775-ENV (2000).

Fresquez, P.R., D.A. Armstrong, and M.A. Mullen. 1998. Radionuclides and radioactivity in soils collected from within and around Los Alamos National Laboratory: 1974–1996. *Journal of Environmental Science and Health*, A33 (2) 263–278.

Fresquez, P.R., G.J. Gonzales, J. Nyhan, T. Haarmann, and B. Gallaher, "Soil, Foodstuffs, and Associated Biota," In: Environmental Surveillance at Los Alamos during 2000," Los Alamos National Laboratory report LA-13775-ENV (2001a).

Fresquez, P.R., W.R. Velasquez, and L. Naranjo, Jr., "Effects of the Cerro Grande Fire (Smoke and Fallout Ash) on Soil Chemical Properties Within and Around Los Alamos National Laboratory," Los Alamos National Laboratory report LA-13769-MS (November 2000).

Fresquez, P.R., W.R. Velasquez, and L. Naranjo, Jr., "Effects of the Cerro Grande Fire (Smoke and Fallout Ash) on Possible Contaminant Levels in Soils and Crops Downwind of Los Alamos National Laboratory," Los Alamos National Laboratory report LA-13842-MS (June 2001b).

Gallaher, B.M., D.W. Efurd, D.J. Rokop, T.M. Benjamin, and A.K. Stoker, 1997, Survey of Plutonium and Uranium Atom Ratios and Activity Levels in Mortandad Canyon, Los Alamos National Laboratory report LA-13379-MS (October 1997).

Gallaher, B.M., D.W. Efurd, D.J. Rokop, and T.M. Benjamin, 1999, "Plutonium and Uranium Atom Ratios and Activity Levels in Cochiti Lake Bottom Sediments Provided by Pueblo de Cochiti," Los Alamos National Laboratory report LA-13605-MS (May 1999).

Gallaher, B., R. Koch, and K. Mullen, "Quality of Storm Water Runoff at Los Alamos National Laboratory in 2000 with Emphasis on the Cerro Grande Fire," Los Alamos National Laboratory report, in preparation.

Gallaher, B. and Deward W. Efurd, "Plutonium and Uranium Isotopes of Stream and Reservoir Sediments from the Rio Grande Valley near Los Alamos, New Mexico," (in preparation).

Johansen, M., B. Enz, B. Gallaher, K. Mullen, and D. Kraig, 2001, "Storm Water Quality in Los Alamos Canyon following the Cerro Grande Fire," Los Alamos National Laboratory report LA-13816-MS, April 2001.

Katzman, D., R. Ryti, M. Tardiff, and B. Hardesty, August 1999, "Evaluation of Sediment and Alluvial Groundwater in DP Canyon: Reaches DP-1, DP-2, DP-3, and DP-4," Los Alamos National Laboratory Report LA-UR-99-4238, Los Alamos, New Mexico.

Katzman, D., R. Ryti, S. L. Reneau, June 2001, "Cerro Grande Ash as a Source of Elevated Radionuclides and Metals" in P. Johnson (ed.), Water Watersheds, and Land Use in New Mexico, Impacts of Population Growth on Natural Resources, New Mexico Bureau of Mines and Mineral Resources, Socorro, NM.

Kennedy 1992: W.E. Kennedy, Jr., and D. L. Strenge, "Residual Radioactive Contamination from Decommissioning – Technical Basis for Translating Contamination Levels to Annual Total Effective Dose Equivalent: Final Report," U.S. Nuclear Regulatory Commission report NUREG/CR-5512-V1 (October 1992).

Kraig et al., 2001a: D. H. Kraig, T. E. Buhl, C. F. Eberhart, E. S. Gladney, "Updated Calculation of Inhalation Dose from the Cerro Grande Fire Based on Final Air Data," Los Alamos National Laboratory report LA-UR-01-1132 (February 2001).

Los Alamos National Laboratory (LANL), 1995. "Statement of Work -- Analytical Support," Revision 2, RFP No. 9-XS1-Q4257, Los Alamos, New Mexico.

New Mexico Environment Department (NMED). 2000a. Assessing Human-Health Risks Posed Chemicals: Screening-level Risk Assessment. Hazardous and Radioactive Materials Bureau, March 6, 2000.

New Mexico Environment Department (NMED). 2000b. Technical Background Document for Development of Soil Screening Levels. Hazardous Waste Bureau and Ground Water Quality Bureau Voluntary Remediation Program, December 18, 2000.

- Reneau, S.L., R.T. Ryti, M. Tardiff, and J. Linn, September 1998a, "Evaluation of Sediment Contamination in Pueblo Canyon: Reaches P-1, P-2, P-3, and P-4," Los Alamos National Laboratory report LA-UR-98-3324, Los Alamos, New Mexico.
- Reneau, S., R. Ryti, M. Tardiff, and J. Linn. September 1998b, "Evaluation of Sediment Contamination in Upper Los Alamos Canyon: Reaches LA-1, LA-2 and LA-3," Los Alamos National Laboratory report, LA-UR-98-3974, Los Alamos, New Mexico.
- Reneau, S., R. Ryti, M. Tardiff, and J. Linn. September 1998c, "Evaluation of Sediment Contamination in Lower Los Alamos Canyon: Reaches LA-4 and LA-5," Los Alamos National Laboratory report, LA-UR-98-3975, Los Alamos, New Mexico.
- Reneau, S.R., March 10, 2000, Compile Los Alamos National Laboratory particulate data from 1990-1999 Environmental Surveillance Reports, provided as Excel Spreadsheet to Dave Kraig (March 10, 2000).
- Ryti, R. Technical Position Paper on Use of TA-21 Baseline Data for RFI Reports. Los Alamos National Laboratory report LA-UR 97-3393, Los Alamos, New Mexico, August 1997.
- Ryti, R., P.A. Longmire, D.E. Broxton, S.L. Reneau, and E.V. McDonald. Inorganic and Radionuclide Background Data for Soils, Canyon Sediments, and Bandelier Tuff at Los Alamos National Laboratory. Los Alamos National Laboratory report, LA-UR-98-4847. Los Alamos, New Mexico, September 1998.
- Shaull, D. 2001, personal communication with Bruce Gallaher, February 26, 2001.
- Smith, C.H., 2000 "Post-Cerro Grande Fire Environmental Sampling Data: Baseline Ash and Muck Samples," Los Alamos National Laboratory report LA-UR-00-4362, Los Alamos, New Mexico, September 2000.
- Veenhuis, J.E., 1999, "The effects of wildfire on the flow characteristics of Frijoles and Capulin Canyons, Bandelier National Monument, New Mexico. In Olsen, D.S., and Potyondy, J.P. (eds.), Wildland Hydrology, American Water Resource Association Report TP3-99-3, Herndon, VA., pp 427–428.
- Water Quality Control Commission (WQCC). 2000. State of New Mexico Standards for Interstate and Intrastate Surface Waters. Santa Fe, New Mexico. Effective date October 12, 2000. (http://www.nmenv.state.nm.us/NMED\_regs/swqb/20\_6\_4\_nmac.html)
- Yu, C., A. J. Zielen, J. J. Cheng, Y. C. Yuan, L. G. Jones, D. J. LePoire, Y. Y. Wang, C. O. Loureiro, E. Gnanapragasam, E. Faillace, A. Wallo III, W. A. Williams, and H. Peterson, September 1993, "Manual for Implementing Residual Radioactive Material Guidelines Using RESRAD, Version 5.0," Argonne National Laboratory report ANL/EAD/LD-2, Environmental Assessment Division, Argonne National Laboratory, Argonne, Illinois. http://web.ead.anl.gov/resrad/resrad.html.

### Appendix A. Sampling Data and Analysis of Results for Totavi Area

### A-1.0 Samples Collected and Analytical Results

During latter 2000, rain storms caused runoff throughout the Los Alamos Canyon watershed, which includes Pueblo, Rendija, and Guaje Canyons. In lower Los Alamos Canyon, an area with several residences, late-season floods deposited layers of ash and sediment. Samples were collected on March 6, 2001, to assess the radionuclide and nonradiological content of these flood-deposited sediments in the area behind the convenience store and residences in Los Alamos Canyon at Totavi (Table A-1). The study was conducted over a channel distance of approximately 300 m. We determined that sediments were deposited in the area during moderate floods generated by rainfall in October. The timing of the flood deposits is based on the observation that flood debris was found along a flood mark located on top of rock structures that were built in September for bank stabilization behind the convenience store. Observations during sampling indicated that these recent flood deposits covered approximately 25% of the floodplain area along the 300 m reach. Thickness of the deposits varied, but was generally less than approximately 20 cm (Table A-1). Some of the flood sediment that contained ash was preserved in small local areas within the channel, but the majority was preserved at relatively shallow depths on the floodplain. The deposits are highly stratified and include a wide range of sediment textures ranging from silts to very coarse sand. The floods were not of sufficient magnitude at this location to transport significantly larger sediment sizes.

Samples were collected from representative locations in the reach near Totavi from layers representing a variety of sediment sizes within the deposits (Table A-1). All samples included one or more layers of ash-rich sediment typical of post-fire Cerro Grande storm water deposits. Samples from the Totavi area were analyzed for <sup>90</sup>Sr, <sup>137</sup>Cs, <sup>241</sup>Am, isotopic plutonium and uranium and inorganic constituents. Analytical results for these samples are provided in Table A-2.

Samples were also collected just upstream of the low-head weir structure in Los Alamos Canyon at the Laboratory boundary on September 11, 2000. These samples were analyzed for the same radionuclides and inorganic constituents as at Totavi, and also for total cyanide and semivolatile organic constituents (including dioxins and furans). Analytical results for these samples are provided in Table A-3. We will use the total cyanide and organic chemical results from Table A-3 to supplement the radionuclide and inorganic chemical results from Totavi presented in Table A-2.

The concentrations and analytes detected in these flood deposits are similar to those reported from ash and muck samples collected west of the Laboratory boundary (LANL 2000). Maximum concentrations of these post-fire sediment samples are provided in Table A-4. Pre-fire concentrations are also shown in Table A-4 for comparison.

## A-2.0 Data Analysis Methods

We used statistical and graphical analyses to compare post-fire radionuclide and metal concentrations from Los Alamos Canyon with Laboratory-wide sediment background concentrations and pre-fire concentrations for Los Alamos Canyon. These analyses are used to identify the radionuclide and metal analytes that will be evaluated for possible adverse health

effects. We will supplement this list of analytes with total cyanide results and the detected organic chemicals from sediment samples collected just upstream from the low-head weir.

Laboratory-wide sediment background data are presented in "Inorganic and Radionuclide Background Data for Soils, Canyon Sediments, and Bandelier Tuff at Los Alamos National Laboratory" (Ryti et al. 1998). Results for Los Alamos Canyon from pre-fire sediment characterizations were reported in Reneau et al. (1998 a, b, and c), and specific samples used were from reach LA-4 east (or LA-4E). Reach LA-4E is located 0.6 km upstream of the Totavi area. There are no tributary drainages or contaminated sites that affect Los Alamos canyon between LA-4E and Totavi, therefore pre-fire contaminant concentrations from the two areas should be comparable. In our evaluations of Cerro Grande effects at Totavi, we assume that the pre-fire concentrations of constituents at LA-4 East are the same as the pre-fire concentrations at Totavi. In other words, the LA-4 East concentrations are used as surrogates to evaluate pre-fire conditions at Totavi.

Note that the phrase *background values*, where applied to nonradiological constituents, refers to estimates of the upper limit of Laboratory-wide background levels, as presented in Ryti et al. (1998). For comparisons of radionuclides, backgrounds were calculated as the numerical average of the individual soil or sediment background values. These analyses were used to determine if post-fire sediment shows evidence of a systematic increase in the concentration of one or more analytes to levels greater than the concentrations observed in either the Laboratory-wide background data or pre-fire concentrations at reach LA-4E.

Two types of data analyses were used to evaluate the concentrations of radionuclides and metals in post-fire sediment samples data as compared with pre-fire concentrations. In the first type, a graphical comparison is made between Totavi (or LA-4 East as a surrogate) sample data and background sample data. In the second type, the results of formal statistical testing are presented. Each of these methods is discussed below in more detail.

# A-2.1 Graphical Comparisons of Analytical Results

These graphical comparisons use displays called box plots, which show the reported concentrations for radionuclide and metal. The ends of each box delimit the "interquartile" range of the data distribution, which is specified by the 25th percentile and 75th percentile of the data. The horizontal line above each box represents the 90th percentile, and the line beneath the box represents the 10th percentile of the sample results. The horizontal line within each box is the median (the 50th percentile) of the data distribution (if the number of samples is four or fewer, the horizontal line is not displayed). Thus, each box indicates concentration values for the central half of the data, and concentration shifts can be readily assessed by comparing the boxes. If most of the data are represented by a single concentration value (usually the detection limit), the box is reduced to a single line. These plots also contain a horizontal line across the entire plot that represents the overall average concentration of all data groups.

In these statistical plots, one can compare pre-fire background sediment concentrations (background) to pre-fire reach LA-4E (as surrogates for pre-fire Totavi conditions) concentrations. The plots also show the concentrations of samples collected in post-fire ash and muck samples (baseline post-fire, see LANL 2000 for more information) and samples collected in post-fire sediment deposits in lower Los Alamos Canyon. Analytes are considered to represent fire impacted concentrations if the post-fire lower Los Alamos Canyon concentrations are greater than pre-fire concentrations (reach LA-4E values). The sample results for each of these data

groups are plotted along with the other components of the box plot mentioned above. Also note that nondetected sample results for metals are plotted as the detection limit value, and that radionuclide concentrations are plotted as reported from the analytical laboratory (not censored at the detection limit).

# A-2.2 Statistical Testing

Because the data for these analytes do not typically satisfy conditions of statistical normality, nonparametric statistical tests are preferred. Thus, the nonparametric Wilcoxon Rank Sum test or the Gehan test were used for statistical testing. The purpose of these tests was to detect if the post-fire data show evidence of a systematic increase in that analyte's concentration, relative to concentrations observed in pre-fire data. The tests pool pre-fire and post-fire data into one set, and determine whether the average rank of post-fire data is greater than that of the pre-fire data. These tests are most sensitive to detecting cases where most of the post-fire data are greater than the average or median value observed in the pre-fire data. The Gehan test is a variation on the Wilcoxon rank sum test that handles nondetected sample results in a statistically valid manner. More discussion of these tests is contained in Ryti et al. (1996).

The metrics used to determine if a statistically significant difference exists between post-fire and pre-fire data are the calculated significance levels (p-values) for the tests. A low p-value (near 0) indicates that Totavi sampling results are greater than pre-fire data; a p-value approaching 1 indicates no difference between Totavi and pre-fire data. If a p-value is less than some small probability (0.05), there is some reason to suspect that the Totavi concentrations are elevated above pre-fire concentrations; otherwise, no difference is indicated.

#### A-3.0 Results

The results of the statistical analyses suggest that post-fire concentrations of one radionuclide (<sup>137</sup>Cs) at Totavi and sixteen metals are greater than their pre-fire concentrations at that location. The metals included aluminum, arsenic, barium, calcium, chromium, cobalt, copper, iron, lead, magnesium, manganese, nickel, potassium, selenium, vanadium, and zinc. Readers can review box plots of these comparisons, included as Figures A-1 through A-28. The box plots depict four data groups that include "background" or pre-fire sediment background concentrations (Ryti et al. 1998); "baseline muck" or post-fire samples of ash and muck collected west of the Laboratory (ESP 2000); reach LA-4E or pre-fire sediment concentration in lower Los Alamos Canyon (Reneau et al. 1998 a, b, and c); and, lower Los Alamos Canyon or post-fire calendar year 2000 sediment deposits in lower Los Alamos Canyon at Totavi.

Statistical analyses suggested that post-fire concentrations of four radionuclides (241 americium, 238 plutonium, 239, 240 plutonium, and 90 strontium) and two metals (beryllium and sodium) were not different from pre-fire values (Tables A-5 and A-6). Six metals are not detected with sufficient frequency to make statistical testing meaningful. For these metals (antimony, cadmium, mercury, selenium, silver, and thallium), the maximum concentration from post-fire sampling was compared with the sediment background value (Table A-3-3). Only the maximum concentration for selenium was greater than the background value, suggesting an increase over pre-fire concentrations.

In summary, one radionuclide (<sup>137</sup>Cs) and sixteen metals (aluminum, arsenic, barium, calcium, total chromium, cobalt, copper, iron, lead, magnesium, manganese, nickel, potassium,

selenium, vanadium, and zinc) were identified as having concentrations greater than pre-fire levels based on Totavi sediment samples. In addition, samples from the low-head weir identified total cyanide as being greater than pre-fire levels. Eleven detected organic chemicals benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, chrysene, fluoranthene, 4-methylphenol, naphthalene, phenanthrene, pyrene, and summed 2,3,7,8-TCDD equivalent) will also be evaluated as possible post-fire sediment constituents. Thus, 29 analytes (one radionuclide, 17 (16??) metals, total cyanide, and 11 organic chemicals) will be evaluated for possible adverse health effects based on exposure to post-fire sediment deposits.

#### A-4.0 References

Reneau, S., R. Ryti, M. Tardiff, and J. Linn. Evaluation of Sediment Contamination in Lower Los Alamos Canyon: Reaches LA-4 and LA-5, Los Alamos National Laboratory Report, LA-UR-98-3975, Los Alamos, New Mexico, September 1998.

Ryti, R., P. Longmire, and E. McDonald, March 29, 1996. "Application of LANL Background Data to ER Project Decision-Making, Part I: Inorganics in Soils, Sediments, and Tuff," Los Alamos National Laboratory report LA-UR-96-1534, Los Alamos, New Mexico.

Ryti, R., P.A. Longmire, D.E. Broxton, S.L. Reneau, and E.V. McDonald. Inorganic and Radionuclide Background Data for Soils, Canyon Sediments, and Bandelier Tuff at Los Alamos National Laboratory. Los Alamos National Laboratory Report, LA-UR-98-4847. Los Alamos, New Mexico, September 1998.

Smith, C.H., 2000 "Post-Cerro Grande Fire Environmental Sampling Data: Baseline Ash and Muck Samples," Los Alamos National Laboratory report LA-UR-00-4362, Los Alamos, New Mexico, September 2000.

 Table A-1. Post-fire sediment sample descriptions.

		Location		
Location	Sample ID	ID	Texture	Comments
Totavi	CALA-01-0004	LA-10042	sandy muck	Sample $0-5$ cm, $0-4$ cm = med sand, $4-5$ cm = silty muck
	CALA-01-0005	LA-10043	silty muck	Sample 0–2 cm, silty muck with some fine sand
	CALA-01-0006	LA-10044	silty muck	Sample $0$ – $6$ cm, $0$ – $4$ cm = fine sandy silt, $4$ – $6$ cm = muck
	CALA-01-0007	LA-10045	silty muck	Sample 0–5 cm, silty muck
	CALA-01-0008	LA-10046	sandy muck	Sample 0–8 cm, 0–4 cm = slightly ashy fine sand, 4–6 cm = med-coarse sand w/ v. little ash, 6–8 = silty muck
	CALA-01-0011	LA-10047	sandy muck	sample 0–9 cm, 0–7 cm = slightly ashy fine-med sand, 7–7.5 = slightly silty muck, 7.5–8 = fine sand, 8–9 cm = silty muck
	CALA-01-0012	LA-10047	sandy muck	duplicate of CALA-01-0011
	CALA-01-0009	LA-10048	sandy muck	sample = 2–5.5 cm, 2–5 cm = med sand w/ some gravel, 5–5.5 cm = silty muck
	CALA-01-0010	LA-10049	sandy muck	sample 0–7 cm, 0–6 cm = mostly med-coarse sand, 6–7 cm = muck
Near low-	CALA-00-0111	LA-10009	muck	clayey muck, 0-30 cm
head weir	CALA-00-0112	LA-10010	muck	silty muck, 0–3 cm

 Table A-2.
 Analytical results for Los Alamos Canyon at Totavi samples.

	PEOLIEST	LOCATION	ANALYTE	RESULT	QUALIFIER
SAMPLE ID	NUMBER	ID	NAME	(mg kg <sup>-1</sup> or pCi g <sup>-1</sup> ) <sup>a</sup> UNCERT.	(see footnote)
CALA-01-0004		LA-10042	Aluminum	5100	(see foothote)
CALA-01-0005		LA-10043	Aluminum	6100	
CALA-01-0006		LA-10044	Aluminum	8900	
CALA-01-0007		LA-10045	Aluminum	7100	
CALA-01-0008		LA-10046	Aluminum	5500	
CALA-01-0009		LA-10048	Aluminum	2000	
CALA-01-0010		LA-10049	Aluminum	4800	
CALA-01-0011		LA-10047	Aluminum	5000	
CALA-01-0004		LA-10042	Antimony	0.45	
CALA-01-0005		LA-10043	Antimony	0.41	
CALA-01-0006		LA-10044	Antimony	0.67	
CALA-01-0007		LA-10045	Antimony	0.46	U
CALA-01-0008		LA-10046	Antimony	0.51	C
CALA-01-0009		LA-10048	Antimony	0.26	
CALA-01-0010		LA-10049	Antimony	0.52	
CALA-01-0011		LA-10047	Antimony	0.31	U
CALA-01-0004		LA-10042	Arsenic	2	C
CALA-01-0005		LA-10043	Arsenic	2.7	
CALA-01-0006		LA-10044	Arsenic	3.4	
CALA-01-0007		LA-10045	Arsenic	3.2	
CALA-01-0007		LA-10045 LA-10046	Arsenic	1.9	
CALA-01-0009		LA-10048	Arsenic	0.91	
CALA-01-0010		LA-10049	Arsenic	1.6	
CALA-01-0010		LA-10047	Arsenic	1.0	
CALA-01-0011			Barium	120	
CALA-01-0004 CALA-01-0005			Barium	130	
CALA-01-0005			Barium	230	
CALA-01-0007			Barium	140	
CALA-01-0007			Barium	130	
CALA-01-0009			Barium	64	
CALA-01-0009			Barium	110	
CALA-01-0010		LA-10047	Barium	94	
CALA-01-0011			Beryllium	0.57	
CALA-01-0005			Beryllium	0.85	
CALA-01-0006			Beryllium	1.1	
CALA-01-0007			Beryllium	1.2	
CALA-01-0008			Beryllium	0.63	
CALA-01-0009			Beryllium	0.24	
CALA-01-0010			Beryllium	0.52	
CALA-01-0010			Beryllium	0.55	
CALA-01-0004		LA-10047	Cadmium	0.027	U
CALA-01-0005		LA-10042 LA-10043	Cadmium	0.03	U
CALA-01-0005		LA-10043 LA-10044	Cadmium	0.078	O
CALA-01-0007		LA-10044 LA-10045	Cadmium	0.039	U
CALA-01-0007		LA-10045 LA-10046	Cadmium	0.039	U
CALA-01-0008		LA-10046 LA-10048	Cadmium	0.03	U
CALA-01-0009		LA-10048 LA-10049	Cadmium	0.022	U
CALA-01-0010 CALA-01-0011		LA-10049 LA-10047	Cadmium	0.027	U
CALA-01-0011 CALA-01-0004		LA-10047 LA-10042	Calcium	5000	U
CALA-01-0004 CALA-01-0005		LA-10042 LA-10043	Calcium	5200	
CALA-01-0003 CALA-01-0006		LA-10043 LA-10044	Calcium	14000	
CALA-01-0000	037UK	LA-10044	Calciulli	14000	

	REQUEST	LOCATION	ANALYTE	RESULT		QUALIFIER
SAMPLE ID	NUMBER	ID	NAME	(mg kg <sup>-1</sup> or pCi g <sup>-1</sup> ) <sup>a</sup>	UNCERT.	(see footnote)
CALA-01-0007	8396R	LA-10045	Calcium	6400		
CALA-01-0008	8396R	LA-10046	Calcium	7800		
CALA-01-0009	8396R	LA-10048	Calcium	1800		
CALA-01-0010	8396R	LA-10049	Calcium	6200		
CALA-01-0011	8396R	LA-10047	Calcium	5200		
CALA-01-0004	8396R	LA-10042	Chromium, Total	6.4		
CALA-01-0005	8396R	LA-10043	Chromium, Total	7.2		
CALA-01-0006	8396R	LA-10044	Chromium, Total	9		
CALA-01-0007	8396R	LA-10045	Chromium, Total	8.6		
CALA-01-0008	8396R	LA-10046	Chromium, Total	6.2		
CALA-01-0009	8396R	LA-10048	Chromium, Total	4.3		
CALA-01-0010		LA-10049	Chromium, Total	5.9		
CALA-01-0011		LA-10047	Chromium, Total	6		
CALA-01-0004	8396R	LA-10042	Cobalt	4.7		
CALA-01-0005		LA-10043	Cobalt	4.6		
CALA-01-0006	8396R	LA-10044	Cobalt	6.3		
CALA-01-0007	8396R	LA-10045	Cobalt	5.3		
CALA-01-0008	8396R	LA-10046	Cobalt	4.4		
CALA-01-0009	8396R	LA-10048	Cobalt	2.9		
CALA-01-0010	8396R	LA-10049	Cobalt	5.3		
CALA-01-0011	8396R	LA-10047	Cobalt	3.8		
CALA-01-0004	8396R	LA-10042	Copper	7.7		
CALA-01-0005	8396R	LA-10043	Copper	13		
CALA-01-0006	8396R	LA-10044	Copper	16		
CALA-01-0007	8396R	LA-10045	Copper	16		
CALA-01-0008	8396R	LA-10046	Copper	8.9		
CALA-01-0009	8396R	LA-10048	Copper	13		
CALA-01-0010	8396R	LA-10049	Copper	6.5		
CALA-01-0011	8396R	LA-10047	Copper	7.3		
CALA-01-0004	8396R	LA-10042	Iron	11000		
CALA-01-0005		LA-10043	Iron	10000		
CALA-01-0006	8396R	LA-10044	Iron	13000		
CALA-01-0007	8396R	LA-10045	Iron	12000		
CALA-01-0008		LA-10046	Iron	12000		
CALA-01-0009		LA-10048	Iron	8600		
CALA-01-0010	8396R	LA-10049	Iron	10000		
CALA-01-0011	8396R	LA-10047	Iron	9900		
CALA-01-0004		LA-10042	Lead	14		
CALA-01-0005	8396R	LA-10043	Lead	23		
CALA-01-0006	8396R	LA-10044	Lead	27		
CALA-01-0007	8396R	LA-10045	Lead	31		
CALA-01-0008		LA-10046	Lead	15		
CALA-01-0009		LA-10048	Lead	5.9		
CALA-01-0010	8396R	LA-10049	Lead	12		
CALA-01-0011	8396R	LA-10047	Lead	15		
CALA-01-0004	8396R	LA-10042	Magnesium	1700		
CALA-01-0005		LA-10043	Magnesium	1900		
CALA-01-0006		LA-10044	Magnesium	3100		
CALA-01-0007		LA-10045	Magnesium	2100		
CALA-01-0008		LA-10046	Magnesium	2000		
CALA-01-0009		LA-10048	Magnesium	950		
CALA-01-0010	8396R	LA-10049	Magnesium	1800		
CALA-01-0011		LA-10047	Magnesium	1800		
CALA-01-0004	8396R	LA-10042	Manganese	470		

	REQUEST	LOCATION	ANALYTE	RESULT		QUALIFIER
SAMPLE ID	NUMBER	ID	NAME	(mg kg <sup>-1</sup> or pCi g <sup>-1</sup> ) <sup>a</sup>	UNCERT.	(see footnote)
CALA-01-0005	8396R	LA-10043	Manganese	540		
CALA-01-0006	8396R	LA-10044	Manganese	1000		
CALA-01-0007	8396R	LA-10045	Manganese	640		
CALA-01-0008	8396R	LA-10046	Manganese	550		
CALA-01-0009	8396R	LA-10048	Manganese	280		
CALA-01-0010	8396R	LA-10049	Manganese	460		
CALA-01-0011	8396R	LA-10047	Manganese	340		
CALA-01-0004	8396R	LA-10042	Mercury	0.0035		U
CALA-01-0005	8396R	LA-10043	Mercury	0.04		
CALA-01-0006	8396R	LA-10044	Mercury	0.020		
CALA-01-0007	8396R	LA-10045	Mercury	0.069		
CALA-01-0008	8396R	LA-10046	Mercury	0.0097		
CALA-01-0009	8396R	LA-10048	Mercury	0.0028		U
CALA-01-0010	8396R	LA-10049	Mercury	0.0035		U
CALA-01-0011	8396R	LA-10047	Mercury	0.016		
CALA-01-0004	8396R	LA-10042	Nickel	6.4		
CALA-01-0005	8396R	LA-10043	Nickel	7.4		
CALA-01-0006	8396R	LA-10044	Nickel	11		
CALA-01-0007		LA-10045	Nickel	8.6		
CALA-01-0008		LA-10046	Nickel	6.7		
CALA-01-0009		LA-10048	Nickel	4.3		
CALA-01-0010		LA-10049	Nickel	6.7		
CALA-01-0011		LA-10047	Nickel	5.9		
CALA-01-0004		LA-10042	Potassium	1200		
CALA-01-0005		LA-10043	Potassium	1400		
CALA-01-0006		LA-10044	Potassium	2000		
CALA-01-0007		LA-10045	Potassium	1600		
CALA-01-0008		LA-10046	Potassium	1300		
CALA-01-0009		LA-10048	Potassium	490		
CALA-01-0010		LA-10049	Potassium	1100		
CALA-01-0011		LA-10047	Potassium	1200		
CALA-01-0004		LA-10042	Selenium	0.33		U
CALA-01-0005		LA-10043	Selenium	0.37		Ü
CALA-01-0006		LA-10044	Selenium	0.38		C
CALA-01-0007		LA-10045	Selenium	0.49		
CALA-01-0008		LA-10046	Selenium	0.37		U
CALA-01-0009		LA-10048	Selenium	0.27		Ü
CALA-01-0010		LA-10049	Selenium	0.34		Ü
CALA-01-0011		LA-10047	Selenium	0.32		Ü
CALA-01-0004		LA-10042	Silver	0.064		Ü
CALA-01-0005		LA-10043	Silver	0.30		C
CALA-01-0006		LA-10044	Silver	0.13		
CALA-01-0007		LA-10045	Silver	0.65		
CALA-01-0007		LA-10045 LA-10046	Silver	0.071		U
CALA-01-0009		LA-10048	Silver	0.052		U
CALA-01-0009		LA-10049	Silver	0.065		U
CALA-01-0010		LA-10049 LA-10047	Silver	0.062		U
CALA-01-0011 CALA-01-0004		LA-10047 LA-10042	Sodium	210		U
CALA-01-0004 CALA-01-0005		LA-10042 LA-10043	Sodium	240		
CALA-01-0003 CALA-01-0006		LA-10043 LA-10044	Sodium	340		
CALA-01-0000 CALA-01-0007		LA-10044 LA-10045	Sodium	200		
CALA-01-0008		LA-10046	Sodium	210		
CALA-01-0009		LA-10048	Sodium	74		
CALA-01-0010	8396K	LA-10049	Sodium	130		

	REQUEST	LOCATION	ANALYTE	RESULT		QUALIFIER
SAMPLE ID	NUMBER	ID	NAME	(mg kg <sup>-1</sup> or pCi g <sup>-1</sup> ) <sup>a</sup>	UNCERT.	(see footnote)
CALA-01-0011	8396R	LA-10047	Sodium	180		
CALA-01-0004	8396R	LA-10042	Thallium	0.37		U
CALA-01-0005	8396R	LA-10043	Thallium	0.41		U
CALA-01-0006	8396R	LA-10044	Thallium	0.41		U
CALA-01-0007	8396R	LA-10045	Thallium	0.54		U
CALA-01-0008	8396R	LA-10046	Thallium	0.42		U
CALA-01-0009	8396R	LA-10048	Thallium	0.3		U
CALA-01-0010	8396R	LA-10049	Thallium	0.38		U
CALA-01-0011	8396R	LA-10047	Thallium	0.36		U
CALA-01-0004	8396R	LA-10042	Vanadium	17		
CALA-01-0005	8396R	LA-10043	Vanadium	15		
CALA-01-0006	8396R	LA-10044	Vanadium	20		
CALA-01-0007	8396R	LA-10045	Vanadium	17		
CALA-01-0008	8396R	LA-10046	Vanadium	17		
CALA-01-0009	8396R	LA-10048	Vanadium	13		
CALA-01-0010	8396R	LA-10049	Vanadium	18		
CALA-01-0011	8396R	LA-10047	Vanadium	15		
CALA-01-0004	8396R	LA-10042	Zinc	46		
CALA-01-0005	8396R	LA-10043	Zinc	58		
CALA-01-0006	8396R	LA-10044	Zinc	87		
CALA-01-0007	8396R	LA-10045	Zinc	75		
CALA-01-0008	8396R	LA-10046	Zinc	53		
CALA-01-0009	8396R	LA-10048	Zinc	30		
CALA-01-0010	8396R	LA-10049	Zinc	34		
CALA-01-0011	8396R	LA-10047	Zinc	40		
CALA-01-0004	8397R	LA-10042	Americium-241	-0.04	0.87	U
CALA-01-0005	8397R	LA-10043	Americium-241	0.01	0.27	U
CALA-01-0006	8397R	LA-10044	Americium-241	-0.04	0.405	U
CALA-01-0007	8397R	LA-10045	Americium-241	-0.22	0.465	U
CALA-01-0008	8397R	LA-10046	Americium-241	-0.13	1.08	U
CALA-01-0009	8397R	LA-10048	Americium-241	0.1	0.21	U
CALA-01-0010	8397R	LA-10049	Americium-241	-0.04	0.24	U
CALA-01-0011	8397R	LA-10047	Americium-241	0.05	0.315	U
CALA-01-0012	8397R	LA-10047	Americium-241	0.21	0.855	U
CALA-01-0004	8397R	LA-10042	Cesium-137	0.9	0.39	
CALA-01-0005	8397R	LA-10043	Cesium-137	1.05	0.66	
CALA-01-0006	8397R	LA-10044	Cesium-137	2.27	0.735	
CALA-01-0007	8397R	LA-10045	Cesium-137	2.23	0.66	
CALA-01-0008	8397R	LA-10046	Cesium-137	1.04	0.375	
CALA-01-0009	8397R	LA-10048	Cesium-137	0.31	0.225	
CALA-01-0010	8397R	LA-10049	Cesium-137	0.58	0.24	
CALA-01-0011	8397R	LA-10047	Cesium-137	0.8	0.315	
CALA-01-0012	8397R	LA-10047	Cesium-137	0.72	0.3	
CALA-01-0004	8397R	LA-10042	Plutonium-238	-0.001	0.021	U
CALA-01-0005	8397R	LA-10043	Plutonium-238	0.017	0.0225	U
CALA-01-0006	8397R	LA-10044	Plutonium-238	0.009	0.0195	U
CALA-01-0007	8397R	LA-10045	Plutonium-238	0.037	0.033	
CALA-01-0008	8397R		Plutonium-238	0.0033	0.01425	U
CALA-01-0009	8397R	LA-10048	Plutonium-238	0.0011	0.01335	U
CALA-01-0010	8397R	LA-10049	Plutonium-238	-0.0009	0.0144	U
CALA-01-0011	8397R	LA-10047	Plutonium-238	0	0.01485	U
CALA-01-0012		LA-10047	Plutonium-238	0.0087	0.01485	U
CALA-01-0004		LA-10042	Plutonium-239	0.201	0.0885	
CALA-01-0005	8397R	LA-10043	Plutonium-239	1.3	0.315	

	REQUEST	LOCATION	ANALYTE	RESULT		QUALIFIER
SAMPLE ID	NUMBER	ID	NAME	(mg kg <sup>-1</sup> or pCi g <sup>-1</sup> ) <sup>a</sup>	UNCERT.	(see footnote)
CALA-01-0006	8397R	LA-10044	Plutonium-239	0.352	0.1185	
CALA-01-0007	8397R	LA-10045	Plutonium-239	1.51	0.345	
CALA-01-0008	8397R	LA-10046	Plutonium-239	0.226	0.0885	
CALA-01-0009	8397R	LA-10048	Plutonium-239	0.148	0.066	
CALA-01-0010	8397R	LA-10049	Plutonium-239	0.052	0.0405	
CALA-01-0011	8397R	LA-10047	Plutonium-239	0.313	0.111	
CALA-01-0012	8397R	LA-10047	Plutonium-239	0.217	0.084	
CALA-01-0004	8397R	LA-10042	Strontium-90	0.09	0.36	U
CALA-01-0005	8397R	LA-10043	Strontium-90	0.39	0.405	U
CALA-01-0006	8397R	LA-10044	Strontium-90	0.85	0.435	
CALA-01-0007	8397R	LA-10045	Strontium-90	0.38	0.36	
CALA-01-0008	8397R	LA-10046	Strontium-90	0.42	0.39	
CALA-01-0009	8397R	LA-10048	Strontium-90	0.1	0.315	U
CALA-01-0010	8397R	LA-10049	Strontium-90	0.06	0.315	U
CALA-01-0011	8397R	LA-10047	Strontium-90	0.2	0.345	U
CALA-01-0012	8397R	LA-10047	Strontium-90	0.1	0.315	U

 $<sup>^{\</sup>rm a}$  mg kg $^{\rm -1}$  for non radionuclides, pCi g $^{\rm -1}$  for radionuclides  $\it DUP$  = Duplicate sample

U = The analyte was analyzed for, but not detected. Reported value is the sample-specific estimated quantitation limit or detection limit. For radionuclide analyses, the reported value is the best estimate of the analyte concentration, even when that estimate is less than the detection limit. For statistical reasons, the estimates may sometimes be given as negative results.

J = The reported value should be regarded as estimated.

J+ = The reported value should be regarded as estimated and biased high.

J- + The reported value should be regarded as estimated and biased low.

UJ = The analyte was analyzed for, but not detected. Reported value is an estimate of the sample-specific quantitation limit or detection limit.

**Table A-3.** Analytical results for Los Alamos Canyon at the low-head weir samples.

		T 0 G 1 TT 0 3 1		RESULT	01111 TEVED
G 4 3 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		LOCATION	13117 2707 3113 677	(mg kg <sup>-1</sup> or	QUALIFIER
SAMPLE ID	NUMBER	ID	ANALYTE NAME	pCi g <sup>-1</sup> ) <sup>a</sup> UNC.	
CALA-00-0111	7434R	LA-10009	Aluminum	13000	J-
	7434R	LA-10010	Aluminum	9900	J-
CALA-00-0111	7434R	LA-10009	Antimony	0.59	<b>J</b> -
CALA-00-0112		LA-10010	Antimony	0.69	J-
CALA-00-0111	7434R	LA-10009	Arsenic	5	
CALA-00-0112		LA-10010	Arsenic	4.1	
CALA-00-0111	7434R	LA-10009	Barium	370	
	7434R	LA-10010	Barium	280	
CALA-00-0111		LA-10009	Beryllium	1.7	
CALA-00-0112		LA-10010	Beryllium	1.4	
CALA-00-0111	7434R	LA-10009	Cadmium	0.59	J
CALA-00-0112	7434R	LA-10010	Cadmium	0.49	J
CALA-00-0111	7434R	LA-10009	Calcium	15000	
CALA-00-0112	7434R	LA-10010	Calcium	11000	
CALA-00-0111	7434R	LA-10009	Chromium, Total	11	
CALA-00-0112	7434R	LA-10010	Chromium, Total	8.9	
CALA-00-0111	7434R	LA-10009	Cobalt	8.1	
CALA-00-0112	7434R	LA-10010	Cobalt	6.5	
CALA-00-0111	7434R	LA-10009	Copper	26	
CALA-00-0112	7434R	LA-10010	Copper	20	
	7434R	LA-10009	Cyanide, Total	2.5	
CALA-00-0112		LA-10010	Cyanide, Total	2.2	
CALA-00-0111		LA-10009	Iron	16000	
CALA-00-0112		LA-10010	Iron	13000	
	7434R	LA-10009	Lead	53	
CALA-00-0112		LA-10010	Lead	42	
CALA-00-0111	7434R	LA-10009	Magnesium	2800	
CALA-00-0112		LA-10010	Magnesium	2200	
CALA-00-0111		LA-10009	Manganese	2100	
CALA-00-0112	7434R	LA-10010	Manganese	1500	
CALA-00-0111	7434R	LA-10009	Mercury	0.094	J
CALA-00-0112	7434R	LA-10010	Mercury	0.085	J
	7434R	LA-10009	Nickel	14	J
CALA-00-0112		LA-10010	Nickel	11	
CALA-00-0111		LA-10009	Potassium	2400	J-
CALA-00-0112		LA-10010	Potassium	1900	J-
	7434R	LA-10009	Selenium	1.7	3
	7434R 7434R	LA-10009	Selenium	1.2	
CALA-00-0112	7434R 7434R	LA-10010 LA-10009	Silver	0.085	U
CALA-00-0111		LA-10009	Silver	0.056	U
CALA-00-0112		LA-10010 LA-10009	Sodium	220	O
CALA-00-0111 CALA-00-0112		LA-10009 LA-10010	Sodium	170	
	7434R 7434R	LA-10010 LA-10009	Thallium	1.4	U
	7434R 7434R	LA-10009 LA-10010	Thallium	0.91	U
CALA-00-0112 CALA-00-0111		LA-10010 LA-10009	Vanadium	22	U
CALA-00-0111 CALA-00-0112		LA-10009 LA-10010	Vanadium	17	
CALA-00-0112		LA-10010 LA-10009	Zinc	140	
CALA-00-0111 CALA-00-0112		LA-10009 LA-10010	Zinc	110	
	7434R 7433R	LA-10010 LA-10009		0.6	U
			Acenaphthene		
CALA-00-0112	1433K	LA-10010	Acenaphthene	0.42	U

				RESULT	
	REQUEST	LOCATION		(mg kg <sup>-1</sup> or	<b>QUALIFIER</b>
SAMPLE ID	NUMBER	ID	ANALYTE NAME	pCi g <sup>-1</sup> ) <sup>a</sup> UN	C. (see footnote)
CALA-00-0111	7433R	LA-10009	Acenaphthylene	0.6	U
CALA-00-0112	7433R	LA-10010	Acenaphthylene	0.42	U
CALA-00-0111	7433R	LA-10009	Aniline	1.2	U
CALA-00-0112	7433R	LA-10010	Aniline	0.83	U
CALA-00-0111	7433R	LA-10009	Anthracene	0.6	U
CALA-00-0112	7433R	LA-10010	Anthracene	0.42	U
CALA-00-0111	7433R	LA-10009	Azobenzene	1.2	U
CALA-00-0112	7433R	LA-10010	Azobenzene	0.83	U
CALA-00-0111	7433R	LA-10009	Benzidine	0.6	UJ
CALA-00-0112	7433R	LA-10010	Benzidine	0.42	UJ
CALA-00-0111	7433R	LA-10009	Benzo(a)anthracene	0.6	U
CALA-00-0112	7433R	LA-10010	Benzo(a)anthracene	0.25	J
CALA-00-0111	7433R	LA-10009	Benzo(a)pyrene	0.6	U
CALA-00-0112	7433R	LA-10010	Benzo(a)pyrene	0.26	J
CALA-00-0111	7433R	LA-10009	Benzo(b)fluoranthene	0.6	U
CALA-00-0112	7433R	LA-10010	Benzo(b)fluoranthene	0.33	J
CALA-00-0111	7433R	LA-10009	Benzo(g,h,i)perylene	0.6	U
CALA-00-0112	7433R	LA-10010	Benzo(g,h,i)perylene	0.16	J
CALA-00-0111	7433R	LA-10009	Benzo(k)fluoranthene	0.6	U
CALA-00-0112	7433R	LA-10010	Benzo(k)fluoranthene	0.42	UJ
CALA-00-0111	7433R	LA-10009	Benzoic Acid	3	U
CALA-00-0112	7433R	LA-10010	Benzoic Acid	2.1	U
CALA-00-0111	7433R	LA-10009	Benzyl Alcohol	1.2	U
CALA-00-0112	7433R	LA-10010	Benzyl Alcohol	0.83	U
CALA-00-0111	7433R	LA-10009	Bis(2-chloroethoxy)methane	0.6	Ü
CALA-00-0112	7433R	LA-10010	Bis(2-chloroethoxy)methane	0.42	U
CALA-00-0111	7433R	LA-10009	Bis(2-chloroethyl)ether	0.6	Ü
CALA-00-0112	7433R	LA-10010	Bis(2-chloroethyl)ether	0.42	Ü
CALA-00-0111	7433R	LA-10009	Bis(2-ethylhexyl)phthalate	0.6	Ü
CALA-00-0112	7433R	LA-10010	Bis(2-ethylhexyl)phthalate	0.42	Ü
CALA-00-0111	7433R	LA-10009	Bromophenyl-phenylether[4-]	0.6	Ü
CALA-00-0112	7433R	LA-10010	Bromophenyl-phenylether[4-]	0.42	Ü
CALA-00-0111	7433R	LA-10009	Butylbenzylphthalate	0.6	Ü
CALA-00-0112	7433R	LA-10010	Butylbenzylphthalate	0.42	Ü
CALA-00-0111	7433R	LA-10009	Carbazole	0.6	Ü
CALA-00-0112	7433R	LA-10010	Carbazole	0.42	Ü
CALA-00-0111	7433R	LA-10009	Chloro-3-methylphenol[4-]	1.2	Ü
CALA-00-0112		LA-10010	Chloro-3-methylphenol[4-]	0.83	Ü
	7433R	LA-10009	Chloroaniline[4-]	1.2	Ü
CALA-00-0112		LA-10010	Chloroaniline[4-]	0.83	Ü
CALA-00-0111	7433R	LA-10009	Chloronaphthalene[2-]	0.6	Ü
CALA-00-0112		LA-10010	Chloronaphthalene[2-]	0.42	Ü
CALA-00-0111	7433R 7433R	LA-10009	Chlorophenol[2-]	0.6	Ü
CALA-00-0112		LA-10010	Chlorophenol[2-]	0.42	Ü
CALA-00-0111	7433R 7433R	LA-10009	Chlorophenyl-phenyl[4-] Ether	0.6	Ü
CALA-00-0111		LA-10010	Chlorophenyl-phenyl[4-] Ether	0.42	Ü
CALA-00-0112	7433R 7433R	LA-10010 LA-10009	Chrysene	0.6	Ü
CALA-00-0111 CALA-00-0112		LA-10009 LA-10010	Chrysene	0.07	J
CALA-00-0112 CALA-00-0111	7433R 7433R	LA-10010 LA-10009	Dibenz(a,h)anthracene	0.27	U U
		LA-10009 LA-10010	Dibenz(a,h)anthracene	0.42	UJ
CALA-00-0112	7433R 7433R	LA-10010 LA-10009	Dibenzofuran	0.42	U
CALA-00-0111 CALA-00-0112		LA-10009 LA-10010	Dibenzofuran	0.42	U
CALA-00-0112 CALA-00-0111	7433R 7433R	LA-10010 LA-10009	Dichlorobenzene[1,2-]	0.42	U
CALA-00-0111	/433K	LA-10009	Dieniorouchzehe[1,2-]	0.0	U

				RESULT	
	REQUEST	LOCATION		(mg kg <sup>-1</sup> or	QUALIFIER
SAMPLE ID	NUMBER	ID	ANALYTE NAME	$pCi g^{-1})^a$ UNC.	(see footnote)
CALA-00-0112	7433R	LA-10010	Dichlorobenzene[1,2-]	0.42	U
CALA-00-0111	7433R	LA-10009	Dichlorobenzene[1,3-]	0.6	U
CALA-00-0112	7433R	LA-10010	Dichlorobenzene[1,3-]	0.42	U
CALA-00-0111	7433R	LA-10009	Dichlorobenzene[1,4-]	0.6	U
CALA-00-0112	7433R	LA-10010	Dichlorobenzene[1,4-]	0.42	U
CALA-00-0111	7433R	LA-10009	Dichlorobenzidine[3,3'-]	1.2	U
CALA-00-0112	7433R	LA-10010	Dichlorobenzidine[3,3'-]	0.83	U
CALA-00-0111	7433R	LA-10009	Dichlorophenol[2,4-]	0.6	U
CALA-00-0112	7433R	LA-10010	Dichlorophenol[2,4-]	0.42	U
CALA-00-0111	7433R	LA-10009	Diethylphthalate	0.6	U
CALA-00-0112	7433R	LA-10010	Diethylphthalate	0.42	U
CALA-00-0111	7433R	LA-10009	Dimethyl Phthalate	0.6	U
CALA-00-0112	7433R	LA-10010	Dimethyl Phthalate	0.42	U
CALA-00-0111	7433R	LA-10009	Dimethylphenol[2,4-]	0.6	U
CALA-00-0112	7433R	LA-10010	Dimethylphenol[2,4-]	0.42	U
CALA-00-0111	7433R	LA-10009	Di-n-butylphthalate	0.6	U
	7433R	LA-10010	Di-n-butylphthalate	0.42	Ū
CALA-00-0111	7433R	LA-10009	Dinitro-2-methylphenol[4,6-]	3	Ü
	7433R	LA-10010	Dinitro-2-methylphenol[4,6-]	2.1	Ü
CALA-00-0111	7433R	LA-10009	Dinitrophenol[2,4-]	3	Ü
	7433R	LA-10010	Dinitrophenol[2,4-]	2.1	Ü
CALA-00-0111	7433R	LA-10009	Dinitrotoluene[2,4-]	0.6	Ü
	7433R	LA-10010	Dinitrotoluene[2,4-]	0.42	Ü
CALA-00-0111	7433R	LA-10009	Dinitrotoluene[2,6-]	0.6	Ü
	7433R	LA-10010	Dinitrotoluene[2,6-]	0.42	Ü
CALA-00-0111	7433R	LA-10009	Di-n-octylphthalate	0.6	Ü
	7433R	LA-10010	Di-n-octylphthalate	0.42	UJ
CALA-00-0111	7433R 7433R	LA-10009	Fluoranthene	0.6	U
	7433R 7433R	LA-10010	Fluoranthene	0.52	O
CALA-00-0111	7433R 7433R	LA-10009	Fluorene	0.6	U
	7433R 7433R	LA-10009	Fluorene	0.42	Ü
CALA-00-0111	7433R 7433R	LA-10009	Hexachlorobenzene	0.6	Ü
	7433R 7433R	LA-10009	Hexachlorobenzene	0.42	Ü
CALA-00-0112 CALA-00-0111	7433R 7433R	LA-10010 LA-10009	Hexachlorobutadiene	0.42	U
CALA-00-0111 CALA-00-0112		LA-10009 LA-10010	Hexachlorobutadiene	0.42	U
	7433R 7433R	LA-10010 LA-10009	Hexachlorocyclopentadiene	0.42	UJ
	7433R 7433R	LA-10009 LA-10010	Hexachlorocyclopentadiene	0.42	UJ
CALA-00-0112 CALA-00-0111	7433R 7433R	LA-10010 LA-10009	Hexachloroethane	0.42	U
CALA-00-0111 CALA-00-0112		LA-10009 LA-10010	Hexachloroethane	0.42	U
	7433R 7433R	LA-10010 LA-10009	Indeno(1,2,3-cd)pyrene	0.42	U
	7433R 7433R	LA-10009 LA-10010	Indeno(1,2,3-cd)pyrene	0.42	UJ
	7433R 7433R			0.42	U
CALA-00-0111		LA-10009	Isophorone	0.6	U
	7433R 7433R	LA-10010	Isophorone Mathylpophthologo [2]		
CALA-00-0111		LA-10009	Methylnaphthalana [2]	0.6	U
	7433R	LA-10010	Methylnaphthalene[2-]	0.42	U
CALA-00-0111	7433R	LA-10009	Methylphenol[2-]	0.6	U
CALA-00-0112		LA-10010	Methylphenol[2-]	0.42	U
CALA-00-0111	7433R	LA-10009	Methylphenol[4-]	2	
	7433R	LA-10010	Methylphenol[4-]	1.5	T T
CALA-00-0111	7433R	LA-10009	Naphthalene	0.6	U
	7433R	LA-10010	Naphthalene	0.25	J
CALA-00-0111	7433R	LA-10009	Nitroaniline[2-]	3	U
CALA-00-0112	/433K	LA-10010	Nitroaniline[2-]	2.1	U

				RESULT	
	_	LOCATION		(mg kg <sup>-1</sup> or	QUALIFIER
SAMPLE ID	NUMBER	ID	ANALYTE NAME	pCi g <sup>-1</sup> ) <sup>a</sup> UNC.	(see footnote)
CALA-00-0111	7433R	LA-10009	Nitroaniline[3-]	3	UJ
CALA-00-0112	7433R	LA-10010	Nitroaniline[3-]	2.1	UJ
CALA-00-0111	7433R	LA-10009	Nitroaniline[4-]	1.2	U
CALA-00-0112	7433R	LA-10010	Nitroaniline[4-]	0.83	U
CALA-00-0111	7433R	LA-10009	Nitrobenzene	0.6	U
CALA-00-0112	7433R	LA-10010	Nitrobenzene	0.42	U
CALA-00-0111	7433R	LA-10009	Nitrophenol[2-]	0.6	U
CALA-00-0112	7433R	LA-10010	Nitrophenol[2-]	0.42	U
CALA-00-0111	7433R	LA-10009	Nitrophenol[4-]	3	U
CALA-00-0112	7433R	LA-10010	Nitrophenol[4-]	2.1	U
CALA-00-0111	7433R	LA-10009	Nitrosodimethylamine[N-]	0.6	U
CALA-00-0112	7433R	LA-10010	Nitrosodimethylamine[N-]	0.42	U
CALA-00-0111	7433R	LA-10009	Nitroso-di-n-propylamine[N-]	0.6	U
CALA-00-0112	7433R	LA-10010	Nitroso-di-n-propylamine[N-]	0.42	U
CALA-00-0111	7433R	LA-10009	Nitrosodiphenylamine[N-]	0.6	U
CALA-00-0112	7433R	LA-10010	Nitrosodiphenylamine[N-]	0.42	U
CALA-00-0111	7433R	LA-10009	Oxybis(1-chloropropane)[2,2'-]	0.6	U
CALA-00-0112	7433R	LA-10010	Oxybis(1-chloropropane)[2,2'-]	0.42	U
CALA-00-0111	7433R	LA-10009	Pentachlorophenol	3	U
CALA-00-0112	7433R	LA-10010	Pentachlorophenol	2.1	U
CALA-00-0111	7433R	LA-10009	Phenanthrene	0.6	U
CALA-00-0112	7433R	LA-10010	Phenanthrene	0.46	
CALA-00-0111	7433R	LA-10009	Phenol	0.6	U
CALA-00-0112	7433R	LA-10010	Phenol	0.42	U
CALA-00-0111	7433R	LA-10009	Pyrene	0.28	J
CALA-00-0112	7433R	LA-10010	Pyrene	0.58	
CALA-00-0111	7433R	LA-10009	Pyridine	0.6	U
CALA-00-0112	7433R	LA-10010	Pyridine	0.42	U
CALA-00-0111	7433R	LA-10009	Trichlorobenzene[1,2,4-]	0.6	U
CALA-00-0112	7433R	LA-10010	Trichlorobenzene[1,2,4-]	0.42	U
CALA-00-0111	7433R	LA-10009	Trichlorophenol[2,4,5-]	3	U
CALA-00-0112	7433R	LA-10010	Trichlorophenol[2,4,5-]	2.1	U
CALA-00-0111	7433R	LA-10009	Trichlorophenol[2,4,6-]	0.6	U
CALA-00-0112	7433R	LA-10010	Trichlorophenol[2,4,6-]	0.42	U
CALA-00-0111	7433R	LA-10009	Heptachlorodibenzodioxin[1,2,3,4,6,	6.46E-05	
			7,8-]		
CALA-00-0112	7433R	LA-10010	Heptachlorodibenzodioxin[1,2,3,4,6,7,8-]	5.81E-05	
CALA-00-0111	7433R	LA-10009	Heptachlorodibenzodioxins (Total)	1.25E-04	
CALA-00-0112	7433R	LA-10010	Heptachlorodibenzodioxins (Total)	1.05E-04	
CALA-00-0111	7433R	LA-10009	Heptachlorodibenzofuran[1,2,3,4,6,7,8-]	1.98E-05	
CALA-00-0112	7433R	LA-10010	Heptachlorodibenzofuran[1,2,3,4,6,7,8-]	1.82E-05	
CALA-00-0111	7433R	LA-10009	Heptachlorodibenzofuran[1,2,3,4,7,8,9-]	1.65E-06	J
CALA-00-0112	7433R	LA-10010	Heptachlorodibenzofuran[1,2,3,4,7,8,9-]	1.37E-06	J
CALA-00-0111	7433R	LA-10009	Heptachlorodibenzofurans (Total)	5.12E-05	
CALA-00-0112	7433R	LA-10010	Heptachlorodibenzofurans (Total)	4.82E-05	
	7433R	LA-10009	Hexachlorodibenzodioxin[1,2,3,4,7, 8-]	1.24E-06	J
CALA-00-0112	7433R	LA-10010	Hexachlorodibenzodioxin[1,2,3,4,7,	1.10E-06	

				RESULT			
	REQUEST	LOCATION					
SAMPLE ID	NUMBER	ID	ANALYTE NAME	$\mathbf{pCi} \ \mathbf{g}^{-1})^{\mathbf{a}}$	UNC.	(see footnote)	
			8-]				
CALA-00-0111	7433R	LA-10009	Hexachlorodibenzodioxin[1,2,3,6,7,	2.80E-06			
			8-]				
CALA-00-0112	7433R	LA-10010	Hexachlorodibenzodioxin[1,2,3,6,7,	3.02E-06			
			8-]				
CALA-00-0111	7433R	LA-10009	Hexachlorodibenzodioxin[1,2,3,7,8,	2.13E-06		J	
			9-]				
CALA-00-0112	7433R	LA-10010	Hexachlorodibenzodioxin[1,2,3,7,8,	2.59E-06			
			9-]				
CALA-00-0111		LA-10009	Hexachlorodibenzodioxins (Total)	2.34E-05			
CALA-00-0112		LA-10010	Hexachlorodibenzodioxins (Total)	2.32E-05			
CALA-00-0111	7433R	LA-10009	Hexachlorodibenzofuran[1,2,3,4,7,8	1.61E-06		J	
			-]			_	
CALA-00-0112	7433R	LA-10010	Hexachlorodibenzofuran[1,2,3,4,7,8	1.59E-06		J	
			-]				
CALA-00-0111	7433R	LA-10009	Hexachlorodibenzofuran[1,2,3,6,7,8	1.33E-06		J	
			-]			_	
CALA-00-0112	7433R	LA-10010	Hexachlorodibenzofuran[1,2,3,6,7,8	1.11E-06		J	
~		T	-]				
CALA-00-0111	7433R	LA-10009	Hexachlorodibenzofuran[1,2,3,7,8,9	3.06E-06		U	
			-]				
CALA-00-0112	7433R	LA-10010	Hexachlorodibenzofuran[1,2,3,7,8,9	1.57E-07		U	
G + T + 00 0444	= 100D	* 4 40000	-]	1 105 01			
CALA-00-0111	7433R	LA-10009	Hexachlorodibenzofuran[2,3,4,6,7,8	1.49E-06		J	
G 4 7 4 00 0112	7.122D	T 4 10010	-]	1 455 04		<b>.</b>	
CALA-00-0112	7433R	LA-10010	Hexachlorodibenzofuran[2,3,4,6,7,8	1.45E-06		J	
G 4 7 4 00 0111	7.122D	T 4 10000	-]	2 (25 05			
CALA-00-0111		LA-10009	Hexachlorodibenzofurans (Total)	2.62E-05			
CALA-00-0112		LA-10010	Hexachlorodibenzofurans (Total)	2.34E-05		Τ.	
CALA-00-0111	/433K	LA-10009	Octachlorodibenzodioxin[1,2,3,4,6,7	6.84E-04		J+	
CALA 00 0112	7422D	T A 10010	,8,9-]	5 40E 04		т.	
CALA-00-0112	/433K	LA-10010	Octachlorodibenzodioxin[1,2,3,4,6,7	5.48E-04		J+	
CALA 00 0111	7422D	T A 10000	,8,9-]	5 25E 05			
CALA-00-0111	/433K	LA-10009	Octachlorodibenzofuran[1,2,3,4,6,7,	5.25E-05			
CALA 00 0112	7422D	I A 10010	8,9-]	4.400.05			
CALA-00-0112	/433K	LA-10010	Octachlorodibenzofuran[1,2,3,4,6,7, 8,9-]	4.49E-05			
CALA-00-0111	7/23D	LA-10009	Pentachlorodibenzodioxin[1,2,3,7,8-	3.96E-07		J	
CALA-00-0111	/433K	LA-10009	remachiorodibenzodioxin[1,2,3,7,6-	3.90E-07		J	
CALA-00-0112	7/22D	LA-10010	Pentachlorodibenzodioxin[1,2,3,7,8-	4.88E-07		J	
CALA-00-0112	/433K	LA-10010	remachiorodibenzodioxin[1,2,3,7,6-	4.00E-07		J	
CALA-00-0111	7433R	LA-10009	Pentachlorodibenzodioxins (Total)	3.37E-06			
CALA-00-0111 CALA-00-0112	7433R 7433R	LA-10009 LA-10010	Pentachlorodibenzodioxins (Total)	2.75E-06			
CALA-00-0112	7433R 7433R	LA-10010 LA-10009	Pentachlorodibenzofuran[1,2,3,7,8-]	3.89E-07		J	
CALA-00-0111		LA-10009	Pentachlorodibenzofuran[1,2,3,7,8-]	3.95E-07		J	
CALA-00-0111	7433R 7433R	LA-10009	Pentachlorodibenzofuran[2,3,4,7,8-]	9.70E-07		J	
CALA-00-0111		LA-10009	Pentachlorodibenzofuran[2,3,4,7,8-]	9.67E-07		J	
CALA-00-0112	7433R 7433R	LA-10010 LA-10009	Pentachlorodibenzofurans (Totals)	1.20E-05		J	
CALA-00-0111		LA-10009	Pentachlorodibenzofurans (Totals)	1.37E-05			
CALA-00-0111	7433R	LA-10009	Tetrachlorodibenzodioxin[2,3,7,8-]	1.65E-07		U	
CALA-00-0112		LA-10010	Tetrachlorodibenzodioxin[2,3,7,8-]	1.13E-07		Ü	
CALA-00-0111	7433R	LA-10009	Tetrachlorodibenzodioxins (Total)	3.36E-06			
CALA-00-0112		LA-10010	Tetrachlorodibenzodioxins (Total)	2.55E-06			
			- (				

				RESULT		
	REQUEST	LOCATION		(mg kg <sup>-1</sup> or		QUALIFIER
SAMPLE ID	NUMBER	ID	ANALYTE NAME	pCi g <sup>-1</sup> ) <sup>a</sup>	UNC.	(see footnote)
CALA-00-0111	7433R	LA-10009	Tetrachlorodibenzofuran[2,3,7,8-]	9.32E-07		
CALA-00-0112	7433R	LA-10010	Tetrachlorodibenzofuran[2,3,7,8]	9.82E-07		
CALA-00-0111	7433R	LA-10009	Tetrachlorodibenzofurans (Totals)	1.02E-05		
CALA-00-0112	7433R	LA-10010	Tetrachlorodibenzofurans (Totals)	9.23E-06		
CALA-00-0111	7436R	LA-10009	Americium-241	1	1.15	U
CALA-00-0112	7436R	LA-10010	Americium-241	-0.04	0.13	U
CALA-00-0111	7436R	LA-10009	Cesium-134	0.03	0.05	U
CALA-00-0112	7436R	LA-10010	Cesium-134	0.03	0.06	U
CALA-00-0111	7436R	LA-10009	Cesium-137	4.77	0.37	
CALA-00-0112	7436R	LA-10010	Cesium-137	3.04	0.265	
CALA-00-0111	7436R	LA-10009	Cobalt-60	0.019	0.041	U
CALA-00-0112	7436R	LA-10010	Cobalt-60	-0.02	0.06	U
CALA-00-0111	7436R	LA-10009	Europium-152	-0.01	0.18	U
CALA-00-0112	7436R	LA-10010	Europium-152	-0.08	0.16	U
CALA-00-0111	7436R	LA-10009	Plutonium-238	0.018	0.01	U
CALA-00-0112	7436R	LA-10010	Plutonium-238	0.019	0.0095	U
CALA-00-0111	7436R	LA-10009	Plutonium-239	1.19	0.105	
CALA-00-0112	7436R	LA-10010	Plutonium-239	1.28	0.11	
CALA-00-0111	7436R	LA-10009	Ruthenium-106	-0.2	0.55	U
CALA-00-0112		LA-10010	Ruthenium-106	-0.3	0.7	U
CALA-00-0111	7436R	LA-10009	Sodium-22	-0.02	0.055	U
CALA-00-0112	7436R	LA-10010	Sodium-22	-0.02	0.075	U
CALA-00-0112	7436R	LA-10010	Strontium-90	1.14	0.225	
DUP						
CALA-00-0111	7436R	LA-10009	Strontium-90	1.24	0.225	
CALA-00-0111	7436R	LA-10009	Tritium	0.2	0.095	U
CALA-00-0112	7436R	LA-10010	Tritium	0.013	0.015	U
CALA-00-0112	7436R	LA-10010	Uranium-234	1.45	0.13	
CALA-00-0111	7436R	LA-10009	Uranium-234	1.59	0.14	
CALA-00-0111	7436R	LA-10009	Uranium-235	0.122	0.0275	U
CALA-00-0112	7436R	LA-10010	Uranium-235	0.133	0.275	U
CALA-00-0111	7436R	LA-10009	Uranium-238	1.61	0.145	
CALA-00-0112	7436R	LA-10010	Uranium-238	1.51	0.135	

 $<sup>^{\</sup>rm a}$  mg kg $^{\rm -1}$  for non radionuclides, pCi g $^{\rm -1}$  for radionuclides  $\it DUP$  = Duplicate sample.

U = The analyte was analyzed for, but not detected. Reported value is the sample-specific estimated quantitation limit or detection limit. For radionuclide analyses, the reported value is the best estimate of the analyte concentration, even when that estimate is less than the detection limit. For statistical reasons, the estimates may sometimes be given as negative results. J = The reported value should be regarded as estimated.

J+ = The reported value should be regarded as estimated and biased high. J- + The reported value should be regarded as estimated and biased low.

UJ = The analyte was analyzed for, but not detected. Reported value is an estimate of the sample-specific quantitation limit or detection limit.

**Table A-4.** Summary of maximum values in pre-fire and post-fire sediment samples.

Pre-fire						
		Sediment	1	Post-fire Low-head	Baseline	
Analyte	Units	BV	Reach LA-4E	Totavi	weir	Muck
Americium-241	nCi g <sup>-1</sup>	0.04	0.602	0.21	1	0.203
Cesium-137	nCi g <sup>-1</sup>	0.9	1.81	2.27	4.77	5.16
Plutonium-238	pCi g <sup>-1</sup> pCi g <sup>-1</sup>	0.006	0.051	0.037	0.019	0.042
Plutonium-239,240	pCi g <sup>-1</sup>	0.068	6.02	1.51	1.28	0.7
Strontium-90	pCi g <sup>-1</sup>	1.04	0.57	0.85	1.24	3.48
Aluminum	mg kg <sup>-1</sup>	15400	5480	8900	13000	17000
Antimony	mg kg <sup>-1</sup>	0.83	4.9	0.67	0.69	0.68
Arsenic	mg kg <sup>-1</sup>	3.98	2.9	3.4	5	6.6
Barium	mg kg <sup>-1</sup>	127	104	230	370	1300
Beryllium	mg kg <sup>-1</sup>	1.31	1.3	1.2	1.7	1
Cadmium	mg kg <sup>-1</sup>	0.4	0.49	0.078	0.59	0.96
Calcium	mg kg <sup>-1</sup>	4420	6980	14000	15000	90000
Chromium, total	mg kg <sup>-1</sup>	10.5	5.3	9	11	11
Cobalt	mg kg <sup>-1</sup>	4.73	4.4	6.3	8.1	8.9
Copper	mg kg <sup>-1</sup>	11.2	10.8	16	26	45
Cyanide, total	mg kg <sup>-1</sup>	0.82	n/a	n/a	2.5	n/a
Iron	mg kg <sup>-1</sup>	13800	7530	13000	16000	15000
Lead	mg kg <sup>-1</sup>	19.7	13.2	31	53	75
Magnesium	mg kg <sup>-1</sup>	2370	1940	3100	2800	6100
Manganese	mg kg <sup>-1</sup>	543	364	1000	2100	8200
Mercury	mg kg <sup>-1</sup>	0.1	0.035	0.069	0.094	0.04
Nickel	mg kg <sup>-1</sup>	9.38	7.1	11	14	11
Potassium	mg kg <sup>-1</sup>	2690	1530	2000	2400	8800
Selenium	mg kg <sup>-1</sup>	0.3	0.83	0.49	1.7	4.7
Silver	mg kg <sup>-1</sup>	1	0.49	0.65	0.085	0.64
Sodium	mg kg <sup>-1</sup>	1470	572	340	220	870
Thallium	mg kg <sup>-1</sup>	0.73	0.88	0.54	1.4	4.1
Vanadium	mg kg <sup>-1</sup>	19.7	13.1	20	22	25
Zinc	mg kg <sup>-1</sup>	60.2	31.6	87	140	180
Benzo(a)anthracene	mg kg <sup>-1</sup>	n/a	n/a	n/a	0.25	nd
Benzo(a)pyrene	mg kg <sup>-1</sup>	n/a	n/a	n/a	0.26	nd
Benzo(b)fluoranthene	mg kg <sup>-1</sup>	n/a	n/a	n/a	0.33	nd
Benzo(g,h,i)perylene	mg kg <sup>-1</sup>	n/a	n/a	n/a	0.16	nd
Benzoic Acid	mg kg <sup>-1</sup>	n/a	n/a	n/a	nd	5.9
Chrysene	mg kg <sup>-1</sup>	n/a	n/a	n/a	0.27	nd
Dibenzofuran	mg kg <sup>-1</sup>	n/a	n/a	n/a	nd	0.75
Dimethylphenol[2,4-]	mg kg <sup>-1</sup>	n/a	n/a	n/a	nd	0.46
Fluoranthene	mg kg <sup>-1</sup>	n/a	n/a	n/a	0.52	nd
Methylnaphthalene[2-]	mg kg <sup>-1</sup>	n/a	n/a	n/a	nd	0.2
Methylphenol[2-]	mg kg <sup>-1</sup>	n/a	n/a	n/a	nd	0.96
Methylphenol[4-]	mg kg <sup>-1</sup>	n/a	n/a	n/a	2	3
Naphthalene	mg kg <sup>-1</sup>	n/a	n/a	n/a	0.25	1.5
Phenanthrene	mg kg <sup>-1</sup>	n/a	n/a	n/a	0.46	0.98
Phenol	mg kg <sup>-1</sup>	n/a	n/a	n/a	nd	5.4
Pyrene	mg kg <sup>-1</sup>	n/a	n/a	n/a	0.58	nd
Pyridine	mg kg <sup>-1</sup>	n/a	n/a	n/a	nd	7.1
Summed 2,3,7,8-TCDD	mg kg <sup>-1</sup>	n/a	n/a	n/a	$3.5 \times 10^{-6}$	$4.7 \times 10^{-7}$
equivalent	۵۰۰۰ ۵۰۰۰۰	11/ U	11/4	11, 4	2.2 10	10
1				1		

BV = background value n/a = not analyzed nd = not detected




Figure A-1. Box plot for americium-241 (note - there are no background data for americium-241 by gamma spectroscopy - the analytical method used for other data groups)




Figure A-2. Box plot for cesium-137




Figure A-3. Box plot for plutonium-238




Figure A-4. Box plot for plutonium-239,240






Figure A-5. Box plot for strontium-90








Figure A-7. Box plot for antimony (note that the background data for antimony were obtained from an analytical method with an insufficient detection limit, which is also the case for some results for LA-4 East)




Figure A-8. Box plot for arsenic




Figure A-9. Box plot for barium




Figure A-10. Box plot for beryllium




Figure A-11. Box plot for cadmium




Figure A-12. Box plot for calcium




Figure A-13. Box plot for total chromium




Figure A-14. Box plot for cobalt




Figure A-15. Box plot for copper




Figure A-16. Box plot for iron




Figure A-17. Box plot for lead




Figure A-18. Box plot for magnesium




Figure A-19. Box plot for manganese




Figure A-20. Box plot for mercury




Figure A-21. Box plot for nickel




Figure A-22. Box plot for potassium





Figure A-23. Box plot for selenium



Box plot for silver




Figure A-25. Box plot for sodium




Figure A-26. Box plot for thallium (note that the background data for thallium were obtained from an analytical method with an insufficient detection limit)




Figure A-27. Box plot for vanadium




Figure A-28. Box plot for zinc

**Table A-5.** Summary of the P-values from the Wilcoxon rank sum statistical testing. Bolded values indicate that reach sample results are significantly greater than Laboratory-wide concentrations background concentrations or pre-fire concentrations

Analyta	Laboratory Background Versus Totavi	Reach LA-4 East Versus Totavi
Analyte Americium-241	ND <sup>a</sup>	0.209
	< <b>0.001</b> <sup>b</sup>	
Cesium-137	<0.001	0.002
Plutonium-238	0.568	0.223
Plutonium-239,240	< 0.001	0.513
Strontium-90	0.600	0.374

 $<sup>^{\</sup>rm a}$  ND = no background data for americium-241 by gamma spectroscopy.

<sup>&</sup>lt;sup>b</sup> Gehan test was used because the Laboratory background data were censored at the detection limit.

**Table A-6**. Summary of the P-values from the Gehan statistical testing. Bolded values indicate that post-fire sample results are significantly greater than Laboratory-wide sediment background concentrations or pre-fire concentrations.

Analyte	Laboratory Background Versus Totavi	Reach LA-4 East Versus Totavi
Aluminum	0.442	0.005
Antimony	$ND^{a}$	_
Arsenic	0.283	0.047
Barium	<0.001	0.002
Beryllium	0.183	0.076
Cadmium	b	_
Calcium	<0.001	0.016
Chromium, total	0.059	< 0.001
Cobalt	<0.001	0.003
Copper	<0.001	0.012
Iron	0.002	< 0.001
Lead	0.003	0.005
Magnesium	<0.001	0.009
Manganese	<0.001	< 0.001
Mercury	_	_
Nickel	0.009	0.006
Potassium	0.377	0.016
Selenium	_	_
Silver	_	_
Sodium	0.994	0.774
Thallium	ND	_
Vanadium	<0.001	0.001
Zinc	0.006	0.002

<sup>&</sup>lt;sup>a</sup> ND = no background data.

b A dash in the table means "not applicable" (statistical tests are not appropriate because of the high frequency of nondetected values).

**Table A-7.** Comparison of the maximum post-fire concentrations with background values. Bolded values indicate that reach sample results are greater than Laboratory-wide sediment background values.

Analyte	Totavi Maximum Concentration (mg kg <sup>-1</sup> )	Sediment Background Value (mg kg <sup>-1</sup> )
Antimony	0.67	0.83
Cadmium	0.078	0.4
Mercury	0.069	0.1
Selenium	0.49	0.3
Silver	0.65	1
Thallium	0.54	0.73

# **Appendix B** Output File from RESRAD Run to Calculate Dose from Farming With Irrigation Water Obtained During Runoff

```
T« Limit = 0.5 year
                                                   05/14/01 17:01
1RESPAD Version 5 82
                                                                      Page
Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
                       Table of Contents
ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ
   Part I: Mixture Sums and Single Radionuclide Guidelines
   Dose Conversion Factor (and Related) Parameter Summary ...
Contaminated Zone and Total Dose Summary .....
 Total Dose Components
     Time = 0.000E+00 .....
      Time = 1.000E+00 .....
     Time = 3.000E+00 .....
     Time = 1.000E+01 .....
      Time = 3.000E+01 .....
     Time = 1.000E+02 .....
      Time = 3.000E+02 .....
Single Radionuclide Soil Guidelines .....
Dose Per Nuclide Summed Over All Pathways .....
1RESRAD, Version 5.82
                                                   05/14/01 17:01
       : SITE1.RAD
                          Dose Conversion Factor (and Related) Parameter Summary
                                            File: DOSFAC.BIN
                                                                      Current
                                                                                             Parameter
^{\rm 3} Dose conversion factors for inhalation, {\rm mrem/pCi:} ^{\rm 3} Ac-227+D
                                                                     6.720E+00 3 6.720E+00 3 DCF2( 1)
                                                                   3 4.440E-01 3 4.440E-01 3 DCF2( 2)
3 3.190E-05 3 3.190E-05 3 DCF2( 3)
B-1
       Cs-137+D
       Np-237+D
                                                                   3 1.280E+00 3 1.280E+00 3 DCF2( 5)
B-1
     3 Pa-231
                                                                               3 2.320E-02
       Pb-210+D
                                                                     2.320E-02
B-1
                                                                                             DCF2(6)
B-1
       Pu-238
                                                                    3.920E-01 3 3.920E-01 3 DCF2(
                                                                               3 4.290E-01 3
B-1
       Pu-239
                                                                     4.290E-01
                                                                                             DCF2(8)
       Ra-226+D
                                                                   3 8.600E-03 3 8.600E-03 3
                                                                    1.310E-03 3 1.310E-03 3 DCF2(10)
       Sr-90+D
B-1
                                                                   3 2.160E+00 3 2.160E+00 3 DCF2(11)
3 3.260E-01 3 3.260E-01 3 DCF2(12)
B-1
       Th-230
                                                                    1.350E-01 3 1.350E-01 3 DCF2(13)
1.320E-01 3 1.320E-01 3 DCF2(14)
       U-233
B-1
B-1
       TT-234
                                                                               3 1.230E-01 3 DCF2(15)
B-1
       U-235+D
                                                                    1.230E-01
       Dose conversion factors for ingestion, mrem/pCi:
D-1
       Ac-227+D
                                                                   3 1.480E-02 3 1.480E-02 3 DCF3( 1)
                                                                     3.640E-03 3 3.640E-03 3
D-1
       Am-241
                                                                                             DCF3(2)
       Cs-137+D
                                                                     5.000E-05
                                                                               3 5.000E-05 3 DCF3( 3
                                                                               3 4.440E-03 3 DCF3(4)
D-1
       Np-237+D
                                                                     4.440E-03
                                                                    1.060E-02 3 1.060E-02 3
                                                                     7.270E-03 3 7.270E-03 3 DCF3(6)
D-1
       Ph-210+D
                                                                   3 3.200E-03 3 3.200E-03 3 DCF3( 7)
3 3.540E-03 3 3.540E-03 3 DCF3( 8)
D-1
       P11-239
       Ra-226+D
                                                                     1.330E-03
                                                                               3 1.330E-03 3
                                                                                             DCF3(9)
D-1
       Sr-90+D
                                                                   3 1.530E-04 3 1.530E-04 3 DCF3(10)
                                                                               3 4.030E-03 3
D-1
       Th-229+D
                                                                     4.030E-03
                                                                                             DCF3(11)
                                                                               3 5.480E-04 3
       Th-230
                                                                    5.480E-04
                                                                                             DCF3(12)
                                                                   3 2.890E-04 3 2.890E-04 3 DCF3(13)
D-1
       TJ-233
                                                                   3 2.830E-04 3 2.830E-04 3 DCF3(14)
3 2.670E-04 3 2.670E-04 3 DCF3(15)
D-1
       U-234
                                                                                             DCF3(14)
       II-235+D
                                                                               3 2.690E-04 3
D-1
       U-238+D
                                                                    2.690E-04
                                                                                            DCF3(16)
D-34 3
       Food transfer factors:
D-34 3 Ac-227+D , plant/soil concentration ratio, dimensionless D-34 3 Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)
                                                                   3 2.500E-03 3 2.500E-03 3 RTF( 1,1)
3 2.000E-05 3 2.000E-05 3 RTF( 1,2)
       Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)
                                                                    2.000E-05 3 2.000E-05 3 RTF( 1,3)
D-34
D-34 3
              , plant/soil concentration ratio, dimensionless
D-34 3 Am-241
                                                                   3 1.000E-03 3 1.000E-03 3 RTF( 2,1)
D-34 <sup>3</sup> Am-241 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)
D-34 <sup>3</sup> Am-241 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)
                                                                   3 5.000E-05 3 5.000E-05 3 RTF( 2,2)
                                                                    3 2.000E-06 3 2.000E-06 3 RTF( 2,2)
D-34 ^3 Cs-137+D , plant/soil concentration ratio, dimensionless D-34 ^3 Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) D-34 ^3 Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)
                                                                   3 4.000E-02 3 4.000E-02 3 RTF( 3,1)
                                                                   3 3.000E-02 3 3.000E-02 3 RTF( 3,2)
                                                                   3 8.000E-03 3 8.000E-03 3 RTF( 3,3)
D-34 3
1RESRAD, Version 5.82
                         T« Limit = 0.5 year
Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
```

File : SITE1.RAD

#### Dose Conversion Factor (and Related) Parameter Summary (continued) File: DOSFAC.BIN

Default Menu 3 Parameter Value D-34  $^3$  Np-237+D , plant/soil concentration ratio, dimensionless D-34  $^3$  Np-237+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) 3 2.000E-02 3 2.000E-02 3 RTF( 4,1) 3 1.000E-03 3 1.000E-03 3 RTF( 4,2) 3 5.000E-06 3 5.000E-06 3 RTF( 4,3) D-34 3 Np-237+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) D-34 3 D-34 3 Pa-231 , plant/soil concentration ratio, dimensionless 3 5 000E-03 3 5.000E-03 3 RTF( 5,2) D-34 3 Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)
, milk/livestock-intake ratio, (pCi/L)/(pCi/d) 3 5.000E-06 3 5.000E-06 3 RTF( 5,3) D-34 <sup>3</sup> Pa-231 D-34 3 3 1.000E-02 3 1.000E-02 3 RTF( 6,1) D-34 <sup>3</sup> Pb-210+D , plant/soil concentration ratio, dimensionless 3 8.000E-04 3 8.000E-04 3 RTF( 6,2) 3 3.000E-04 3 3.000E-04 3 RTF( 6,3) D-34 <sup>3</sup> Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) D-34 3 Pb-210+D . milk/livestock-intake ratio. (pCi/L)/(pCi/d) D-34 , plant/soil concentration ratio, dimensionless 3 1 000E-03 3 1 000E-03 3 RTF( 7 1) D=34 3 P11=238 D-34 3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)
, milk/livestock-intake ratio, (pCi/L)/(pCi/d) 3 1.000E-04 3 1.000E-04 3 RTF( 7,2) 3 1.000E-06 3 1.000E-06 3 RTF( 7,3) Pu-238 D-34 3 PH-238 D-34 3 3 1.000E-03 3 1.000E-03 3 RTF( 8,1) 3 1.000E-04 3 1.000E-04 3 RTF( 8,2) D-34 <sup>3</sup> Pu-239 , plant/soil concentration ratio, dimensionless , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)
, milk/livestock-intake ratio, (pCi/L)/(pCi/d) D-34 3 Pu-239 3 1.000E-06 3 1.000E-06 3 RTF( 8,3) D-34 3 D-34 3 4.000E-02 3 4.000E-02 3 Ra-226+D , plant/soil concentration ratio, dimensionless RTF(9,1) D-34 <sup>3</sup> Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) 3 1.000E-03 3 1.000E-03 3 RTF( 9,2) 3 1.000E-03 3 1.000E-03 3 RTF( 9,3) D-34 3 Ra-226+D . milk/livestock-intake ratio. (pCi/L)/(pCi/d) 3 3.000E-01 3 3.000E-01 3 RTF(10.1) D-34 3 Sr-90+D , plant/soil concentration ratio, dimensionless 3 8.000E-03 3 8.000E-03 3 RTF(10,1) 3 2.000E-03 3 2.000E-03 3 RTF(10,3) D-34 <sup>3</sup> Sr-90+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)
D-34 <sup>3</sup> Sr-90+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) D-34 3 1.000E-03 3 1.000E-03 3 RTF(11,1) 3 1.000E-04 3 1.000E-04 3 RTF(11,2) D-34  $^3$  Th-229+D , plant/soil concentration ratio, dimensionless D-34 3 D-34  $^3$  Th-229+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) D-34  $^3$  Th-229+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) 3 5.000E-06 3 5.000E-06 3 RTF(11,3) D-34 3 D-34 3 Th-230 , plant/soil concentration ratio, dimensionless , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)
, milk/livestock-intake ratio, (pCi/L)/(pCi/d) 3 1 000E=04 3 1 000E=04 3 RTF(12 2 D-34 3 Th-230 D-34 3 Th-230 5.000E-06 3 5.000E-06 3 RTF(12,3) D-34 3 , plant/soil concentration ratio, dimensionless 3 2.500E-03 3 2.500E-03 3 RTF(13,1) D-34 3 U-233 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d), milk/livestock-intake ratio, (pCi/L)/(pCi/d) 3 3.400E-04 3 3.400E-04 3 RTF(13,1) 3 6.000E-04 3 6.000E-04 3 RTF(13,3) D-34 3 U-233 D-34 3 U-233 D-34 , plant/soil concentration ratio, dimensionless D-34 3 IJ-234 3 2 500F=03 3 2 500F=03 3 PTF(14 1) D-34 3 3.400E-04 3 3.400E-04 3 RTF(14,2) , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)
, milk/livestock-intake ratio, (pCi/L)/(pCi/d) U-234 D-34 3 U-234 3 6.000E-04 3 6.000E-04 3 RTF(14,3) D-34 3 D-34 <sup>3</sup> U-235+D , plant/soil concentration ratio, dimensionless 3 2.500E-03 3 2.500E-03 3 RTF(15,1) 3 3.400E-04 3 3.400E-04 3 RTF(15,2) D-34  $^3$  U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d) D-34  $^3$  U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d) 3 6.000E-04 3 6.000E-04 3 RTF(15,3) D-34 3 4 1RESRAD, Version 5.82 T« Limit = 0.5 year 05/14/01 17:01 Page Summary : Rio Grande Scenario Assuming 1 pci per liter in Water File : SITE1.RAD

Dose Conversion Factor (and Related) Parameter Summary (continued)

Dose Conversion Factor (and Related) Paramete File: DOSFAC.BIN	er Summary (continued)
n 3	3 Current 3 3 Parameter
Menu <sup>3</sup> Parameter	3 Value 3 Default 3 Name
D-34 <sup>3</sup> U-238+D , plant/soil concentration ratio, dimensionless	3 2.500E-03 3 2.500E-03 3 RTF(16,1)
D-34 <sup>3</sup> U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3 3.400E-04 3 3.400E-04 3 RTF(16,2)
D-34 <sup>3</sup> U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3 6.000E-04 3 6.000E-04 3 RTF(16,3)
3	3 3
D-5 <sup>3</sup> Bioaccumulation factors, fresh water, L/kg:	3 3 3
D-5 <sup>3</sup> Ac-227+D , fish	3 1.500E+01 3 1.500E+01 3 BIOFAC( 1,1)
D-5 <sup>3</sup> Ac-227+D , crustacea and mollusks	3 1.000E+03 3 1.000E+03 3 BIOFAC( 1,2)
D-5 <sup>3</sup>	3 3
D-5 <sup>3</sup> Am-241 , fish	3 3.000E+01 3 3.000E+01 3 BIOFAC( 2,1)
D-5 <sup>3</sup> Am-241 , crustacea and mollusks	3 1.000E+03 3 1.000E+03 3 BIOFAC( 2,2)
D-5 3	3 3
D-5 <sup>3</sup> Cs-137+D , fish	3 2.000E+03 3 2.000E+03 3 BIOFAC( 3,1)
D-5 <sup>3</sup> Cs-137+D , crustacea and mollusks	3 1.000E+02 3 1.000E+02 3 BIOFAC( 3,2)
D-5 3	
D-5 <sup>3</sup> Np-237+D , fish D-5 <sup>3</sup> Np-237+D , crustacea and mollusks	3 3.000E+01 3 3.000E+01 3 BIOFAC( 4,1) 3 4.000E+02 3 4.000E+02 3 BIOFAC( 4.2)
D-5 <sup>3</sup> Np-237+D , crustacea and mollusks	3 4.000E+02 3 4.000E+02 3 BIOFAC( 4,2)
D-5	3 1.000E+01 3 1.000E+01 3 BIOFAC( 5.1)
D-5 Pa-231 , rish D-5 Pa-231 , crustacea and mollusks	3 1.100E+02 3 1.100E+02 3 BIOFAC( 5.2)
D-5 - Pa-231 , Crustacea and morrusks	3 3 3 3
D-5 3 Pb-210+D , fish	3 3.000E+02 3 3.000E+02 3 BIOFAC( 6,1)
D-5 3 Pb-210+D , crustacea and mollusks	3 1.000E+02 3 1.000E+02 3 BIOFAC( 6,2)
D-5 3	3 3 3
D-5 3 Pu-238 , fish	3 3.000E+01 3 3.000E+01 3 BIOFAC( 7.1)
D-5 <sup>3</sup> Pu-238 , crustacea and mollusks	3 1.000E+02 3 1.000E+02 3 BIOFAC( 7.2)
D-5 <sup>3</sup>	3 3 3
D-5 <sup>3</sup> Pu-239 , fish	3 3.000E+01 3 3.000E+01 3 BIOFAC( 8,1)
D-5 <sup>3</sup> Pu-239 , crustacea and mollusks	3 1.000E+02 3 1.000E+02 3 BIOFAC( 8,2)
D-5 3	3 3 3
D-5 3 Ra-226+D , fish	3 5.000E+01 3 5.000E+01 3 BIOFAC( 9,1)

```
D\text{--}5 ^{3} Ra-226+D , crustacea and mollusks
                                                                                                                  3 2.500E+02 3 2.500E+02 3 BIOFAC( 9,2)
 D-5
                                                                                                                  3 6.000E+01 3 6.000E+01 3 BIOFAC(10,1)
 D-5
         ^3 Sr-90+D , fish
                                                                                                                   3 1.000E+02 3 1.000E+02 3 BIOFAC(10.2)
 D-5
             Sr-90+D , crustacea and mollusks

    Th-229+D , fish
    Th-229+D , crustacea and mollusks

                                                                                                                   3 1 000E+02 3 1 000E+02 3 BIOFAC(11 1)
 D-5
                                                                                                                     5.000E+02 3 5.000E+02 3 BIOFAC(11,2)
 D-5
                          , fish
                                                                                                                   3 1.000E+02 3 1.000E+02 3 BIOFAC(12,1)
 D-5
                                                                                                                   3 5.000E+02 3 5.000E+02 3 BIOFAC(12,2)
 D-5
         3 Th-230
                           , crustacea and mollusks
 D-5
                                                                                                                  3 1.000E+01 3 1.000E+01 3 BIOFAC(13,1)
3 6.000E+01 3 6.000E+01 3 BIOFAC(13,2)
                         , fish
                           , crustacea and mollusks
 D-5
         3 U-233
 D-5
                         , fish
                                                                                                                   3 1.000E+01 3 1.000E+01 3 BIOFAC(14,1)
  D-5
        3 TT=234
        3 U-234
                                                                                                                     6.000E+01 <sup>3</sup> 6.000E+01 <sup>3</sup>
 D-5
                           , crustacea and mollusks
                                                                                                                                                             BIOFAC(14,2)
  D-5
 D-5 <sup>3</sup> U-235+D , fish
                                                                                                                   3 1.000E+01 3 1.000E+01 3 BIOFAC(15,1)
                                                                                                                  3 6.000E+01 3 6.000E+01 3 BIOFAC(15,2)
        3 U-235+D , crustacea and mollusks
 D-5
1RESRAD, Version 5.82 T« Limit = 0.5 year
                                                                                                                       Page
                                                                                        05/14/01 17:01
 Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
             : SITE1.RAD
                                 Dose Conversion Factor (and Related) Parameter Summary (continued)
                                                                           File: DOSFAC.BIN
                                                                                                                  3 Current 3
 RESRAD, Version 5.82 T« Limit = 0.5 year 05/14/01 17:01 Page Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
1RESRAD, Version 5.82
             : SITE1.RAD
 Menu <sup>3</sup>
 R011 <sup>3</sup> Area of contaminated zone (m**2) R011 <sup>3</sup> Thickness of contaminated zone (m)
                                                                         3 1.000E+04 3 1.000E+04 3
3 3.000E-01 3 2.000E+00 3
                                                                                            3 1.000E+04 3 1.000E+04 3 3 .000E+01 3 3 .000E+01 3 1.000E+02 3 3 3.000E+01 3 3.000E+01 3 3 .000E+01 3 3 .000E+01 3 3 .000E+00 3 1 .000E+00 3 3 .000E+00 3 3 .000E+00 3 3 .000E+01 3 3 .000E+02 3 3 .000E+03 3 1 .000E+03 3 3 not used 3 0.000E+00 3 3 not used 3 0.000E+00 3 3 3 .000E+02 3 3 .000E+02 3 3 3 .000E+04 3 0.000E+00 3 3 6.200E-04 3 0.000E+00 3 3 3 not used 3 0.000E+00 3 3 not 
                                                                                                                                                                                                3 AREA
                                                                                                                                                                                                   THICK 0
  R011 3 Length parallel to aquifer flow (m)
                                                                                                                                                                                                3 LCZPAO
 R011 3 Basic radiation dose limit (mrem/yr)
                                                                                                                                                                 ---
                                                                                                                                                                                                3 BRDL
             Time since placement of material (yr)
                                                                                                                                                                                                3 TI
                                                                                                                                                                                                3 T(2)
 R011 3 Times for calculations (yr)
                                                                                                                                                                 ---
                                                                                                                                                                 ---
                                                                                                                                                                                                3 T( 3)
  R011 3 Times for calculations (yr)
                                                                                                                                                                 ---
                                                                                                                                                                                                <sup>3</sup> T( 4)
<sup>3</sup> T( 5)
  R011 3 Times for calculations (yr)
 R011 <sup>3</sup>
                                                                                                                                                                 ---
             Times for calculations (yr)
  R011 3 Times for calculations (yr)
                                                                                                                                                                 ---
                                                                                                                                                                                                3 T(7)
                                                                                                                                                                 ---
 R011 3
             Times for calculations (vr)
  R011 3 Times for calculations (yr)
 R011 3 Times for calculations (yr)
                                                                                                                                                                 ---
                                                                                                                                                                                                3 т( 9)
 R011 3 Times for calculations (yr)
                                                                                                                                                                                               3 T(10)
 R012 3
             Initial principal radionuclide (pCi/q): Am-241
                                                                                                                                                                                                3 S1 (2)
 R012 <sup>3</sup> Initial principal radionuclide (pCi/g): Cs-137
                                                                                                                                                                 ---
                                                                                                                                                                                               3 S1(3)
 R012 <sup>3</sup> Initial principal radionuclide (pCi/g): R012 <sup>3</sup> Initial principal radionuclide (pCi/g):
                                                                                                                                                                 ---
                                                                                  Pu-238
                                                                                                                                                                                                3 S1(7)
 ₽N12 3
             Initial principal radionuclide (pCi/g):
                                                                                  Sr-90
                                                                                                                                                                 ---
                                                                                                                                                                                                3 91 (10)
 R012 <sup>3</sup>
                                                                                                                                                                 ---
                                                                                  U-234
                                                                                                                                                                                                3 S1(14)
             Initial principal radionuclide (pCi/g):
  R012 3
                                                                                                                                                                 ---
             Initial principal radionuclide (pCi/g):
                                                                                  U-235
                                                                                                                                                                                                3 S1(15)
 R012 3
                                                                                                                                                                                                3 S1(16)
             Initial principal radionuclide (pCi/g):
                                                                                  U-238
             Concentration in groundwater (pci/L):
Concentration in groundwater (pci/L):
Concentration in groundwater (pci/L):
Concentration in groundwater (pci/L):
                                                                                                                                                                 ---
  R012 3
 R012 3
                                                                                                                                                                                                3 W1(3)
                                                                                  Cs-137
                                                                                                                                                                                                <sup>3</sup> W1(7)
  R012 3
                                                                                  Pu-238
                                                                                  Pu-239
Sr-90
 R012 3
                                                                                                                                                                 ---
                                                                                                                                                                                                3 W1 (8)
 R012 3
                                                                                                                                                                 ---
             Concentration in groundwater
                                                                  (pCi/L):
                                                                                                                                                                                                3 W1(10)
 R012 <sup>3</sup> Concentration in groundwater (pCi/L): U-234 R012 <sup>3</sup> Concentration in groundwater (pCi/L): U-235 R012 <sup>3</sup> Concentration in groundwater (pCi/L): U-238
                                                                                                                                                                 ---
                                                                                                                                                                                                3 W1(14)
                                                                                                                                                                                                <sup>3</sup> W1(15)
                                                                                                                                                                 ---
                                                                                                                                                                                                3 W1(16)
                                                                                                3 0.000E+00 3 0.000E+00 3
                                                                                                                                                                                               3 COVERO
  R013 3 Cover depth (m)
                                                                                                <sup>3</sup> not used <sup>3</sup> 1.500E+00 <sup>3</sup>

<sup>3</sup> not used <sup>3</sup> 1.000E-03 <sup>3</sup>
 R013 <sup>3</sup> Density of cover material (g/cm**3)
R013 <sup>3</sup> Cover depth erosion rate (m/yr)
                                                                                                                                                                 ---
                                                                                                                                                                                                3 DENSCV
                                                                                                                                                                 ---
                                                                                                                                                                                                  VCV
             Density of contaminated zone (g/cm**3)
                                                                                                3 1.500E+00 3 1.500E+00 3
                                                                                                                                                                 ---
                                                                                                                                                                                                3 DENSCZ
             Contaminated zone erosion rate (m/yr)
                                                                                                3 1.000E-06 3
                                                                                                                       1.000E-03 3
 R013 3
                                                                                                                                                                                                 3 VCZ
             Contaminated zone total porosity
                                                                                                                       4.000E-01 3
             Contaminated zone effective porosity 3 2.000E-01 3 2.000E-01 3 Contaminated zone hydraulic conductivity (m/yr) 3 1.000E+01 3 1.000E+01 3
                                                                                                                                                                 ___
 R013 3
                                                                                                                                                                                                3 EPCZ
  R013 3
                                                                                                                                                                                                3 HCCZ
 R013 <sup>3</sup> Contaminated zone b parameter
                                                                                                3 5.300E+00 3 5.300E+00 3
                                                                                                                                                                 ___
                                                                                                                                                                                                3 BCZ
 R013 3
             Average annual wind speed (m/sec)
                                                                                                3 2.000E+00 3
                                                                                                                       2.000E+00 3
                                                                                                                                                                                                3 WIND
                                                                                               3 not used 3 3 9.900E-01 3
  R013 3 Humidity in air (g/m**3)
                                                                                                                       8.000E+00 3
                                                                                                                                                                                                3 HUMID
             Evapotranspiration coefficient
 R013 3
                                                                                                                       5.000E-01 3
                                                                                                                                                                                                3 EVAPTR
                                                                                                3 2.000E-01 3
  R013 3 Precipitation (m/yr)
                                                                                                                       1.000E+00 3
                                                                                                                                                                                                3 PRECIP
                                                                                                3 0.000E+00 3
                                                                                                                       2.000E-01 3
 R013 3 Irrigation (m/vr)
                                                                                                                                                                                                3 RT
  R013 3 Irrigation mode
                                                                                                                                                                                                3 IDITCH
                                                                                                3 overhead
                                                                                                                       overhead
                                                                                                                       2.000E-01 3
 R013 3 Runoff coefficient
                                                                                                3 0 000E+00 3
                                                                                                                                                                                                3 RINOFF
                                                                                                                                                                                                3 WAREA
             Watershed area for nearby stream or pond (m**2)
                                                                                                3 1.000E-04 3
                                                                                                                       1.000E+06
R013 3 Accuracy for water/soil computations 3 1.000E-03 3 RESRAD, Version 5.82 T« Limit = 0.5 year 05/14/01 17:01 Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
                                                                                               3 1.000E-03 3 1.000E-03 3
                                                                                                                                                                                                3 EPS
                                                                                                                        Page 7
 File
             : STTE1.RAD
```

Site-Specific	Parameter Su	mmary (conti	inued)	
0 3 Manua 3	OBCI	3 3 Dafault	OBCG Dy REDIGED	3 Parameter
Menu <sup>3</sup> Parameter ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ			³ (If different from user input) ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ	
	3 1.500E+00	3 1.500E+00	3	3 DENSAQ
R014 3 Saturated zone total porosity	3 4.000E-01 3 2.000E-01			3 TPSZ
R014 <sup>3</sup> Saturated zone effective porosity R014 <sup>3</sup> Saturated zone hydraulic conductivity (m/yr)	3 1.000E+02			3 EPSZ 3 HCSZ
R014 <sup>3</sup> Saturated zone hydraulic gradient	3 2.000E-02	3 2.000E-02	3	3 HGWT
R014 3 Saturated zone b parameter	3 5.300E+00			3 BSZ
R014 <sup>3</sup> Water table drop rate (m/yr) R014 <sup>3</sup> Well pump intake depth (m below water table)	3 1.000E-03 3 1.000E+01			3 VWT 3 DWIBWT
R014 3 Model: Nondispersion (ND) or Mass-Balance (MB)		3 ND		3 MODEL
R014 <sup>3</sup> Well pumping rate (m**3/yr)	3 2.500E+02	3 2.500E+02		3 UW
R015 <sup>3</sup> Number of unsaturated zone strata				3 NS
R015 3 Unsat. zone 1, thickness (m)	3 4.000E+00		3	3 H(1)
R015 3 Unsat. zone 1, soil density (g/cm**3)	3 1.500E+00			3 DENSUZ(1)
R015 <sup>3</sup> Unsat. zone 1, total porosity R015 <sup>3</sup> Unsat. zone 1, effective porosity	3 4.000E-01 3 2.000E-01			3 TPUZ(1) 3 EPUZ(1)
R015 <sup>3</sup> Unsat. zone 1, soil-specific b parameter	3 5.300E+00			3 BUZ(1)
R015 <sup>3</sup> Unsat. zone 1, hydraulic conductivity (m/yr)	3 1.000E+01		3	3 HCUZ(1)
R016 <sup>3</sup> Distribution coefficients for Am-241			3	3
R016 <sup>3</sup> Contaminated zone (cm**3/g)	3 2.000E+01	3 2.000E+01	3	3 DCNUCC(2)
R016 <sup>3</sup> Unsaturated zone 1 (cm**3/g)	3 2.000E+01			3 DCNUCU(2,1)
R016 <sup>3</sup> Saturated zone (cm**3/g) R016 <sup>3</sup> Leach rate (/yr)	3 2.000E+01 3 0.000E+00			DCNUCS(2) ALEACH(2)
R016 <sup>3</sup> Solubility constant	3 0.000E+00			3 SOLUBK( 2)
3		3	3	3
R016 <sup>3</sup> Distribution coefficients for Cs-137 R016 <sup>3</sup> Contaminated zone (cm**3/q)	3 1.000E+03	3 1 000F+03	3	3 DCNUCC(3)
R016 3 Unsaturated zone (cm**3/g)	3 1.000E+03			3 DCNUCU( 3,1)
R016 <sup>3</sup> Saturated zone (cm**3/g)	3 1.000E+03		3	3 DCNUCS(3)
R016 3 Leach rate (/yr)	3 0.000E+00			3 ALEACH(3)
R016 <sup>3</sup> Solubility constant	3 0.000E+00	3 0.000E+00	not used	3 SOLUBK(3)
R016 <sup>3</sup> Distribution coefficients for Pu-238		3	3	3
	3 2.000E+03 3 2.000E+03			3 DCNUCC( 7)
R016 <sup>3</sup> Unsaturated zone 1 (cm**3/g) R016 <sup>3</sup> Saturated zone (cm**3/g)	3 2.000E+03			DCNUCU(7,1) CNUCS(7)
R016 <sup>3</sup> Leach rate (/yr)	3 0.000E+00			3 ALEACH( 7)
R016 <sup>3</sup> Solubility constant	3 0.000E+00		not used	3 SOLUBK( 7)
R016 <sup>3</sup> Distribution coefficients for Pu-239		3	3	3
R016 <sup>3</sup> Contaminated zone (cm**3/g)	3 2.000E+03	3 2.000E+03	3	3 DCNUCC(8)
R016 <sup>3</sup> Unsaturated zone 1 (cm**3/g)	3 2.000E+03			3 DCNUCU(8,1)
R016 <sup>3</sup> Saturated zone (cm**3/g) R016 <sup>3</sup> Leach rate (/yr)	3 2.000E+03 3 0.000E+00			3 DCNUCS(8) 3 ALEACH(8)
R016 <sup>3</sup> Solubility constant	3 0.000E+00			3 SOLUBK( 8)
1RESRAD, Version 5.82 T« Limit = 0.5 year 05/1	4/01 17:01	Page 8		
Summary : Rio Grande Scenario Assuming 1 pci per liter : File : SITE1.RAD	n Water			
TIC GITHLAGE				
Site-Specific		mmary (conti ³		3 D
0 <sup>3</sup> Menu <sup>3</sup> Parameter	OBCI		<ul> <li>Used by RESRAD</li> <li>(If different from user input)</li> </ul>	Parameter Name
ĬĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀĀ				
R016 3 Distribution coefficients for Sr-90		3 2 000= 01	3	3 2 Daywad (10)
R016 <sup>3</sup> Contaminated zone (cm**3/g) R016 <sup>3</sup> Unsaturated zone 1 (cm**3/g)	3 3.000E+01 3 3.000E+01			3 DCNUCC(10) 3 DCNUCU(10,1)
R016 <sup>3</sup> Saturated zone (cm**3/g)	3 3.000E+01			3 DCNUCS(10)
R016 3 Leach rate (/yr)	3 0.000E+00			3 ALEACH(10)
R016 <sup>3</sup> Solubility constant	3 0.000E+00	3 0.000E+00	not used	3 SOLUBK(10)
R016 <sup>3</sup> Distribution coefficients for U-234				3
R016 3 Contaminated zone (cm**3/g)	3 5.000E+01			DCNUCC(14)
R016 <sup>3</sup> Unsaturated zone 1 (cm**3/g) R016 <sup>3</sup> Saturated zone (cm**3/g)	3 5.000E+01 3 5.000E+01			<sup>3</sup> DCNUCU(14,1) <sup>3</sup> DCNUCS(14)
R016 3 Leach rate (/yr)	3 0.000E+01			3 ALEACH(14)
R016 3 Solubility constant	3 0.000E+00		not used	3 SOLUBK(14)
R016 <sup>3</sup> Distribution coefficients for U-235				3
R016 <sup>3</sup> Contaminated zone (cm**3/g)	3 5.000E+01			3 DCNUCC(15)
R016 <sup>3</sup> Unsaturated zone 1 (cm**3/g)	3 5.000E+01		3	3 DCNUCU(15,1)
R016 <sup>3</sup> Saturated zone (cm**3/g) R016 <sup>3</sup> Leach rate (/yr)	3 5.000E+01 3 0.000E+00			3 DCNUCS(15)
R016 <sup>3</sup> Solubility constant	3 0.000E+00			3 ALEACH(15) 3 SOLUBK(15)
3			3	3
R016 <sup>3</sup> Distribution coefficients for U-238 R016 <sup>3</sup> Contaminated zone (cm**3/g)	3 5.000E+01		3	3 DCNUCC(16)
R016 3 Unsaturated zone 1 (cm**3/g)	3 5.000E+01			3 DCNUCU(16,1)
R016 3 Saturated zone (cm**3/g)	3 5.000E+01	3 5.000E+01	3	3 DCNUCS(16)
R016 3 Leach rate (/yr)	3 0.000E+00			3 ALEACH(16)
R016 <sup>3</sup> Solubility constant	3 0.000E+00	3 0.000E+00		3 SOLUBK(16)
R016 <sup>3</sup> Distribution coefficients for daughter Ac-227			3	3
R016 <sup>3</sup> Contaminated zone (cm**3/g) R016 <sup>3</sup> Unsaturated zone 1 (cm**3/g)	3 2.000E+01			3 DCNUCC( 1)
R016 <sup>3</sup> Unsaturated zone 1 (cm**3/g) R016 <sup>3</sup> Saturated zone (cm**3/g)	3 2.000E+01 3 2.000E+01			DCNUCU(1,1) DCNUCS(1)
R016 <sup>3</sup> Leach rate (/yr)	3 0.000E+00	3 0.000E+00	3 2.206E-04	3 ALEACH( 1)
R016 <sup>3</sup> Solubility constant	3 0.000E+00			3 SOLUBK( 1)
R016 <sup>3</sup> Distribution coefficients for daughter Np-237				3
and the same of th				

```
P016 3
           Contaminated zone (cm**3/q)
                                                                3-1.000E+00 3-1.000E+00 3
                                                                                                         2 574F+02
                                                                                                                                  3 DCNUCC(4)
          Unsaturated zone 1 (cm**3/g)
Saturated zone (cm**3/g)
                                                                 3-1.000E+00 3-1.000E+00 3
                                                                                                                                  3 DCNUCU( 4,1)
R016 3
                                                                                                          2.574E+02
 R016 3
                                                                3-1.000E+00 3-1.000E+00 3
                                                                                                          2.574E+02
                                                                                                                                  3 DCNUCS(4)
                                                                 3 0.000E+00 3 0.000E+00 3
 R016 3
           Leach rate (/vr)
                                                                                                          1.726E-05
                                                                                                                                    ALEACH(4)
                                                                 3 0.000E+00 3 0.000E+00 3
           Solubility constant
                                                                                                          not used
                                                                                                                                    SOLUBK(4)
 R016 <sup>3</sup> Distribution coefficients for daughter Pa-231
 R016 3
          Contaminated zone (cm**3/g)
Unsaturated zone 1 (cm**3/g)
                                                                                                                                  DCNUCC(5)
DCNUCU(5,1)
                                                                 3 5 000E+01 3 5 000E+01 3
 R016 3
                                                                   5.000E+01 <sup>3</sup>
                                                                                5.000E+01 3
           Unsaturated zone 1 (cm **3/g)
Saturated zone (cm**3/g)
 R016 3
                                                                 3 5.000E+01 3 5.000E+01 3
                                                                                                                                  3 DCNUCS(5)
 R016 3
                                                                 3 0.000E+00 3 0.000E+00 3
                                                                                                          8.864E-05
          Leach rate (/yr)
Solubility constant
                                                                                                                                  3 ALEACH(5)
                                                                 3 0.000E+00 3 0.000E+00 3
1RESRAD, Version 5.82 T* Limit = 0.5 year 05/14/01 17:01 Summary : Rio Grande Scenario Assuming 1 pci per liter in Water File : SITE1.RAD
                                                                                                         not used
                                                                                 Page
                                               Site-Specific Parameter Summary (continued)
                                                                                                       Used by RESRAD
                                                                                                                                  3 Parameter
0

    Juser
    Jused by RESRAD
    Input
    Default
    (If different from user input)

 R016 <sup>3</sup> Distribution coefficients for daughter Pb-210 R016 <sup>3</sup> Contaminated zone (m***)
                                                                 3 3 1.000E+02 3 1.000E+02 3
          Contaminated zone (cm**3/g)
Unsaturated zone 1 (cm**3/g)
Saturated zone (cm**3/g)
                                                                                                                                   DCNIICC (6)
                                                                   1.000E+02 3
                                                                                1.000E+02 3
 R016 3
                                                                                                             ---
                                                                                                                                    DCNUCU(6.1)
                                                                 3 1.000E+02 3 1.000E+02 3
3 0.000E+00 3 0.000E+00 3
                                                                                                                                  3 DCNUCS( 6)
 R016 <sup>3</sup>
 R016 3
                                                                                                          4.438E-05
          Leach rate (/yr)
Solubility constant
                                                                                                                                  3 ALEACH(6)
                                                                                                                                  3 SOLUBK( 6)
                                                                 3 0.000E+00 3 0.000E+00 3
                                                                                                         not used
 R016 3 Distribution coefficients for daughter Ra-226
         Contaminated zone (cm**3/g)
Unsaturated zone 1 (cm**3/g)
                                                                 3 7.000E+01 3 7.000E+01 3 7.000E+01 3 7.000E+01 3
                                                                                                                                  3 DCNUCC( 9)
 R016 <sup>3</sup>
                                                                                                           ---
 R016 3
                                                                                                                                    DCNUCU( 9.1)
           Saturated zone (cm**3/g)
                                                                 3 7.000E+01 3 7.000E+01 3
                                                                                                                                    DCNUCS(9)
                                                                                0.000E+00 3
                                                                                                          6.336E-05
                                                                   0.000E+00 3
 R016 3
           Leach rate (/yr)
                                                                                                                                    ALEACH(9)
 R016 3
           Solubility constant
                                                                   0.000E+00 3
                                                                                0.000E+00 3
                                                                                                         not used
 R016 <sup>3</sup> Distribution coefficients for daughter Th-229
                                                                                                          ---
          Contaminated zone (cm**3/g)
Unsaturated zone 1 (cm**3/g)
 R016 <sup>3</sup>
                                                                 3 6.000E+04 3 6.000E+04 3
                                                                                                                                  3 DCNUCC(11)
                                                                   6.000E+04 3
 R016 3
                                                                                6.000E+04 3
                                                                                                                                    DCNUCU(11.1)
           Saturated zone (cm**3/g)
                                                                   6.000E+04 3 6.000E+04 3
                                                                                                                                    DCNUCS(11)
                                                                   0.000E+00 3 0.000E+00 3
 R016 3
          Leach rate (/yr)
Solubility constant
                                                                                                         7 407E-08
                                                                                                                                    ALEACH(11)
                                                                   0.000E+00 3 0.000E+00 3
 R016 3
                                                                                                          not used
 R016 <sup>3</sup> Distribution coefficients for daughter Th-230
 R016 <sup>3</sup>
         Contaminated zone (cm**3/g)
Unsaturated zone 1 (cm**3/g)
Saturated zone (cm**3/g)
                                                                 3 6.000E+04 3 6.000E+04 3
                                                                                                                                  3 DCNUCC(12)
 R016 3
                                                                                6.000E+04 3
                                                                                                            ---
                                                                   6.000E+04 3
                                                                                                                                    DCNUCU (12.1)
                                                                   6.000E+04 <sup>3</sup>
                                                                                6.000E+04 <sup>3</sup>
 R016
                                                                                                                                    DCNUCS(12)
                                                                   0.000E+00 3 0.000E+00 3
                                                                                                         7.407E-08
 R016 3
          Leach rate (/yr)
                                                                                                                                    ALEACH(12)
                                                                   0.000E+00 3 0.000E+00 3
 R016 <sup>3</sup>
          Solubility constant
                                                                                                         not used
 R016 <sup>3</sup> Distribution coefficients for daughter U-233
                                                                                                                                  3 DCNUCC(13)
 R016 3
          Contaminated zone (cm**3/g)
                                                                 3 5.000E+01 3 5.000E+01 3
                                                                                                          ---
                                                                                                                                  3 DCNUCU(13,1)
           Unsaturated zone 1 (cm**3/q)
                                                                 3 5.000E+01 3
                                                                                5.000E+01 3
 R016 3
                                                                 3 5.000E+01 3 5.000E+01 3 5.000E+01 3 0.000E+00 3
           Saturated zone (cm**3/g)
          Leach rate (/yr)
Solubility constant
                                                                                                          8 864E-05
 R016 3
                                                                                                                                  3 ALEACH(13)
 R016 3
                                                                 3 0.000E+00 3
                                                                                0.000E+00 3
                                                                                                                                  3 SOLUBK(13)
                                                                                                         not used
 R017 <sup>3</sup> Inhalation rate (m**3/yr)
                                                                3 8.400E+03 3 8.400E+03 3 1.000E-04 3
                                                                                                                                  3 TNHAT.R
 R017 3 Mass loading for inhalation (g/m**3)
                                                                                                             ---
                                                                                                                                  3 MLINH
 R017 <sup>3</sup> Exposure duration
R017 <sup>3</sup> Shielding factor, inhalation
                                                                 3 3.000E+01 3 3.000E+01 3
                                                                                                             ---
                                                                                                                                  3 ED
                                                                                                                                    SHF3
                                                                3 7.000E-01 3
3 5.000E-01 3
 ₽017 3
         Shielding factor, external gamma
                                                                                7.000E-01 3
                                                                                                                                  3 CHF1
 R017 <sup>3</sup>
                                                                                5.000E-01 3
         Fraction of time spent indoors
                                                                                                                                    FIND
 R017 <sup>3</sup> Fraction of time spent outdoors (on site)
                                                                3 2.500E-01 3 2.500E-01 3
                                                                                                                                  3 FOTD
3 1.000E+00 3 1.000E+00 3 >0 shows circular AREA.
                                                                                                                                  3 FS
         : SITE1.RAD
                                                Site-Specific Parameter Summary (continued)
                                              3 User 3 3 Used by RESRAD
3 Input 3 Default 3 (If different from user input)
0
                                                                                                                                  3 Parameter
Menu <sup>3</sup>
                               Parameter
                                                                                                                                       Name
 R017 ^3 Radii of shape factor array (used if FS = -1): R017 ^3 Outer annular radius (m), ring 1:
                                                                 <sup>3</sup> not used <sup>3</sup> 5.000E+01 <sup>3</sup>
                                                                 3 not used 3 7.071E+01 3 not used 3 0.000E+00 3
 R017 3
          Outer annular radius (m), ring 2:
Outer annular radius (m), ring 3:
                                                                                                                                  3 RAD_SHAPE( 2)
3 RAD_SHAPE( 3)
                                                                                                             ---
 R017 <sup>3</sup>
                                                                                                             ---
           Outer annular radius (m), ring
                                                                 3 not used
                                                                               3 0.000E+00 3
                                                                                                             ---
                                                                                                                                    RAD_SHAPE( 4)
 R017 3
                                                                 3 not used
                                                                                0.000E+00 3
 R017 3
           Outer annular radius (m), ring
                                               5:
                                                                                                                                    RAD SHAPE( 5)
                                                                                                             ---
           Outer annular radius (m), ring
                                                                 3 not used
                                                                                0.000E+00 3
                                                                                                                                    RAD_SHAPE( 6)
                                                                                0.000E+00 3
 R017 3
           Outer annular radius (m), ring
                                               7:
                                                                 3 not used
                                                                                                                                  3 RAD SHAPE( 7)
                                                                                0.000E+00 3
 R017 3
           Outer annular radius (m), ring
                                                                                                                                    RAD_SHAPE( 8)
                                                                   not used
 R017 3
          Outer annular radius (m), ring 9:
Outer annular radius (m), ring 10:
                                                                 3 not used
                                                                                0.000E+00 3
                                                                                                             ___
                                                                                                                                  3 RAD_SHAPE( 9)
 R017 3
                                                                                0.000E+00 3
                                                                 3 not used
                                                                                                                                    RAD_SHAPE(10)
                                                                 3 not used 3 0.000E+00 3 not used 3 0.000E+00 3
           Outer annular radius (m), ring 11:
                                                                                                                                  3 RAD_SHAPE(11)
 R017 3
 R017 3
                                                                                                                                  3 RAD_SHAPE(12)
           Outer annular radius (m), ring 12:
 R017 <sup>3</sup> Fractions of annular areas within AREA:
 R017 3
           Ring 1
           Ring
                                                                              3 2.732E-01 3
3 0.000E+00 3
                                                                                                                                  3 FRACA(2)
 R017 3
                                                                 3 not used
                                                                                                             ---
                                                                                                                                  3 FRACA(3)
 R017 3
                                                                   not used
           Ring
           Ring
 R017 3
                                                                 3 not used
                                                                                0.000E+00 3
                                                                                                                                  3 FRACA(4)
                                                                                0.000E+00 3
 R017 3
                                                                                                                                  3 FRACA(5)
           Rina
                 5
                                                                 3 not used
 R017 3
           Ring
                                                                   not used
                                                                              3 0.000E+00 3
                                                                                                                                  3 FRACA(6)
                                                                 3 not used 3 0.000E+00 3
           Ring
 R017 3
                                                                                                                                  3 FRACA(7)
 R017 3
           Ring 8
                                                                 3 not used 3 0.000E+00 3
                                                                                                                                  3 FRACA(8)
```

```
₽017 3
                       Ring 9
                                                                                                                                            3 not used 3 0.000E+00 3
                                                                                                                                                                                                                                                                                       3 FPACA ( 9)
                                                                                                                                            3 not used 3 0.000E+00 3 3 not used 3 0.000E+00 3 3 not used 3 0.000E+00 3
  R017 3
                                                                                                                                                                                                                                                                                        3 FRACA(10)
                       Ring 10
   R017 3
                                                                                                                                                                                                                                                                                       3 FRACA(11)
                        Ring 11
                                                                                                                                            3 not used 3 0.000E+00 3
  R017 3
                       Ring 12
                                                                                                                                                                                                                                           ---
                                                                                                                                                                                                                                                                                        3 FRACA(12)
  R018 <sup>3</sup> Fruits, vegetables and grain consumption (kg/yr) <sup>3</sup> 1.600E+02 <sup>3</sup> 1.600E+02 <sup>3</sup>
                                                                                                                                                                                                                                                                                       3 DIET(1)
                   Fruits, vegetables and grain consumption (kg/yr) - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 1.000±702 - 
                                                                                                                                                                                                                                                                                       3 DIET(2)
  R018 3
  R018 <sup>3</sup> Milk consumption (L/yr)
R018 <sup>3</sup> Meat and poultry consumption (kg/yr)
                                                                                                                                                                                                                                           ---
                                                                                                                                                                                                                                                                                       3 DIET(3)
                                                                                                                                                                                                                                                                                       3 DIET(4)
  R018 3
                                                                                                                                            3 6.300E+01 3
                                                                                                                                                                              6.300E+01 <sup>3</sup>
                                                                                                                                           <sup>3</sup> not used <sup>3</sup> 5.400E+00 <sup>3</sup>

<sup>3</sup> not used <sup>3</sup> 9.000E-01 <sup>3</sup>
                   Fish consumption (kg/yr)
                                                                                                                                                                                                                                           ---
                                                                                                                                                                                                                                                                                       3 DIET(5)
  R018 3
  RO18 3 Other seafood consumption (kg/yr)
RO18 3 Soil ingestion rate (g/yr)
RO18 3 Drinking water intake (L/yr)
RO18 3 Contamination for the contamination of the contamination for the contamination f
                                                                                                                                                                                                                                           ---
                                                                                                                                                                                                                                                                                       3 DIET(6)
                                                                                                                                            3 3.650E+01 3
                                                                                                                                                                                                                                                                                       3 SOIL
                                                                                                                                                                             5.100E+02 3
                                                                                                                                            3 not used 3 not used 3
                                                                                                                                                                                                                                           ---
                                                                                                                                                                                                                                                                                       3 DWT
  R018 3
                                                                                                                                                                             1.000E+00 3
                   Contamination fraction of drinking water
                                                                                                                                                                                                                                                                                           FDW
   R018 3
                  Contamination fraction of household water
Contamination fraction of livestock water
                                                                                                                                                                                                                                          ---
                                                                                                                                           ^{\rm 3} not used ^{\rm 3} 1.000E+00 ^{\rm 3}
                                                                                                                                                                                                                                                                                       <sup>3</sup> FHHW
  R018 3
                                                                                                                                            3 1.000E+00 3
                                                                                                                                                                             1.000E+00 3
                                                                                                                                                                                                                                                                                        3 FLW
   R018 3
                   Contamination fraction of irrigation water
                                                                                                                                            3 1.000E+00 3 1.000E+00 3 not used 3 5.000E-01 3
                                                                                                                                                                             1.000E+00 3
                                                                                                                                                                                                                                                                                       3 FIRW
                   Contamination fraction of aquatic food
  R018 3
                                                                                                                                                                                                                                                                                        3 FR9
   R018 3
                   Contamination fraction of plant food
                                                                                                                                                                                                                                    0.500E+00
                                                                                                                                                                                                                                                                                        3 FMEAT
  R018 3 Contamination fraction of meat
                                                                                                                                            3 _ 1
                                                                                                                                                                         3 _ 1
                                                                                                                                                                                                                                   0 500E+00
  R018 <sup>3</sup> Contamination fraction of milk
                                                                                                                                                                         3 – 1
                                                                                                                                            3-1
                                                                                                                                                                                                                                   0.500E+00
                                                                                                                                                                                                                                                                                           FMILK
  R019 <sup>3</sup> Livestock fodder intake for meat (kg/day)
R019 <sup>3</sup> Livestock fodder intake for milk (kg/day)
                                                                                                                                            3 6.800E+01 3 6.800E+01
                                                                                                                                                                                                                                                                                        3 T.FT5
                                                                                                                                         3 5.500E+01 3 5.500E+01 3 5.000E+01 3
                                                                                                                                                                                                                                                                                       3 LFI6
  R019 3 Livestock water intake for meat (L/day)
R019 3 Livestock water intake for milk (L/day)
                                                                                                                                                                                                                                          ---
                                                                                                                                                                                                                                                                                        3 LWI5
                                                                                                                                           3 1.600E+02 3 1.600E+02 3
R019 <sup>3</sup> Livestock soil intake (kg/day) <sup>3</sup> 5.000E-01 <sup>3</sup> 5.00E-01 RESRAD, Version 5.82 T* Limit = 0.5 year 05/14/01 17:01 Page 11 Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
                                                                                                                                          3 5.000E-01 3 5.000E-01 3
                                                                                                                                                                                                                                                                                       3 LSI
  File : STTE1.RAD
                                                                                                  Site-Specific Parameter Summary (continued)

    User <sup>3</sup> <sup>3</sup> Used by RESRAD <sup>3</sup>
    Input <sup>3</sup> Default <sup>3</sup> (If different from user input) <sup>3</sup>

  Menu 3
                                                                   Parameter
   R019 <sup>3</sup> Mass loading for foliar deposition (g/m**3) <sup>3</sup> 1.000E-04 <sup>3</sup> 1.000E-04 <sup>3</sup> R019 <sup>3</sup> Depth of soil mixing layer (m) <sup>3</sup> 3.000E-01 <sup>3</sup> 1.500E-01 <sup>3</sup>
                                                                                                                                                                                                                                                                                           MT.FD
                                                                                                                                          3 1.000E-01 3 1.500E-01 3
3 3.000E-01 3 1.500E-01 3
3 1.000E+00 3 1.000E+00 3
3 1.000E+00 3 1.000E+00 3
3 not used 3 1.000E+00 3
3 1.000E+00 3 1.000E+00 3
3 1.000E+00 3 1.000E+00 3
3 1.500E+00 3 1.500E+00 3
3 1.500E+00 3 1.000E+01 3
3 2.500E-01 3 2.500E-01 3
3 8.000E-02 3 8.000E-02 3
3 1.000E+00 3 1.000E+00 3
3 1.000E+00 3 1.000E+00 3
3 1.500E+00 3 1.500E-01 3
3 2.500E-01 3 2.500E-01 3
  R019 3 Depth of soil mixing layer (m)
                                                                                                                                                                                                                                                                                           DM
  R019 3 Depth of roots (m)
R019 3 Drinking water fraction from ground water
                                                                                                                                                                                                                                                                                           DROOT
                                                                                                                                                                                                                                          ---
                                                                                                                                                                                                                                                                                        3 FGWDW
                                                                                                                                         3 not used 3 1.000E+00 3 not used 3 1.000E+00 3
   R019 3 Household water fraction from ground water
  R019 3 Livestock water fraction from ground water
                                                                                                                                                                                                                                           ---
                                                                                                                                                                                                                                                                                        3 FGWI.W
  R019 3 Irrigation fraction from ground water
                                                                                                                                                                                                                                                                                        3 FGWIR
  R19B <sup>3</sup> Wet weight crop yield for Non-Leafy (kg/m**2)
R19B <sup>3</sup> Wet weight crop yield for Leafy (kg/m**2)
R19B <sup>3</sup> Wet weight crop yield for Fodder (kg/m**2)
R19B <sup>3</sup> Growing Season for Non-Leafy (years)
                                                                                                                                                                                                                                                                                        3 YV(1)
                                                                                                                                                                                                                                                                                       3 YV(2)
                                                                                                                                                                                                                                           ---
                                                                                                                                                                                                                                                                                        3 YV(3)
                                                                                                                                                                                                                                           ---
                                                                                                                                                                                                                                                                                        3 TE(1)
                  Growing Season for Leafy
Growing Season for Fodder
                                                                                                                                                                                                                                           ---
                                                                                              (years)
                                                                                                                                                                                                                                                                                        3 TE(2)
   P19P 3
  R19B <sup>3</sup>
                                                                                             (years)
                                                                                                                                                                                                                                                                                           TE(3)
                                                                                                                                                                                                                                           ---
   R19B <sup>3</sup> Translocation Factor for Non-Leafy
  R19B <sup>3</sup> Translocation Factor for Leafy
R19B <sup>3</sup> Translocation Factor for Fodder
                                                                                                                                                                                                                                                                                        3 TIV(2)
  R19B <sup>3</sup> Dry Foliar Interception Fraction for Non-Leafy R19B <sup>3</sup> Dry Foliar Interception Fraction for Leafy R19B <sup>3</sup> Dry Foliar Interception Fraction for Fodder R19B <sup>3</sup> Wet Foliar Interception Fraction for Non-Leafy
                                                                                                                                                                                                                                           ---
                                                                                                                                                                                                                                                                                        3 RDRY(1)
                                                                                                                                                                                                                                                                                           RDRY(2)
                                                                                                                                                                                                                                                                                        3 RDRY(3)
                                                                                                                                                                                                                                                                                           RWET(1)
                   Wet Foliar Interception Fraction for Leafy
                                                                                                                                                                                                                                                                                       3 RWET(2)
  R19B <sup>3</sup>
                                                                                                                                                                                                                                           ---
                                                                                                                                            3 2.500E-01 3 2.500E-01 3 2.000E+01 3 2.000E+01 3
                  Wet Foliar Interception Fraction for Fodder
Weathering Removal Constant for Vegetation
  R19B 3
                                                                                                                                                                                                                                                                                       3 RWET(3)
                                                                                                                                            <sup>3</sup> not used <sup>3</sup> 2.000E-05 <sup>3</sup>
                                                                                                                                                                                                                                                                                        3 C12WTR
                   C-12 concentration in water (q/cm**3)
                                                                                                                                                                             3.000E-02 <sup>3</sup>
2.000E-02 <sup>3</sup>
                                                                                                                                                                                                                                           ---
                   C-12 concentration in contaminated soil (g/g)
                                                                                                                                            3 not used 3
                                                                                                                                                                                                                                                                                        3 C12CZ
  C14
                   C-12 concentration in consumer from soil
  C14
                                                                                                                                            3 not used
                                                                                                                                                                                                                                                                                           CSOIL
                                                                                                                                                                                                                                           ---
   C14
                   Fraction of vegetation carbon from air
                                                                                                                                                not used
                                                                                                                                                                             9.800E-01 <sup>3</sup>
                                                                                                                                                                                                                                                                                        3 CAIR
                                                                                                                                                                             3.000E-01 <sup>3</sup>
  C14
                   C-14 evasion layer thickness in soil (m)
                                                                                                                                            3 not used
                                                                                                                                                                                                                                                                                           DMC
                  C-14 evasion flux rate from soil (1/sec)
C-12 evasion flux rate from soil (1/sec)
                                                                                                                                            <sup>3</sup> not used <sup>3</sup> 7.000E-07 <sup>3</sup> <sup>3</sup> not used <sup>3</sup> 1.000E-10 <sup>3</sup>
  C14
                                                                                                                                                                                                                                                                                           EVSN
  C14
                                                                                                                                                                                                                                           ---
                                                                                                                                                                                                                                                                                        3 REVSN
                                                                                                                                            <sup>3</sup> not used <sup>3</sup> 8.000E-01 <sup>3</sup>

<sup>3</sup> not used <sup>3</sup> 2.000E-01 <sup>3</sup>
                                                                                                                                                                             8.000E-01 3
                   Fraction of grain in beef cattle feed
                                                                                                                                                                                                                                                                                           AVFG4
  C14
  C14 3 Fraction of grain in milk cow feed
                                                                                                                                                                                                                                                                                        3 AVFG5
                   Storage times of contaminated foodstuffs (days): 3
                                                                                                                                            3 1.400E+01 3 1.400E+01 3
  STOR
                     Fruits, non-leafy vegetables, and grain
                                                                                                                                                                                                                                                                                        3 STOR T(1)
                        Leafy vegetables
                                                                                                                                            3 1.000E+00 3 1.000E+00 3
                                                                                                                                                                                                                                                                                        3 STOR_T(2)
                                                                                                                                            3 1.000E+00 3 1.000E+00 3
  STOR 3
                        Milk
                                                                                                                                                                                                                                           ---
                                                                                                                                                                                                                                                                                        3 STOR T(3)
                                                                                                                                                                              2.000E+01 <sup>3</sup>
                                                                                                                                                                                                                                           ---
                                                                                                                                                2.000E+01
                        Meat and poultry
                                                                                                                                                                                                                                                                                           STOR T(4)
  STOR
                                                                                                                                                7.000E+00 <sup>3</sup>
                                                                                                                                                                              7.000E+00 3
                                                                                                                                                                                                                                           ---
                         Fish
                                                                                                                                                                             7.000E+00 3
                        Crustacea and mollusks
                                                                                                                                            3 7.000E+00 3
                                                                                                                                                                                                                                                                                        3 STOR_T(6)
  STOR
                                                                                                                                            3 1.000E+00 3 1.000E+00 3
   STOR
                        Well water
                                                                                                                                            3 1.000E+00 3 1.000E+00 3
                                                                                                                                                                                                                                                                                       3 STOR T(8)
  STOR 3
                        Surface water
                                                                                                                                            3 4.500E+01 3 4.500E+01 3
                                                                                                                                                                                                                                                                                       3 STOR_T(9)
  STOR 3
                        Livestock fodder
                                                                                                                                            <sup>3</sup> not used <sup>3</sup> 1.500E-01 <sup>3</sup>
  R021 3 Thickness of building foundation (m)
                                                                                                                                                                                                                                                                                       3 FLOOR
  R021 <sup>3</sup> Bulk density of building foundation (g/cm**3)
                                                                                                                                            ^{\rm 3} not used ^{\rm 3} 2.400E+00 ^{\rm 3}
                                                                                                                                                                                                                                                                                       3 DENSFL
  RO21 3 Total porosity of the cover material 3 not used 3 4.000E-01 R021 3 Total porosity of the building foundation 3 not used 3 1.000E-01 Vergion 5.82 T« Limit = 0.5 year 05/14/01 17:01 Page 12
                                                                                                                                                                             4.000E-01 3
                                                                                                                                                                                                                                          ---
                                                                                                                                                                                                                                                                                           TPCV
                                                                                                                                                                      3 1.000E-01 3
  LRESRAD, Version 5.82 T« Limit = 0.5 year 05/14/01 1'
Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
1RESRAD, Version 5.82
  File
                    : SITE1 RAD
                                                                                                  Site-Specific Parameter Summary (continued)
  0
   R021 <sup>3</sup> Volumetric water content of the cover material <sup>3</sup> not used <sup>3</sup> 5.000E-02 <sup>3</sup>
```

```
R021 3 Volumetric water content of the foundation
                                                 3 not used 3 3.000E-02 3
                                                                                                    3 PH2OFT
R021 <sup>3</sup> Diffusion coefficient for radon gas (m/sec):
      in cover material
in foundation material
in cortemin
                                                 <sup>3</sup> not used <sup>3</sup> 2.000E-06 <sup>3</sup>
                                                                                                    3 DIFCV
 R021 3
R021 3
                                                  3 not used 3 3.000E-07 3
                                                                                                    3 DIFFL
        in contaminated zone soil
                                                            3 2.000E-06 3
                                                  3 not used
                                                                                                    3 DIFCZ
R021 <sup>3</sup> Radon vertical dimension of mixing (m)
                                                  3 not used 3 2 000E+00 3
                                                                                    ---
                                                                                                    3 HMTX
 R021 <sup>3</sup> Average building air exchange rate (1/hr)
                                                  ^{\rm 3} not used ^{\rm 3} 5.000E-01 ^{\rm 3}
                                                                                                      REXG
 RO21 3 Height of the building (room) (m)
                                                  3 not used 3 2 500E+00 3
                                                                                    ---
                                                                                                    3 HRM
 R021 3
                                                  3 not used
                                                              0.000E+00 3
                                                                                                    3 FAI
      Building interior area factor
 R021 <sup>3</sup> Building depth below ground surface (m)
                                                  3 not used 3-1.000E+00 3
                                                                                                    3 DMFL
Summary of Pathway Selections
         1 -- external gamma <sup>3</sup>
2 -- inhalation (w/o radon)<sup>3</sup>
                                           active
                                           active
            2 -- Inharactor (...)
3 -- plant ingestion 3
                                           active
                              active active active suppressed suppressed suppressed suppressed suppressed suppressed suppressed es
                meat ingestion
            5 -- milk ingestion
            6 -- aquatic foods
            7 -- drinking water
            8 -- soil ingestion
         05/14/01 17:01 Page 13
File
       : SITE1.RAD
     Area: 10000.00 square meters
                                              Am-241
                                                        6.200E-04
  Thickness: 0.30 meters
                                              Cs-137
                                                        6 200E-04
                0.00 meters
 Cover Depth:
                                              Pu-238
                                              P11-239
                                                        6 200E-04
                                              Sr-90
                                                        6.200E-04
                                              U-234
                                                        6.200E-04
                                              II-235
                                                        6.200E-04
                                              U-238
0
            Total\ Dose\ TDOSE(t),\ mrem/yr\\ Basic\ Radiation\ Dose\ Limit = 30\ mrem/yr\\ Total\ Mixture\ Sum\ M(t) = Fraction\ of\ Basic\ Dose\ Limit\ Received\ at\ Time\ (t)
           t (years): 0.000E+00 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03 TDOSE(t): 5.854E-03 5.745E-03 5.534E-03 4.867E-03 3.466E-03 1.544E-03 9.900E-04 9.588E-04
      M(+):
             1.951E-04 1.915E-04 1.845E-04 1.622E-04 1.155E-04 5.146E-05 3.300E-05 3.196E-05
Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
      : SITE1.RAD
                    Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
                      As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years
Water Independent Pathways (Inhalation excludes radon)
Am-241 1.578E-05 0.0027 1.762E-05 0.0030 0.000E+00 0.0000 1.966E-04 0.0336 2.020E-06 0.0003 1.153E-07 0.0000 Cs-137 1.201E-03 0.2051 1.266E-09 0.0000 0.000E+00 0.0000 1.079E-04 0.0184 9.434E-05 0.0161 3.080E-05 0.0053
                                                                                                       6.178E-05 0.0106
                                                                                                       8.486E-07 0.0001
      5.563E-08 0.0000
                       1.555E-05 0.0027
                                       0.000E+00 0.0000
                                                       1.728E-04 0.0295
                                                                      3.552E-06 0.0006
                                                                                       5.068E-08 0.0000
                                                                                                       5.431E-05 0.0093
Pu-238
                       1.702E-05 0.0029 0.000E+00 0.0000 1.912E-04 0.0327 3.929E-06 0.0007 5.198E-08 0.0000 0.000E+00 0.0000 2.476E-03 0.4229 4.996E-04 0.0853
                                                                                      5.606E-08 0.0000
Pu-239 1.064E-07 0.0000
                                                                                                       6 008E-05 0 0103
Sr-90 9.114E-06 0.0016
                                                                                      1.484E-04 0.0253 2.597E-06 0.0004
 U-234
       1.450E-07 0.0000
                       5.237E-06 0.0009
                                       0.000E+00 0.0000
                                                       3.818E-05 0.0065
                                                                      1.260E-06 0.0002
                                                                                       3.089E-06 0.0005
                                                                                                       4.803E-06 0.0008
      2.713E-04 0.0463
U-235
                       4.880E-06 0.0008
                                       0.000E+00 0.0000
                                                       3.602E-05 0.0062 1.188E-06 0.0002
                                                                                      2.914E-06 0.0005
                                                                                                       4.532E-06 0.0008
U-238 4.835E-05 0.0083 4.682E-06 0.0008 0.000E+00 0.0000 3.629E-05 0.0062 1.197E-06 0.0002 2.936E-06 0.0005 4.566E-06 0.0008
Total 1.545E-03 0.2640 6.504E-05 0.0111 0.000E+00 0.0000 3.255E-03 0.5560 6.071E-04 0.1037 1.883E-04 0.0322 1.935E-04 0.0331
                    Total Dose Contributions TDOSE(i.p.t) for Individual Radionuclides (i) and Pathways (p)
                              As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years
0
                                               Water Dependent Pathways
0.000E+00 0.0000
                                                                                                      2.939E-04 0.0502
                                                                                       0.000E+00 0.0000
P11-238 0 000E+00 0 0000 0 000E+00 0 0000
                                       0 000E+00 0 0000
                                                       0 000E+00 0 0000 0 000E+00 0 0000
                                                                                       0 000E+00 0 0000
                                                                                                       2 463E-04 0 0421
 Pu-239 0.000E+00 0.0000 0.000E+00 0.000E+00 0.0000 0.000E+00 0.0000
                                                                      0.000E+00 0.0000
                                                                                       0.000E+00 0.0000
Sr-90
       0.000E+00 0.0000 0.000E+00 0.0000
                                       0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000
                                                                                       0 000E+00 0 0000
                                                                                                      3 136E-03 0 5356
                       0.000E+00 0.0000
                                                       0.000E+00 0.0000
                                                                       0.000E+00 0.0000
                                                                                                       5.271E-05 0.0090
       0.000E+00 0.0000
                                       0.000E+00 0.0000
                                                                                       0.000E+00 0.0000
U-234
U-235 0.000E+00 0.0000
                       0.000E+00 0.0000
                                       0.000E+00 0.0000
                                                       0.000E+00 0.0000
                                                                       0.000E+00 0.0000
                                                                                       0.000E+00 0.0000
                                                                                                       3 208E-04 0 0548
                      0.000E+00 0.0000
ÍÍÍÍÍÍÍÍÍÍ ÍÍÍÍÍÍ
                                       0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000
TJ-238
       0.000E+00 0.0000
                                                                                      0.000E+00 0.0000 9.802E-05 0.0167
 1111111 1111111111 1111111
 Total 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E
```

0\*Sum of all water independent and dependent pathways.

1RESRAD. Version 5.82 T« Limit = 0.5 year 05/14/01 17:01 Page 15

Summary : Rio Grande Scenario Assuming 1 pci per liter in Water File : SITE1.RAD Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p) As mrem/vr and Fraction of Total Dose At t = 1.000E+00 years 0

0	Water Independent Pathways (Inhalation excludes radon)								
0	Ground	Inhalation	Radon	Plant	Meat	Milk	Soil		
Radio-	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ		
Nuclide	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.	mrem/yr fract.		
ÄÄÄÄÄÄÄ	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ		
Am-241	1.575E-05 0.0027	1.758E-05 0.0031	0.000E+00 0.0000	1.962E-04 0.0342	2.016E-06 0.0004	1.151E-07 0.0000	6.167E-05 0.0107		
Cs-137	1.173E-03 0.2042	1.237E-09 0.0000	0.000E+00 0.0000	1.054E-04 0.0183	9.218E-05 0.0160	3.010E-05 0.0052	8.292E-07 0.0001		
Pu-238	5.519E-08 0.0000	1.543E-05 0.0027	0.000E+00 0.0000	1.715E-04 0.0298	3.524E-06 0.0006	5.029E-08 0.0000	5.388E-05 0.0094		
Pu-239	1.063E-07 0.0000	1.702E-05 0.0030	0.000E+00 0.0000	1.912E-04 0.0333	3.929E-06 0.0007	5.606E-08 0.0000	6.008E-05 0.0105		
Sr-90	8.898E-06 0.0015	5.075E-08 0.0000	0.000E+00 0.0000	2.417E-03 0.4208	4.878E-04 0.0849	1.449E-04 0.0252	2.535E-06 0.0004		
U-234	1.450E-07 0.0000	5.237E-06 0.0009	0.000E+00 0.0000	3.818E-05 0.0066	1.260E-06 0.0002	3.088E-06 0.0005	4.803E-06 0.0008		
U-235	2.713E-04 0.0472	4.881E-06 0.0008	0.000E+00 0.0000	3.614E-05 0.0063	1.212E-06 0.0002	2.914E-06 0.0005	4.535E-06 0.0008		
U-238	4.835E-05 0.0084	4.681E-06 0.0008	0.000E+00 0.0000	3.629E-05 0.0063	1.197E-06 0.0002	2.935E-06 0.0005	4.565E-06 0.0008		
ÍÍÍÍÍÍÍ	1111111111 111111	1111111111 111111	iiiiiiiii iiiiii	1111111111 111111	111111111 111111	1111111111 111111	11111111111111111		
Total	1.518E-03 0.2642	6.489E-05 0.0113	0.000E+00 0.0000	3.192E-03 0.5556	5.931E-04 0.1032	1.841E-04 0.0320	1.929E-04 0.0336		
Λ									

Total Dose Contributions TDOSE(i.p.t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years Water Dependent Pathways

Plant All Pathways\* 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 2.934E-04 0.0511 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 1.402E-03 0.2440 Pu-238 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 2.444E-04 0.0425 Pu-239 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 2.724E-04 0.0474 Sr-90 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.000 0.000E+00 0.0000 0.000E+00 0.0000 3.061E-03 0.5329 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 5.271E-05 0.0092 U-234 U-235 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 3.209E-04 0.0559 0.000E+00 0.0000 U-238 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 9.801E-05 0.0171 iiiiiiii iiiiii iiiiiii iiiiiii iiiiiiii iiiiii 

05/14/01 17:01 Page 16 1RESRAD, Version 5.82 T« Limit = 0.5 year

Summary : Rio Grande Scenario Assuming 1 pci per liter in Water

: SITE1.RAD

0

0

0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years
Water Independent Pathways (Inhalation excludes radon) Padon Plant 1.752E-05 0.0032 0.000E+00 0.0000 1.955E-04 0.0353 2.009E-06 0.0004 1.147E-07 0.0000 Am-241 1.569E-05 0.0028 6.144E-05 0.0111 1.181E-09 0.0000 0.000E+00 0.0000 1.007E-04 0.0182 8.802E-05 0.0159 2.874E-05 0.0052 1.519E-05 0.0027 0.000E+00 0.0000 1.688E-04 0.0305 3.469E-06 0.0006 4.951E-08 0.0000 Cs-137 1.120E-03 0.2024 7.918E-07 0.0001 5.432E-08 0.0000 5.304E-05 0.0096 Pu-238 Pu-239 1.063E-07 0.0000 1.702E-05 0.0031 0.000E+00 0.0000 1.912E-04 0.0345 3.929E-06 0.0007 5.605E-08 0.0000 4.837E-08 0.0000 0.000E+00 0.0000 2.304E-03 0.4164 4.650E-04 0.0840 1.381E-04 0.0250 6.008E-05 0.0109 8.482E-06 0.0015 2.417E-06 0.0004 Sr-90 II-234 1.451E-07 0.0000 5.236E-06 0.0009 0.000E+00 0.0000 3.817E-05 0.0069 1.259E-06 0.0002 3.088E-06 0.0006 4.802E-06 0.0009 4.883E-06 0.0009 4.681E-06 0.0008 0.000E+00 0.0000 3.638E-05 0.0066 1.263E-06 0.0002 0.000E+00 0.0000 3.628E-05 0.0066 1.197E-06 0.0002 4.543E-06 0.0008 4.564E-06 0.0008 TJ-235 2.712E-04 0.0490 2.913E-06 0.0005 0.000E+00 0.0000 

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

262 7 1-

711 Dathwaye\*

As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years 0 Water Dependent Pathways

U	Water	FISH	Radon	Piant	Meat	MITIK	AII Pathways"
Radio-	ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ						
Nuclide	mrem/yr fract.						
ÄÄÄÄÄÄÄ	äääääääää ääääää	. ÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄÄ	äääääääää ääääää				
Am-241	0.000E+00 0.0000	2.923E-04 0.0528					
Cs-137	0.000E+00 0.0000	1.338E-03 0.2419					
Pu-238	0.000E+00 0.0000	2.406E-04 0.0435					
Pu-239	0.000E+00 0.0000	2.723E-04 0.0492					
Sr-90	0.000E+00 0.0000	2.918E-03 0.5273					
U-234	0.000E+00 0.0000	5.270E-05 0.0095					
U-235	0.000E+00 0.0000	3.212E-04 0.0580					
U-238	0.000E+00 0.0000	9.800E-05 0.0177					
ÍÍÍÍÍÍÍ	íííííííííí ííííííí	iiiiiiii iiiiii	iiiiiiiiii iiiiii	íííííííííííííííííííííííííííííííííííííí	íííííííííííííííííííííííííííííííííííííí	íííííííííííííííííííííííííííííííííííííí	iiiiiiiiii iiiiii
Total	0.000E+00 0.0000	5.534E-03 1.0000					
0*Sum of	all water indepe	ndent and dependent	pathways.				

05/14/01 17:01 Page 17

1RESRAD, Version 5.82 T« Limit = 0.5 year 05/14/01 17 Summary : Rio Grande Scenario Assuming 1 pci per liter in Water

: SITE1.RAD

0

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)

As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years Water Independent Pathways (Inhalation excludes radon)

.1
ÄÄÄÄÄÄÄ
fract.
ÄÄÄÄÄÄ
0.0125
0.0001
0.0103
Ž Ž

```
Pu-239 1.063E-07 0.0000 1.702E-05 0.0035 0.000E+00 0.0000 1.911E-04 0.0393 3.928E-06 0.0008 5.604E-08 0.0000 6.006E-05 0.0123
                                     0.000E+00 0.0000 1.948E-03 0.4003 3.932E-04 0.0808
       7.173E-06 0.0015
                      4.091E-08 0.0000
                                                                                  1.168E-04 0.0240
                                                                                                  2.044E-06 0.0004
Sr-90
IJ-234
       1.457E-07 0.0000
                      5.234E-06 0.0011
                                     0.000E+00 0.0000
                                                    3.815E-05 0.0078
                                                                   1.259E-06 0.0003
                                                                                  3.086E-06 0.0006
                                                                                                  4.800E-06 0.0010
U-235
       2.711E-04 0.0557
                      4.895E-06 0.0010
                                     0.000E+00 0.0000
                                                    3.726E-05 0.0077
                                                                   1.444E-06 0.0003
                                                                                  2.912E-06 0.0006
                                                                                                  4.573E-06 0.0009
       4.831E-05 0.0099
                      4.678E-06 0.0010
                                     0.000E+00 0.0000
                                                    3.626E-05 0.0074
                                                                    1.196E-06 0.0002
                                                                                   2.933E-06 0.0006
fffffff fffffffff ffffff
                     fffffffff ffffff
                                     fffffffff ffffff
       1.295E-03 0.2661 6.353E-05 0.0131 0.000E+00 0.0000 2.690E-03 0.5526 4.812E-04 0.0989 1.504E-04 0.0309 1.876E-04 0.0385
Total
                    Total Dose Contributions TDOSE(i.p.t) for Individual Radionuclides (i) and Pathways (p)
                            As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years
0
                                             Water Dependent Pathways
                                          Radon
                                                          Plant
mrem/yr fract.
ÄÄÄÄÄÄÄÄÄÄ ÄÄÄÄÄÄ
                                                                   mrem/yr fract.
ÄÄÄÄÄÄÄÄÄÄ ÄÄÄÄÄÄ
                                                                                  0.000E+00 0.0000
Am-241 0.000E+00 0.0000
Cs-137 0.000E+00 0.0000
                     0.000E+00 0.0000 0.000E+00 0.0000
                                                    0.000E+00 0.0000
                                                                                  0.000E+00 0.0000
                                                                                                  2.886E-04 0.0593
       0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000
                                                    0.000E+00 0.0000 0.000E+00 0.0000
                                                                                  0.000E+00 0.0000
                                                                                                  1.139E-03 0.2339
Pu-238 0.000E+00 0.0000 0.000E+00 0.000E+00 0.000E+00 0.000E+00 0.000E
                                                                   0.000E+00 0.0000
                                                                                  0.000E+00 0.0000
                                                                                                  2.276E-04 0.0468
                      0.000E+00 0.0000
       0.000E+00 0.0000
                                     0.000E+00 0.0000
                                                    0.000E+00 0.0000
                                                                    0.000E+00 0.0000
                                                                                   0.000E+00 0.0000
       0 000E+00 0 0000 0 000E+00 0 0000
                                     0 000E+00 0 0000
                                                    0 000E+00 0 0000
                                                                   0 000E+00 0 0000
                                                                                  0 000E+00 0 0000
                                                                                                  2 468E-03 0 5070
Sr-90
       0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000
                                                                                  0.000E+00 0.0000
U-234
                                                    0.000E+00 0.0000
                                                                   0.000E+00 0.0000
                                                                                                  5.267E-05 0.0108
       0.000E+00 0.0000
                     0.000E+00 0.0000 0.000E+00 0.0000
                                                    0.000E+00 0.0000
                                                                   0.000E+00 0.0000
                                                                                   0.000E+00 0.0000
                                                                                                  3.222E-04 0.0662
II-235
       0.000E+00 0.0000
                      0.000E+00 0.0000
                                     0.000E+00 0.0000
                                                    0.000E+00 0.0000
                                                                   0.000E+00 0.0000
                                                                                   0.000E+00 0.0000
                                                                                                  9.794E-05 0.0201
TT-238
 1111111 1111111111 1111111
                      iiiiiiiii iiiiiii
                                     111111111 111111 11111111 1111111
                                                                   11111111111111111
                                                                                  11111111111111111
                                                                                                  íííííííííí íííííí
05/14/01 17:01 Page 18
1RESRAD, Version 5.82
                    T« Limit = 0.5 year
Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
       : SITE1.RAD
                   Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
                           As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years
Water Independent Pathways (Inhalation excludes radon)
           Ground
                         Inhalation
                                          Radon
                                                         Plant
                                                                        Meat.
Nuclide mrem/yr fract. mrem/yr fract.
       1.494E-05 0.0043
                      1.668E-05 0.0048 0.000E+00 0.0000 1.861E-04 0.0537 1.914E-06 0.0006
                                                                                  1.091E-07 0.0000
                                                                                                  5.848E-05 0.0169
Cs-137 6 002E-04 0 1732 6 327E-10 0 0000 0 000E+00 0 0000 5 393E-05 0 0156 4 716E-05 0 0136 1 540E-05 0 0044 4 242E-07 0 0001
                      1.227E-05 0.0035
                                     0.000E+00 0.0000
                                                    1.363E-04 0.0393
                                                                   2.802E-06 0.0008
                                                                                   4.021E-08 0.0000
       4.390E-08 0.0000
P11-239 1 063E-07 0 0000
                      1.700E-05 0.0049
                                     0.000E+00.0.0000
                                                    1.910E-04 0.0551 3.925E-06 0.0011 5.600E-08 0.0000
                                                                                                  6 002E-05 0 0173
                                                    1.207E-03 0.3482
                                                                                                  1.266E-06 0.0004
       4.443E-06 0.0013
                      2.533E-08 0.0000 0.000E+00 0.0000
                                                                   2.435E-04 0.0703
                                                                                  7.232E-05 0.0209
Sr-90
       1.516E-07 0.0000
                      5.226E-06 0.0015
                                     0.000E+00 0.0000
                                                    3.809E-05 0.0110
                                                                   1.256E-06 0.0004
                                                                                  3.080E-06 0.0009
IJ-234
                                                                                                  4.792E-06 0.0014
TJ-235
       2.708E-04 0.0781
                      4.959E-06 0.0014
                                     0.000E+00 0.0000
                                                    3.999E-05 0.0115
                                                                    1.958E-06 0.0006
                                                                                  2.908E-06 0.0008
                                                                                                  4.690E-06 0.0014
                     4.553E-06 0.0013
11111111 111111
       4.822E-05 0.0139
fffffff fffffffff ffffff
                                                                                  9.684E-05 0.0279 1.771E-04 0.0511
Total 9.389E-04 0.2709 6.083E-05 0.0176 0.000E+00 0.0000
                   Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
                              As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years
0
                                             Water Dependent Pathways
Am-241 0.000E+00 0.0000
Cs-137 0.000E+00 0.0000
                     0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000
                                                                   0.000E+00 0.0000
                                                                                  0.000E+00 0.0000
                                                                                                  2.783E-04 0.0803
                      0.000E+00 0.0000 0.000E+00 0.0000
                                                    0.000E+00 0.0000 0.000E+00 0.0000
                                                                                  0.000E+00 0.0000
                                                                                                  7.171E-04 0.2069
Pu-238
      0.000E+00 0.0000
                      0.000E+00 0.0000
                                     0.000E+00 0.0000
                                                    0.000E+00 0.0000
                                                                   0.000E+00 0.0000
                                                                                  0.000E+00 0.0000
                                                                                                  1.943E-04 0.0561
       0.000E+00 0.0000
                      0.000E+00 0.0000 0.000E+00 0.0000
                                                    0.000E+00 0.0000
                                                                   0.000E+00 0.0000
                                                                                   0.000E+00 0.0000
Sr-90
       0.000E+00 0.0000
                     0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000
                                                                   0.000E+00 0.0000
                                                                                  0 000E+00 0 0000
                                                                                                  1 528F-03 0 4410
       0.000E+00 0.0000
                      0.000E+00 0.0000
                                     0.000E+00 0.0000
                                                    0.000E+00 0.0000
                                                                    0.000E+00 0.0000
                                                                                   0.000E+00 0.0000
II-234
                                                                                                  5.259E-05 0.0152
U-235
       0.000E+00 0.0000
                      0.000E+00 0.0000
                                     0.000E+00 0.0000
                                                    0.000E+00 0.0000
                                                                    0.000E+00 0.0000
                                                                                   0.000E+00 0.0000
                                                                                                  3.253E-04 0.0939
                     0.000E+00 0.0000
ÍÍÍÍÍÍÍÍÍ ÍÍÍÍÍÍ
                                                                   0.000E+00 0.0000
fffffffff ffffff
U-238
       0.000E+00 0.0000
                                     0.000E+00 0.0000
                                                    0.000E+00 0.0000
                                                                                   0.000E+00 0.0000
                                                                                                  9.776E-05 0.0282
                                     iiiiiiii iiiiii
                                                    iiiiiiiii iiiiii
 fffffff fffffffff ffffff
                                                                                   ííííííííí íííííí
                                                                                                  iiiiiiiii iiiiii
Total 0.000E+00 0.0000
                      0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.000 3.466E-03 1.0000
0*Sum of all water independent and dependent pathways.
                                            05/14/01 17:01 Page 19
1RESRAD, Version 5.82
                     T« Limit = 0.5 year
Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
       : SITE1 RAD
Pilo.
                   Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
                              As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years
                                 Water Independent Pathways (Inhalation excludes radon)
                         Inhalation
           Ground
                                          Radon
                                                         Plant
                                                                        Meat
                                                                                        Milk
1.467E-05 0.0095
                                     0.000E+00 0.0000
                                                    1.639E-04 0.1062
                                                                   1.687E-06 0.0011
       1.316E-05 0.0085
                                                                                   9.606E-08 0.0001
                                                                                                  5.146E-05 0.0333
Cs-137
       1.191E-04 0.0771
                      1.255E-10 0.0000
                                     0.000E+00 0.0000
                                                    1.070E-05 0.0069 9.352E-06 0.0061
                                                                                  3.054E-06 0.0020
                                                                                                  8.413E-08 0.0001
       2.527E-08 0.0000
                      7.056E-06 0.0046
                                     0.000E+00 0.0000
                                                    7.840E-05 0.0508
                                                                   1.611E-06 0.0010
                                                                                   2.359E-08 0.0000
                                                                                                  2.464E-05 0.0160
 Pu-238
Pu-239
      1.060E-07 0.0001
                      1.696E-05 0.0110
                                     0.000E+00 0.0000
                                                    1.905E-04 0.1234
                                                                   3.916E-06 0.0025
                                                                                  5.587E-08 0.0000
                                                                                                  5.988E-05 0.0388
       8.309E-07 0.0005
                      4.737E-09 0.0000
                                     0.000E+00 0.0000
                                                    2.256E-04 0.1462
                                                                    4.553E-05 0.0295
                                                                                   1.352E-05 0.0088
                                                                                                  2.367E-07 0.0002
Sr-90
       2.190E-07 0.0001
                      5.200E-06 0.0034
                                     0.000E+00 0.0000
                                                    3.794E-05 0.0246
                                                                   1.251E-06 0.0008
                                                                                   3.062E-06 0.0020
U-234
                                                                                                  4.768E-06 0.0031
U-235
       2.701E-04 0.1750
                      5.331E-06 0.0035
                                     0.000E+00 0.0000
                                                    5.059E-05 0.0328
                                                                   3.745E-06 0.0024
                                                                                  2.898E-06 0.0019
                                                                                                  5.234E-06 0.0034
                     U-238 4.792E-05 0.0310
                                                                                                  fffffffff ffffff
       4.514E-04 0.2924 5.387E-05 0.0349 0.000E+00 0.0000 7.936E-04 0.5141 6.829E-05 0.0442 2.562E-05 0.0166 1.508E-04 0.0977
 Total
                   Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
                              As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years
0
                                             Water Dependent Pathways
                                          Radon
Nuclide mrem/yr fract. mrem/yr fract. mrem/yr fract. mrem/yr fract. mrem/yr fract. mrem/yr fract. mrem/yr fract.
```

```
Am-241 0.000E+00 0.0000
Cs-137 0.000E+00 0.0000
                                                               0.000E+00 0.0000 0.000E+00 0.0000
                                                                                                                 0.000E+00 0.0000
                                     0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                    2.450E-04 0.1587
                                     0.000E+00 0.0000
                                                               0.000E+00 0.0000
                                                                                        0.000E+00 0.0000 0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                    1.422E-04 0.0922
 Pu-238 0.000E+00 0.0000
                                     0.000E+00 0.0000
                                                               0.000E+00 0.0000
                                                                                        0.000E+00 0.0000
                                                                                                                 0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                    1.117E-04 0.0724
                                     0.000E+00 0.0000
                                                               0.000E+00 0.0000
                                                                                        0.000E+00 0.0000
                                                                                                                  0.000E+00 0.0000
                                                                                                                                            0.000E+00 0.0000
            0 000E+00 0 0000
                                     0 000E+00 0 0000
                                                               0 000E+00 0 0000
                                                                                        0.000E+00.0.0000
                                                                                                                  0 000E+00 0 0000
                                                                                                                                           0 000E+00 0 0000
                                                                                                                                                                    2 858E-04 0 1851
 Sr-90
            0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000
                                                                                        0.000E+00 0.0000
                                                                                                                 0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                     5.244E-05 0.0340
 II-235
           0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000
                                                                                                                 0.000E+00 0.0000
                                                                                                                                           0 000E+00 0 0000
                                                                                                                                                                    3.379E-04 0.2189
                                     0.000E+00 0.0000
                                                               0.000E+00 0.0000
                                                                                        0.000E+00 0.0000
                                                                                                                 0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                     9.716E-05 0.0629
            0.000E+00 0.0000
 1111111 1111111111 1111111
                                     fffffffff ffffff
                                                              111111111 1111111 11111111 1111111
                                                                                                                fffffffff ffffff
                                                                                                                                           fffffffff ffffff
                                                                                                                                                                    fffffffff ffffff
05/14/01 17:01 Page 20
1RESRAD, Version 5.82
 LRESRAD, Version 5.82 T« Limit = 0.5 year 05/14/01 17
Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
       : SITE1.RAD
                                 Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
                                               As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years
Water Independent Pathways (Inhalation excludes radon)
                   Ground
                                          Inhalation
                                                                       Radon
                                                                                                Plant
                                                                                                                         Meat
 Nuclide mrem/yr fract. mrem/yr fract.
                                                                                                                                                                    9.155E-06 0.0092
                                    1.018E-05 0.0103 0.000E+00 0.0000 1.140E-04 0.1151 1.179E-06 0.0012 6.670E-08 0.0001 1.233E-12 0.0000 0.000E+00 0.0000 1.051E-07 0.0001 9.191E-08 0.0001 3.001E-08 0.0000
                                                                                                                                                                    3.571E-05 0.0361
           1.171E-06 0.0012
                                                                                                                                                                    8.268E-10 0.0000
 Cs-137
            5.356E-09 0.0000
                                     1.453E-06 0.0015
                                                               0.000E+00 0.0000 1.614E-05 0.0163
                                                                                                                 3.319E-07 0.0003
                                                                                                                                           5.719E-09 0.0000
                                                                                                                                                                     5.070E-06 0.0051
                                     1.685E-05 0.0170 0.000E+00 0.0000 1.892E-04 0.1911 3.889E-06 0.0039 3.935E-11 0.0000 0.000E+00 0.0000 1.874E-06 0.0019 3.782E-07 0.0004
           1.054E-07 0.0001
                                                                                                                                          5.549E-08 0.0001
                                                                                                                                                                    5.947E-05 0.0601
 Pu-239
            6.906E-09 0.0000
                                                                                                                                          1.123E-07 0.0001
                                                                                                                                                                    1.966E-09 0.0000
 Sr-90
 U-234
            7.907E-07 0.0008
                                     5.125E-06 0.0052
                                                               0.000E+00 0.0000
                                                                                        3.819E-05 0.0386 1.258E-06 0.0013
                                                                                                                                          3.028E-06 0.0031
                                                                                                                                                                     4.714E-06 0.0048
                                                               0.000E+00 0.0000 8.124E-05 0.0821 8.713E-06 0.0088
 TJ-235
            2.685E-04 0.2713
                                     6.524E-06 0.0066
                                                                                                                                          2.874E-06 0.0029
                                                                                                                                                                    6.895E-06 0.0070
 Total Dose Contributions TDOSE(i.p.t) for Individual Radionuclides (i) and Pathways (p)
                                                  As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years
                                                                          Water Dependent Pathways
 Nuclide mrem/yr fract. mrem/yr fract
                                                                                                                                                                    Am-241 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000
                                                                                                                                          0.000E+00 0.0000
                                                                                                                                                                    1.703E-04 0.1720
             0.000{\tt E} + 00 \ 0.0000 \ 0.000{\tt E} + 00 \ 0.0000 
                                                                                                                                          0.000E+00 0.0000
                                                                                                                                                                    1.399E-06 0.0014
 Pu-238
           0.000E+00 0.0000
                                     0.000E+00 0.0000
                                                              0.000E+00 0.0000 0.000E+00 0.0000
                                                                                                                 0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                     2.301E-05 0.0232
                                     0.000E+00 0.0000 0.000E+00 0.0000
                                                                                       0.000E+00 0.0000
                                                                                                                 0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
           0.000E+00 0.0000
 Sr-90
            0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.000E+00 0.000E
                                                                                                                0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                    2.374E-06 0.0024
            0.000E+00 0.0000
                                     0.000E+00 0.0000
                                                               0.000E+00 0.0000
                                                                                        0.000E+00 0.0000
                                                                                                                  0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                     5.311E-05 0.0536
 11-235
            0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.000E+00 0.000E
                                                                                                                 0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                    3 748F-04 0 3786
            0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000
                                                                                                                                          0.000E+00 0.0000
                                                                                                                                                                    9.545E-05 0.0964
 111111 111111111 1111111
                                    iiiiiiii iiiiiii
                                                                                                                                                                    iiiiiiii iiiiii
 Total 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000 9.900E-04 1.0000
0*Sum of all water independent and dependent pathways.
05/14/01 17:01 Page 21
 File
            : SITE1.RAD
                               Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
                                                  As mremyr and Fraction of Total Dose At t = 1.000E+03 years
Water Independent Pathways (Inhalation excludes radon)
 Nuclide mrem/yr fract. mrem/yr fract.
                                                                                                                                                                    2.835E-06 0.0030 0.000E+00 0.0000
                                                              0.000E+00 0.0000 3.231E-05 0.0337 3.485E-07 0.0004 1.869E-08 0.0000 0.000E+00 0.0000 9.891E-15 0.0000 8.649E-15 0.0000 2.824E-15 0.0000
            2.603E-06 0.0027
                                                                                                                                                                    9.944E-06 0.0104
7.780E-17 0.0000
            1.104E-13 0.0000
                                     1.160E-19 0.0000
 Cs-137
                                                                                       7.938E-08 0.0001 1.823E-09 0.0000
1.847E-04 0.1927 3.797E-06 0.0040
            1.862E-09 0.0000
                                     7.498E-09 0.0000
                                                               0.000E+00 0.0000
                                                                                                                                           1.113E-09 0.0000
                                                                                                                                                                    2.170E-08 0.0000
 Pu-239
           1.034E-07 0.0001
                                     1.645E-05 0.0172
                                                               0.000E+00 0.0000
                                                                                                                                           5.417E-08 0.0001
                                                                                                                                                                     5.805E-05 0.0605
            3.615E-16 0.0000
                                     2.055E-18 0.0000
                                                               0.000E+00 0.0000
                                                                                        9.788E-14 0.0000
                                                                                                                 1.975E-14 0.0000
                                                                                                                                           5.865E-15 0.0000
                                                                                                                                                                    1.027E-16 0.0000
 Sr-90
                                    4.876E-06 0.0051 0.000E+00 0.0000 4.551E-05 0.0475 1.499E-06 0.0016 1.033E-05 0.0108 0.000E+00 0.0000 1.790E-04 0.1867 2.454E-05 0.0256
                                                                                                                                           3.073E-06 0.0032
 TT_224
            6 435E=06 0 0067
                                                                                                                                                                    4.670E-06 0.0049
            2.629E-04 0.2741
                                                                                                                                          2.788E-06 0.0029
                                                                                                                                                                    1.220E-05 0.0127
 U-235
                                    4.284E-06 0.0045 0.0005+00 0.0000 3.321E-05 0.0346 1.096E-06 0.0011 2.686E-06 0.0028
                                                                                                                                                                    4.177E-06 0.0044
111111111 111111
            4.425E-05 0.0462
 1111111 111111111 1111111
 Total 3.162E-04 0.3298 3.878E-05 0.0405 0.000E+00 0.0000 4.748E-04 0.4952 3.127E-05 0.0326 8.620E-06 0.0090
                                Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
                                                   As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years
                                                                           raction of Total Duse Re C
Water Dependent Pathways
Neat Meat
 Nuclide mrem/yr fract. mrem/yr fract
                                    0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000
 Am-241 0.000E+00 0.0000
                                                                                                                 0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                     4.806E-05 0.0501
           0.000E+00 0.0000
                                     0.000E+00 0.0000 0.000E+00 0.0000
                                                                                        0.000E+00 0.0000
                                                                                                                 0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                    1.319E-13 0.0000
 Pu-238 0.000E+00 0.0000
                                     0.000E+00 0.0000
                                                              0.000E+00 0.0000
                                                                                        0.000E+00 0.0000
                                                                                                                 0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                    1.134E-07 0.0001
            0.000E+00 0.0000
                                     0.000E+00 0.0000
                                                               0.000E+00 0.0000
                                                                                        0.000E+00 0.0000
                                                                                                                  0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                     2.632E-04 0.2745
 Sr-90
            0 000E+00 0 0000 0 000E+00 0 0000
                                                              0.000E+00.0.0000
                                                                                        0.000E+00.0.0000
                                                                                                                 0 000E+00 0 0000
                                                                                                                                           0 000E+00 0 0000
                                                                                                                                                                    1 240E-13 0 0000
            0.000E+00 0.0000 0.000E+00 0.0000 0.000E+00 0.0000
                                                                                        0.000E+00 0.0000
                                                                                                                 0.000E+00 0.0000
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                     6.606E-05 0.0689
            0.000E+00 0.0000 0.000E+00 0.0000
 II-235
                                                                                                                                           0 000E+00 0 0000
                                                                                                                                                                    4.917E-04 0.5128
                                                                                                                                           0.000E+00 0.0000
                                                                                                                                                                    8.971E-05 0.0936
 fffffff fffffffff ffffff
                                     fffffffff ffffff
                                                              05/14/01 17:01 Page 22
1RESRAD, Version 5.82 T« Limit = 0.5 year 05/14/01 17
Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
```

File : STTE1.RAD

```
Dose/Source Ratios Summed Over All Pathways
                      Parent and Progeny Principal Radionuclide Contributions Indicated
OParent Product Branch
                                                         DSR(j,t)
                                                                  (mrem/yr)/(pCi/g)
                 Fraction*
                           t= 0.000E+00 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03
 ÄÄÄÄÄÄÄ ÄÄÄÄÄÄÄ ÄÄÄÄÄÄÄÄÄ
                              4.740E-01 4.731E-01 4.714E-01 4.654E-01 4.487E-01 3.948E-01 2.740E-01 7.622E-02 0.000E+00 2.745E-06 8.410E-06 2.808E-05 8.288E-05 2.595E-04 6.543E-04 1.288E-03
 Am-241 Am-241
                 1 000E+00
        Np-237
                 1.000E+00
 Am-241
 Am-241 II-233
                 1 000E+00
                               0.000E+00 8.573E-14 6.302E-13 6.399E-12 5.538E-11 5.830E-10 4.628E-09 3.507E-08
 Am-241 Th-229 1.000E+00
                               0.000E+00 3.579E-17 9.315E-16 3.401E-14 9.064E-13 3.238E-11 7.931E-10 2.157E-08
 Am-241
         äDSR(j)
                               4.740E-01 4.731E-01 4.714E-01 4.655E-01 4.488E-01 3.951E-01 2.746E-01 7.751E-02
        Cs-137 1.000E+00
0Cs-137
                               2.314E+00 2.261E+00 2.159E+00 1.836E+00 1.157E+00 2.294E-01 2.256E-03 2.127E-10
                               3.973E-01 3.942E-01 3.880E-01 3.671E-01 3.134E-01 1.802E-01 3.708E-02 1.465E-04 0.000E+00 2.358E-07 7.103E-07 2.312E-06 6.425E-06 1.657E-05 2.711E-05 2.806E-05
        Pu-238
                 1.000E+00
0Pu-238
 Pu-238
         II-234
                 1.000E+00
        Th-230
                               0.000E+00 1.153E-12 9.929E-12 1.067E-10 9.079E-10 8.482E-09 5.043E-08 2.295E-07
 Pu-238
                 1.000E+00
 Pu-238
         Ra-226
                 1.000E+00
                               0.000E+00 1.973E-14 5.484E-13 2.026E-11 5.264E-10 1.698E-08 3.240E-07 5.153E-06
 Pu-238
         Pb-210
                 1.000E+00
                               0.000E+00 1.340E-16 8.873E-15 9.497E-13 6.440E-11 4.959E-09 1.516E-07 2.929E-06
         äDSR(j)
                               3.973E-01 3.942E-01 3.880E-01 3.671E-01 3.134E-01 1.802E-01 3.711E-02 1.829E-04
 Pu-238
0P11-239
        P11-239 1 000E+00
                               4.393E-01 4.393E-01 4.393E-01 4.392E-01 4.389E-01 4.378E-01 4.348E-01 4.245E-01
                               0.000E+00 5.082E-10 1.527E-09 5.092E-09 1.526E-08 5.066E-08 1.501E-07 4.799E-07
                 1.000E+00
 Pu-239
        U-235
        Pa-231
                 1 000E+00
                               0.000E+00 1.126E-13 1.067E-12 1.206E-11 1.090E-10 1.206E-09 1.069E-08 1.124E-07
 P11-239
                               0.000E+00 7.188E-16 1.665E-14 5.503E-13 1.260E-11 3.040E-10 3.890E-09 4.722E-08
 Pu-239
        Ac-227
                 1.000E+00
                               4.393E-01 4.393E-01 4.393E-01 4.392E-01 4.389E-01 4.388E-01 4.348E-01 4.245E-01 5.057E+00 4.938E+00 4.707E+00 3.980E+00 2.465E+00 4.609E-01 3.828E-03 1.999E-10
         äDSR(j)
 Pu-239
                 1.000E+00
0Sr-90
         Sr-90
0U-234
         U-234
                 1.000E+00
                               8.502E-02 8.502E-02 8.500E-02 8.494E-02 8.478E-02 8.422E-02 8.264E-02 7.733E-02
         Th-230
                               0.000E+00 7.930E-07 2.329E-06 7.704E-06 2.304E-05 7.645E-05 2.269E-04 7.285E-04 0.000E+00 2.126E-08 1.957E-07 2.189E-06 1.966E-05 2.156E-04 1.866E-03 1.811E-02
TT-234
                 1.000E+00
                 1.000E+00
 U-234
         Ra-226
 U-234
         Pb-210
                 1.000E+00
                               0.000E+00 1.785E-10 4.053E-09 1.327E-07 3.033E-06 7.321E-05 9.228E-04 1.037E-02
                               8.502E-02 8.502E-02 8.500E-02 8.495E-02 8.483E-02 8.459E-02 8.566E-02 1.065E-01
TJ-234
         äDSR(j)
                               0.000E+00 2.375E-04 7.315E-04 2.459E-03 7.381E-03 2.445E-02 7.187E-02 2.230E-01
                 1.000E+00
0U-235
         U-235
         Pa-231
TJ-235
                 1.000E+00
 U-235
         Ac-227
                 1.000E+00
                               0.000E+00 2.055E-06 1.632E-05 1.619E-04 1.186E-03 7.666E-03 2.881E-02 9.671E-02
II-235
         äDSR(j)
                               5.175E-01 5.177E-01 5.181E-01 5.196E-01 5.246E-01 5.450E-01 6.045E-01 7.931E-01
                 1.000E+00
                               1.581E-01 1.581E-01 1.581E-01 1.580E-01 1.577E-01 1.567E-01 1.539E-01 1.444E-01
        U-238
U-234
0U-238
                 1.000E+00
                               0.000E+00 2.410E-07 7.229E-07 2.408E-06 7.211E-06 2.388E-05 7.031E-05 2.195E-04
 U-238
                               0.000E+00 1.158E-12 1.001E-11 1.095E-10 9.803E-10 1.083E-08 9.611E-08 1.019E-06
 U-238
         Th-230
                 1.000E+00
                               0.000E+00 1.982E-14 5.516E-13 2.065E-11 5.576E-10 2.043E-08 5.332E-07 1.755E-05
 U-238
         Ra-226
                 1.000E+00
 II-238
         Ph-210 1 000E+00
                               0.000E+00 1.891E-16 8.948E-15 9.649E-13 6.754E-11 5.822E-09 2.412E-07 9.746E-06
                               äDSR(j)
 fffffff fffffff fffffffff
 *Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life 6 0.5 yr) daughters.
1RESRAD, Version 5.82 T« Limit = 0.5 year
                                                     05/14/01 17:01
                                                                          Page 23
 Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
 File
        : STTE1.RAD
                            Single Radionuclide Soil Guidelines G(i,t) in pCi/g
                                 Basic Radiation Dose Limit = 30 mrem/yr
0Nuclide
         t= 0.000E+00
   (i)
                        1.000E+00
                                      3 000E+00
                                                   1.000E+01
                                                               3.000E+01
                                                                           1.000E+02
                                                                                        3.000E+02
                                                                                                    1.000E+03
 ÄÄÄÄÄÄÄ
                          ÄÄÄÄÄÄÄÄÄ
                                      ÄÄÄÄÄÄÄÄÄ
                                                   ÄÄÄÄÄÄÄÄÄ
                                                               ÄÄÄÄÄÄÄÄÄ
             ÄÄÄÄÄÄÄÄÄ
                                                                           ÄÄÄÄÄÄÄÄÄ
                                                                                        ÄÄÄÄÄÄÄÄ
                                                                                                     ÄÄÄÄÄÄÄÄÄ
 Am-241
             6 329E+01
                          6.340E+01
                                      6.364E+01
                                                   6.445E+01
                                                               6.684E+01
                                                                           7.593E+01
                                                                                        1 092E+02
                                                                                                     3 870E+02
             1.297E+01
                          1.327E+01
                                      1.390E+01
                                                   1.634E+01
                                                               2.594E+01
                                                                            1.308E+02
                                                                                        1.330E+04
 Cs-137
                                                                                                     1.410E+11
 P11-238
             7 551E+01
                          7 610E+01
                                      7 732E+01
                                                   8 172E+01
                                                               9 571E+01
                                                                            1 664E+02
                                                                                        8 085E+02
                                                                                                     1 641E+05
                                      6.830E+01
                                                   6.831E+01
 Pu-239
             6.829E+01
                          6.829E+01
                                                               6.836E+01
                                                                            6.852E+01
                                                                                        6.900E+01
                                                                                                     7.068E+01
 Sr-90
             5.932E+00
                          6.076E+00
                                      6.374E+00
                                                   7.537E+00
                                                               1.217E+01
                                                                            6.509E+01
                                                                                        7.836E+03
                                                                                                     1.501E+11
TJ-234
             3.528E+02
                          3.529E+02
                                      3.529E+02
                                                   3.531E+02
                                                               3.537E+02
                                                                            3.547E+02
                                                                                        3.502E+02
                                                                                                     2.816E+02
 U-235
                          5.795E+01
                                      5.791E+01
                                                               5.718E+01
 TT-238
             1.898E+02
                         1.898E+02
                                     1.898E+02
ÍÍÍÍÍÍÍÍÍ
                                                  1.899E+02
ÍÍÍÍÍÍÍÍÍ
                                                               1.903E+02
                                                                           1.914E+02
111111111
                                                                                        1.949E+02
111111111
                                                                                                     2.073E+02
ÍÍÍÍÍÍÍÍÍ
                         iiiiiiiii
                                                               ÍÍÍÍÍÍÍÍÍ
iiiiiii
           ííííííííí
             Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/q)
             and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
          at tmin = time of minimum single radionuclide soil quideline
      and at tmax = time of maximum total dose = 0.000E+00 years
de Initial tmin DSR(i,tmin) G(i,tmin) DSR(i,tmax) G(i,tmax)
                          tmin
ONuclide Initial
(years)
                                       4.740E-01 6.329E+01 4.740E-01
 Am-241 6.200E-04
                       0.000E+00
                                                                         6.329E+01
         6.200E-04
                                                  1.297E+01
                       0.000E+00
                                       2.314E+00
                                                              2.314E+00
                                                                          1.297E+01
 Pu-238
        6.200E-04
                       0.000E+00
                                       3.973E-01
                                                   7.551E+01
                                                              3.973E-01
                                                                          7.551E+01
         6.200E-04
                        0.000E+00
                                       4.393E-01
                                                   6.829E+01
                                                              4.393E-01
 Sr-90
         6 200E-04
                       0 000E+00
                                       5 057E+00
                                                  5 932E+00 5 057E+00
                                                                          5 932E+00
                       1.000E+03
                                                  2.816E+02 8.502E-02
         6.200E-04
                                       1.065E-01
                                                                          3.528E+02
 U-234
 U-235
         6.200E-04
                       1.000E+03
                                       7.931E-01
                                                  3.783E+01 5.175E-01
                                                                          5.798E+01
 TJ-238
         6.200E-04
                        0.000E+00
                                       1.581E-01
                                                  1.898E+02
                                                              1.581E-01
                                                                          1.898E+02
 iiiiiii iiiiiiiii
                   11111111111111111
                                                  ííííííííí
                                                              iiiiiiii
                                                                         ÍÍÍÍÍÍÍÍÍ
1RESRAD, Version 5.82
                          T« Limit = 0.5 year
                                                       05/14/01 17:01
                                                                          Page 24
 Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
        : SITE1.RAD
                               Individual Nuclide Dose Summed Over All Pathways
                                 Parent Nuclide and Branch Fraction Indicated
ONuclide Parent BRF(i)
                                                              DOSE(j,t), mrem/yr
                           t= 0.000E+00 1.000E+00 3.000E+00 1.000E+01 3.000E+01 1.000E+02 3.000E+02 1.000E+03
                            2.939E-04 2.934E-04 2.923E-04 2.886E-04 2.782E-04 2.448E-04 1.699E-04 4.726E-05
 Am-241 Am-241 1.000E+00
0Np-237 Am-241
                 1 000E+00
                               0.000E+00 1.702E-09 5.214E-09 1.741E-08 5.139E-08 1.609E-07 4.057E-07 7.987E-07
0U-233 Am-241
0Th-229 Am-241
                               0.000E+00 5.315E-17 3.907E-16 3.968E-15 3.434E-14 3.615E-13 2.869E-12 2.174E-11 0.000E+00 2.219E-20 5.776E-19 2.109E-17 5.620E-16 2.008E-14 4.917E-13 1.337E-11
                 1.000E+00
                 1.000E+00
                              1.435E-03 1.402E-03 1.338E-03 1.139E-03 7.171E-04 1.422E-04 1.399E-06 1.319E-13 2.463E-04 2.444E-04 2.406E-04 2.276E-04 1.943E-04 1.117E-04 2.299E-05 9.082E-08
0Cs-137 Cs-137
                1.000E+00
0Pu-238 Pu-238 1.000E+00
```

```
0.000E+00 1.462E-10 4.404E-10 1.434E-09 3.983E-09 1.027E-08 1.681E-08 1.740E-08 5.271E-05 5.271E-05 5.270E-05 5.266E-05 5.257E-05 5.222E-05 5.124E-05 4.795E-05 0.000E+00 1.494E-10 4.482E-10 1.493E-09 4.471E-09 1.481E-08 4.359E-08 1.361E-07
OTT-234
          Pu-238 1.000E+00
U-234
          U-234
                   1.000E+00
 IJ-234
          IJ-238
                   1.000E+00
                                  5.271E-05 5.271E-05 5.270E-05 5.267E-05 5.257E-05 5.224E-05 5.130E-05 4.810E-05
U-234
          äDOSE(i):
          Pu-238 1.000E+00
                                  0.000E+00 7.150E-16 6.156E-15 6.617E-14 5.629E-13 5.259E-12 3.127E-11 1.423E-10
0Th-230
 Th-230
          II-234
                   1 000E+00
                                  0 000E+00 4 917E-10 1 444E-09 4 776E-09 1 428E-08 4 740E-08 1 406E-07 4 516E-07
                                  0.000E+00 7.179E-16 6.205E-15 6.791E-14 6.078E-13 6.712E-12 5.959E-11 6.320E-10
          U-238
                   1.000E+00
 Th-230
 Th-230
          äDOSE(j):
                                  0.000E+00 4.917E-10 1.444E-09 4.776E-09 1.428E-08 4.741E-08 1.407E-07 4.524E-07
          Pu-238 1.000E+00
                                  0.000E+00 1.223E-17 3.400E-16 1.256E-14 3.264E-13 1.053E-11 2.009E-10 3.195E-09
ORa-226
         II-234
                   1 000E+00
                                  0.000E+00 1.318E-11 1.213E-10 1.357E-09 1.219E-08 1.337E-07 1.157E-06 1.123E-05
 Ra-226
 Ra-226
         TJ-238
                   1.000E+00
                                  0.000E+00 1.229E-17 3.420E-16 1.280E-14 3.457E-13 1.267E-11 3.306E-10 1.088E-08
 Ra-226
          äDOSE(j):
                                  0.000E+00 1.318E-11 1.213E-10 1.357E-09 1.219E-08 1.337E-07 1.157E-06 1.124E-05
                  1.000E+00
0Pb-210
          Pu-238
                                  0.000E+00 8.308E-20 5.501E-18 5.888E-16 3.993E-14 3.075E-12 9.401E-11 1.816E-09 0.000E+00 1.107E-13 2.513E-12 8.226E-11 1.880E-09 4.539E-08 5.721E-07 6.431E-06
         U-234
                   1.000E+00
 Pb-210
 Pb-210
          U-238
                   1.000E+00
                                  0.000E+00 1.173E-19 5.548E-18 5.982E-16 4.188E-14 3.610E-12 1.496E-10 6.043E-09
                                  0.000E+00 1.107E-13 2.513E-12 8.226E-11 1.880E-09 4.540E-08 5.724E-07 6.439E-06
 Pb-210
          äDOSE(j):
0Pu-239
          Pu-239
                   1.000E+00
                                  2.724E-04 2.724E-04 2.723E-04 2.723E-04 2.721E-04 2.714E-04 2.696E-04 2.632E-04
011-235
          Pu-239
                   1.000E+00
                                  0.000E+00 3.151E-13 9.469E-13 3.157E-12 9.461E-12 3.141E-11 9.309E-11 2.975E-10
                                  3.208E-04 3.208E-04 3.207E-04 3.205E-04 3.200E-04 3.180E-04 3.124E-04 2.935E-04
 U-235
                   1.000E+00
                                  3.208E-04 3.208E-04 3.207E-04 3.205E-04 3.200E-04 3.180E-04 3.124E-04 2.935E-04 0.000E+00 6.981E-17 6.615E-16 7.480E-15 6.756E-14 7.478E-13 6.627E-12 6.966E-11
II-235
          äDOSE(j):
0Pa-231 Pu-239 1.000E+00
Pa-231 U-235 1.000E+00
                                  0.000E+00 1.472E-07 4.535E-07 1.524E-06 4.576E-06 1.516E-05 4.456E-05 1.383E-04 0.000E+00 1.472E-07 4.535E-07 1.524E-06 4.576E-06 1.516E-05 4.456E-05 1.383E-04
 Pa-231
         äDOSE(i):
          Pu-239 1.000E+00
                                  0.000E+00 4.456E-19 1.032E-17 3.412E-16 7.810E-15 1.885E-13 2.412E-12 2.928E-11
0Ac-227
Ac-227
         U-235
                  1.000E+00
                                  0.000E+00 1.274E-09 1.012E-08 1.003E-07 7.352E-07 4.753E-06 1.786E-05 5.996E-05
 Ac-227
         äDOSE(i):
                                  0.000E+00 1.274E-09 1.012E-08 1.003E-07 7.352E-07 4.753E-06 1.786E-05 5.996E-05
0Sr-90
                                  Sr-90 1.000E+00
                   1.000E+00
0U-238
          U-238
BRF(i) is the branch fraction of the parent nuclide.
1RESRAD, Version 5.82
                                                                                 Page 25
 Summary : Rio Grande Scenario Assuming 1 pci per liter in Water
```

: SITE1.RAD

ONuclide Parent BRF(i)

### Individual Nuclide Soil Concentration Parent Nuclide and Branch Fraction Indicated

6.200E-04 6.189E-04 6.166E-04 6.088E-04 5.870E-04 5.166E-04 3.587E-04 1.000E-04 Am-241 Am-241 1.000E+00 0Np-237 Am-241 1 000E+00 0 000E+00 2 006E-10 6 008E-10 1 990E-09 5 861E-09 1 834E-08 4 626E-08 9 128E-08 0.000E+00 4.388E-16 3.944E-15 4.363E-14 3.877E-13 4.120E-12 3.282E-11 2.495E-10 1.000E+00 0U-233 Am-241 OTh-229 Am-241 1.000E+00 0.000E+00 1.375E-20 3.726E-19 1.375E-17 3.676E-16 1.315E-14 3.221E-13 8.770E-12 0Cs-137 Cs-137 1.000E+00 6.200E-04 6.058E-04 5.785E-04 4.921E-04 3.100E-04 6.148E-05 6.047E-07 5.703E-14 6.200E-04 6.151E-04 6.055E-04 5.729E-04 4.891E-04 2.813E-04 5.792E-05 2.293E-07 0Pu-238 Pu-238 1.000E+00 0.000E+00 1.751E-09 5.210E-09 1.689E-08 4.688E-08 1.209E-07 1.979E-07 2.053E-07 011-234 Pu-238 1.000E+00 II-234 IJ-234 1.000E+00 6.200E-04 6.199E-04 6.198E-04 6.194E-04 6.183E-04 6.144E-04 6.032E-04 5.658E-04 TT-234 II-238 1.000E+00 0.000E+00 1.758E-09 5.272E-09 1.756E-08 5.259E-08 1.742E-07 5.132E-07 1.606E-06 6.200E-04 6.199E-04 6.198E-04 6.195E-04 6.184E-04 6.146E-04 6.039E-04 5.676E-04 U-234 äS(j): 1.000E+00 0Th-230 Pu-238 0.000E+00 7.890E-15 7.063E-14 7.704E-13 6.583E-12 6.160E-11 3.667E-10 1.673E-09 Th-230 U-234 1 000E+00 0.000E+00 5.581E-09 1.674E-08 5.578E-08 1.672E-07 5.553E-07 1.649E-06 5.309E-06 U-238 1.000E+00 0.000E+00 7.911E-15 7.119E-14 7.906E-13 7.107E-12 7.861E-11 6.987E-10 7.429E-09 äS(j): Th-230 0 000E+00 5 581E-09 1 674E-08 5 579E-08 1 672E-07 5 555E-07 1 650E-06 5 318E-06 0.000E+00 1.140E-18 3.065E-17 1.119E-15 2.897E-14 9.337E-13 1.781E-11 2.835E-10 0Ra-226 Pu-238 Ra-226 II-234 1 000E+00 0.000E+00 1.209E-12 1.087E-11 1.207E-10 1.082E-09 1.185E-08 1.025E-07 9.963E-07 0.000E+00 1.144E-18 3.083E-17 1.140E-15 3.069E-14 1.123E-12 2.931E-11 9.659E-10 U-238 1.000E+00 Ra-226 äS(j): 0.000E+00 1.209E-12 1.087E-11 1.207E-10 1.082E-09 1.185E-08 1.026E-07 9.975E-07 Ra-226 0.000E+00 8.805E-21 7.023E-19 8.211E-17 5.728E-15 4.456E-13 1.367E-11 2.649E-10 0.000E+00 1.243E-14 3.303E-13 1.159E-11 2.707E-10 6.586E-09 8.323E-08 9.383E-07 0Pb-210 Pu-238 1.000E+00 U-234 1.000E+00 Ph-210 TT-238 1.000E+00  $\texttt{0.000E+00 \ 1.436E-20 \ 7.043E-19 \ 8.341E-17 \ 6.006E-15 \ 5.231E-13 \ 2.175E-11 \ 8.815E-10 }$ 0.000E+00 1.243E-14 3.303E-13 1.159E-11 2.707E-10 6.587E-09 8.327E-08 9.394E-07 Pb-210 äS(j): Pu-239 1.000E+00 6.200E-04 6.200E-04 6.199E-04 6.198E-04 6.194E-04 6.181E-04 6.143E-04 6.011E-04 0Pu-239 0U-235 Pu-239 1.000E+00 0.000E+00 6.106E-13 1.832E-12 6.103E-12 1.829E-11 6.070E-11 1.799E-10 5.752E-10 6.200E-04 6.199E-04 6.198E-04 6.195E-04 6.184E-04 6.145E-04 6.037E-04 5.674E-04 U-235 II-235 1.000E+00 TJ-235 äS(i): 6.200E-04 6.199E-04 6.198E-04 6.195E-04 6.184E-04 6.145E-04 6.037E-04 5.674E-04 0Pa-231 Pu-239 1.000E+00 0.000E+00 6.459E-18 5.812E-17 6.455E-16 5.801E-15 6.411E-14 5.682E-13 5.985E-12 Pa-231 II-235 1.000E+00 0.000E+00 1.312E-08 3.934E-08 1.311E-07 3.924E-07 1.299E-06 3.820E-06 1.188E-05 0.000E+00 1.312E-08 3.934E-08 1.311E-07 3.924E-07 1.299E-06 3.820E-06 1.188E-05 Pa-231 äS(i): 1 000E+00 0.000E+00 6.800E-20 1.807E-18 6.335E-17 1.477E-15 3.588E-14 4.600E-13 5.597E-12 0Ac-227 Pu-239 U-235 0.000E+00 2.066E-10 1.820E-09 1.880E-08 1.395E-07 9.056E-07 3.409E-06 1.146E-05 Ac-227 1.000E+00 Ac-227 äS(j): 0.000E+00 2.066E-10 1.820E-09 1.880E-08 1.395E-07 9.056E-07 3.409E-06 1.146E-05 0Sr-90 Sr-90 1.000E+00 6.200E-04 6.053E-04 5.770E-04 4.880E-04 3.022E-04 5.652E-05 4.698E-07 2.459E-14 1.000E+00 fffffff fffffff ffffffff

BRF(i) is the branch fraction of the parent nuclide.